

Forum:[Hack Forums](#)

Thread: [Bot View Youtube \(Basic\)](#)

Raspi 3.14 - May 27, 2016, 11:21 am

Hey Guys

This is my first post & tutorial. i know this is basically program :/. But it's working !

Let's begin :

You need :

Quote:- 2 : Buttons

- 1 : Timer

- 1 : Text Box

- 1 : Web Browser

(optional) - 1 : Label

here is the code :

Code Public Class Form1

```
Private Sub Timer1_Tick(sender As Object, e As EventArgs) Handles Timer1.Tick
    WebBrowser1.Navigate(TextBox1.Text)
End Sub
```

```
Private Sub Button1_Click(sender As Object, e As EventArgs) Handles Button1.Click
    Timer1.Start()
End Sub
```

```
Private Sub Button2_Click(sender As Object, e As EventArgs) Handles Button2.Click
    Timer1.Stop()
End Sub
```

End Class

Sry this is fast but it's easy ^-^

Good Spam

SIM-1676753 - May 27, 2016, 11:26 am

Good tutorial. Thanks OP!!

CULTSWEGMAFIA - May 27, 2016, 11:28 am

Nice tutorial OP. i'll check it out

\$lick - May 27, 2016, 11:29 am

Wow, love how you color coded the steps, really helped me out.

Zilog80 - May 27, 2016, 11:51 am

That code is IMBA

Spoiler ([Click to View](#))

/sarcasm

GramHQ - May 27, 2016, 11:56 am

Holy shit guys. This actually works...

+Haze - May 27, 2016, 11:59 am

Nice YouTube bot op. Thanks for this so much.

Heyston - May 27, 2016, 12:51 pm

Yes but is only for the first 300 views right?

Hihhuli - May 27, 2016, 1:42 pm

How can you get HR views?

Is there any bots for sale here in hr or anywhere else?

Or could you use webrequest etc and pause untill refresh & use multiple threads idk?

Hopefully someone can answer :P

funbunny - May 27, 2016, 1:46 pm

shouldnt you add a sleep statement or else the tick will execute every second instead of sleeping some time then possibly switching through a proxy list?

\$lick - May 27, 2016, 1:53 pm

(May 27, 2016 01:46 PM)funbunny Wrote: [\[CITE\]](#) shouldnt you add a sleep statement or else the tick will execute every second instead of sleeping some time then possibly switching through a proxy list?

That's way too advanced.

CULTSWEGMAFIA - May 27, 2016, 2:19 pm

Tbh i have no clue how to code or what to put that code in, can someone help me out?

\$lick - May 27, 2016, 2:20 pm

(May 27, 2016 02:19 PM)YSII Wrote: [\[CITE\]](#) Tbh i have no clue how to code or what to put that code in, can someone help me out?
put this;

PHP Code

```
<?php
```

```
While True
```

```
    // Code here.
```

```
End While
```

CULTSWEGMAFIA - May 27, 2016, 2:31 pm

(May 27, 2016 02:20 PM)Nexus™ ?? Wrote: [\[CITE\]](#) put this;

PHP Code

```
<?php
While True
    '// Code here.
End While
```

PM Me

\$lick - May 27, 2016, 3:12 pm

(May 27, 2016 02:31 PM)YSII Wrote: [\[CITE\]](#) PM Me

Please stop.

CULTSWEGMAFIA - May 27, 2016, 3:38 pm

(May 27, 2016 03:12 PM)Nexus™ ?? Wrote: [\[CITE\]](#)

Please stop.

Lol im sorry i dont know about that kinda stuff....

Mew? - May 28, 2016, 3:59 am

This program will initially add the views but will then likely take the views away after the system realizes they are all from the same IP. You need to somehow spoof the users ip everytime it views the video. Possibly use a proxy list or something of that nature.

OmegaCode - May 28, 2016, 5:48 am

(May 28, 2016 03:59 AM)pcoA Wrote: [\[CITE\]](#) This program will initially add the views but will then likely take the views away after the system realizes they are all from the same IP. You need to somehow spoof the users ip everytime it views the video. Possibly use a proxy list or something of that nature.

Waat? You're telling me I can't sell this on HF??

"YOUTUBE VOOWS BOT | 699.99\$ ONLY | UNSATURATED | VOUCHERED | WHY ARE YOU READING THIS???"

Ninja - May 28, 2016, 11:23 am

Wow Raspi, great moves, keep it up, proud of you!

Jackie Chun - May 28, 2016, 11:30 am

(May 27, 2016 02:19 PM)YSII Wrote: [\[CITE\]](#) Tbh i have no clue how to code or what to put that code in, can someone help me out?

```
Code Private Sub Timer1_Tick(sender As Object, e As EventArgs) Handles Timer1.Tick 'For each timer tick
```

```
    WebBrowser1.Navigate(TextBox1.Text) 'Webbrowser goes to URL
End Sub
```

```
Private Sub Button1_Click(sender As Object, e As EventArgs) Handles Button1.Click 'when button 1 is clicked
```

```
    Timer1.Start() 'Timer starts ticking
End Sub
```

```
Private Sub Button2_Click(sender As Object, e As EventArgs) Handles Button2.Click 'when button 2 is clicked
```

```
    Timer1.Stop() 'timer stops ticking
```

End Sub

You can't be this retarded can you? Also this method wont work since you can only hit like 300 views per IP, you have to use proxies. And using a webbrowser is slower than using webrequests.

CULTSWEGMAFIA - May 28, 2016, 12:13 pm

(May 28, 2016 11:30 AM)Jackie Chun Wrote: [\[CITE\]](#) Code Private Sub Timer1_Tick(sender As Object, e As EventArgs) Handles Timer1.Tick 'For each timer tick

WebBrowser1.Navigate(TextBox1.Text) 'Webbrowser goes to URL
End Sub

Private Sub Button1_Click(sender As Object, e As EventArgs) Handles Button1.Click 'when button 1 is clicked

Timer1.Start() 'Timer starts ticking
End Sub

Private Sub Button2_Click(sender As Object, e As EventArgs) Handles Button2.Click 'when button 2 is clicked

Timer1.Stop() 'timer stops ticking
End Sub

You can't be this retarded can you? Also this method wont work since you can only hit like 300 views per IP, you have to use proxies. And using a webbrowser is slower than using webrequests. Guess i'm pretty retarded then. I think you put it in visual basic but i tried that and didn't work :!

Ninja - May 28, 2016, 12:15 pm

(May 28, 2016 12:13 PM)YSII Wrote: [\[CITE\]](#) Guess i'm pretty retarded then. I think you put it in visual basic but i tried that and didn't work :!

Because you have to change the timer tick interval, surpress script errors, use proxies, etc.

\$lick - May 28, 2016, 12:16 pm

(May 28, 2016 12:13 PM)YSII Wrote: [\[CITE\]](#) Guess i'm pretty retarded then. I think you put it in visual basic but i tried that and didn't work :!

I honestly can't tell if you're serious or not.

Jackie Chun - May 28, 2016, 12:21 pm

(May 28, 2016 12:18 PM)YSII Wrote: [\[CITE\]](#) I'm 50% serious.

You add two buttons to your form, then add a timer and a webbrowser.

Click on the webbrowser properties tab and make enable script suppression or something similar.

Copy and paste the code.

Debug.

\$lick - May 28, 2016, 12:49 pm

(May 28, 2016 12:21 PM)Jackie Chun Wrote: [\[CITE\]](#) You add two buttons to your form, then add a timer and a webbrowser.

Click on the webbrowser properties tab and make enable script suppression or something similar.

Copy and paste the code.

Debug.

Then alt+f4, delete system32 and drink bleach.

CULTSWEGMAFIA - May 28, 2016, 12:50 pm

(May 28, 2016 12:49 PM)Nexus™ ?? Wrote: [\[CITE\]](#) Then alt+f4, delete system32 and drink bleach. Followed the steps and finally did it! Thanks! :) Bleach tastes good

Odus - May 28, 2016, 1:10 pm

(May 27, 2016 01:46 PM)funbunny Wrote: [\[CITE\]](#) shouldnt you add a sleep statement or else the tick will execute every second instead of sleeping some time
Can be done on the timer's Interval property, no need to sleep it.

Edit: hit the wrong button sorry. ;-;

Dennamanarjag - May 28, 2016, 1:15 pm

Why is this thread stickied?

\$lick - May 28, 2016, 1:22 pm

(May 28, 2016 01:15 PM)Dennamanarjag Wrote: [\[CITE\]](#) Why is this thread stickied?
Because memes can't melt steel stickies.

Mew? - May 28, 2016, 11:06 pm

(May 28, 2016 05:48 AM)OmegaCode Wrote: [\[CITE\]](#) Waat? You're telling me I can't sell this on HF??
"YOUTUBE VOOWS BOT | 699.99\$ ONLY | UNSATURATED | VOUCHERED | WHY ARE YOU
READING THIS???"No I'm telling you this won't work.

lhabZ - June 29, 2016, 2:21 am

the best way to make a perfect boot by using (user agent and webbrowser) or (httpwebrequest and httpwebresponse)