

Forum:[Hack Forums](#)

Thread: ["Upload" a JavaScript within my HTML5](#)

clemme - June 22, 2016, 12:04 am

I'm trying to make a website, HTML5 and CSS3. I would like to add a JavaScript nice, but do not know where should add. This is my body:

Code <!DOCTYPE html>

```
<html lang="it">
```

```
<head>
```

```
  <title>Nome sito </title>
```

```
  <meta charset="utf-8"/>
```

```
  <link rel="stylesheet" href="style.css" type="text/css" />
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
</head>
```

```
<body class="body">
```

```
  <header class="mainHeader">
```

```
    
```

```
    <nav><ul>
```

```
      <li class="active"><a href="#">Home</a></li>
```

```
      <li><a href="#">Contatti</a></li>
```

```
      <li><a href="#">Chi siamo?</a></li>
```

```
      <li><a href="#">nome</a></li>
```

```
      <li><a href="#">News</a></li>
```

```
    </ul></nav>
```

```
  </header>
```

```
  <div class="mainContent">
```

```
    <div class="content">
```

```
      <article class="topcontent">
```

```
        <header>
```

```
          <h2><a href="#" title="first post"></a></h2>
```

```
        </header>
```

```
        <footer>
```

```
          <p class="post-info">This is a post info</p>
```

```
        </footer>
```

```
      <content>
```

```
        <p>
```

```
          sdfasdfsdf
```

```
        </p>
```

```
</content>
</article>
<article class="bottomContent">
  <header>
    <h2><a href="#" title="Second post">Second post</a></h2>
  </header>

  <footer>
    <p class="post-info">This is the second post</p>
  </footer>
```

```
<content>
```

```
  <p> ciao ciao ciao
  </p>
```

```
  </content>
</article>
</div>
</div>
<aside class="top-sidebar">
  <article>
    <h2>Top sidebar</h2>
    <p> Questo è un paragrafo.</p>
  </article>

</aside>
<aside class="middle-sidebar">
  <article>
    <h2>middle sidebar</h2>
    <p> Questo è un paragrafo.</p>
  </article>
  <aside class="bottom-sidebar">
    <article>
      <h2>bottom sidebar</h2>
      <p> Questo è un paragrafo.</p>
    </article>

  </aside>

</aside>

</aside>
<footer class="mainfooter">
  <p> copyright &copy; 2016 <a href="#" title="Nikita Zanella">Nikita Zanella</a></p>
```

```
</body>
```

```
</html>Hence my CSS:
Code body {
```

```
background-image: url('bg.png');
color:#000000;
font-size: 87.5%; /* base font size is 14 px */
font-family: Arial, 'Lucida Sans Unicode' ;
line-height: 3;
text-align: left;
}

a {
    text-decoration: none;
}
a:link, a:visited {
}
a:hover, a:active {

}

.body {
    margin: 0 auto;
    width: 70%;
    clear: both;

}

.mainHeader img {
    width:100%;
    height: auto;
    margin:2% 0;
}

.mainHeader nav {
    background-color: #666;
    height: 40px;
    border-radius: 5px;
    -moz-border-radius: 5px;
    -webkit-border-radius: 5px;

}

.mainHeader nav ul {
    list-style: none;
    margin: 0 auto;
}

.mainHeader nav ul li {
    float: left;
    display: inline;
}
.mainHeader nav a:link, .mainHeader nav a:visited {
    color: #FFF;
    display: inline-block;
    padding: 10px 25px ;
    height: 20px;
}
```

```
.mainHeader nav a:hover, .mainHeader nav a:active,
.mainHeader nav .active a:link, .mainHeader nav .active a:visited {
    background-color: #CF5C3F;
    text-shadow: none;
}
.mainHeader nav lu li a {
    border-radius: 5px;
    -moz-border-radius: 5px;
    -webkit-border-radius: 5px;
}
.mainContent {
    line-height: 25px;
    border-radius: 5px;
    -moz-border-radius: 5px;
    -webkit-border-radius: 5px;
}
.content {
    width: 70%;
    float: left;
}
.topContent {
    background-color: #FFF;
    border-radius: 5px;
    -moz-border-radius: 5px;
    -webkit-border-radius: 5px;
    padding: 3% 5%;
    margin-top: 2%;
}
.bottomContent {
    background-color: #FFF;
    border-radius: 5px;
    -moz-border-radius: 5px;
    -webkit-border-radius: 5px;
    padding: 3%;
}
.top-sidebar {
    width: 21%;
    float: left;
    background-color: #FFF;
    border-radius: 5px;
    -moz-border-radius: 5px;
    -webkit-border-radius: 5px;
    margin: 2% 0 2% 3%;
    padding: 2% 3%;
}
.middle-sidebar {
    width: 21%;
    float: left;
    background-color: #FFF;
    border-radius: 5px;
    -moz-border-radius: 5px;
```

```

    -webkit-border-radius: 5px;
    margin: 2% 0 2% 3%;
    padding: 2% 3%;
}
.bottom-sidebar {
    width: 21%;
    float: left;
    background-color: #FFF;
    border-radius: 5px;
    -moz-border-radius: 5px;
    -webkit-border-radius: 5px;
    margin: 2% 0 2% 3%;
    padding: 2% 3%;
}

```

and this is the script that I would insert:

Code

```

var myName = "Nome";

```

```

var red = [0, 100, 63];
var orange = [40, 100, 60];
var green = [75, 100, 40];
var blue = [196, 77, 55];
var purple = [280, 50, 60];
var letterColors = [red, orange, green, blue, purple];

```

```

drawName(myName, letterColors);

```

```

{
    bubbleShape = 'circle';
}

```

bounceBubbles();

Help me figure out where the hell I have to add. Nothing understand it is to be a day that we work.

Kylos - June 22, 2016, 5:57 am

You can even just add it on bottom between script tags, else use the DOMContentLoaded event to execute it and include it on the header as a .js script

Oscura - June 22, 2016, 6:35 am

There are two options:

[Referencing to a .js file containing your script](#)

[Put the js code in your HTML \(bottom of the body\)](#)

I'd suggest the second option as it is a very short script. Also notice: you're calling the bounceBubbles(); function which is not declared.

clemme - June 22, 2016, 12:54 pm

as I declare bounceBubbles (myName) ?
excuse me but I have a beautiful mess