

Forum:[Hack Forums](#)

Thread: [\[Help\]Line conversion](#)

eridanus - November 5, 2016, 5:35 am

I was just working on a secret messaging script and need help for converting letters in lines to some other characters of my choice.

This should explain it:

LINE: Hello_Guys

H -@

e -#

l -*

o -+

_ ^

G -1

u -9

y -5

s -7

And so the output should be :@#**+^1957

Need real help friends...

On completion I will give you guys the credit too.

JoshuTee - November 5, 2016, 6:08 am

What language?

If it's batch, it should be

@=H && #=e && *=l etc.

You'll probably still need to escape some chars.

Hackoo - November 5, 2016, 7:26 am

Hi ?

Try something like that :

EncryptString.bat ? ? ?

EncryptString.bat ([Click to View](#))Code @echo off

setlocal ENABLEEXTENSIONS ENABLEDELAYEDEXPANSION

Title Encrypt String

color a

echo(

(set CHAR[a]=UDFM45) & (set CHAR[b]=H21DGF) & (set CHAR[c]=FDH56D) & (set

CHAR[d]=FGS546) & (set CHAR[e]=#)

(set CHAR[f]=ERG54S) & (set CHAR[g]=1) & (set CHAR[h]=@) & (set CHAR[i]=RG4F4D) & (set CHAR[j]=RT56F6)

(set CHAR[k]=VCBC3B) & (set CHAR[l]=*) & (set CHAR[m]=FD4CJS) & (set CHAR[n]=G423FG) & (set CHAR[o]=+)

(set CHAR[p]=TH5DF5) & (set CHAR[q]=CV4F6R) & (set CHAR[r]=XF64TS) & (set CHAR[s]=7) & (set CHAR[t]=TH74SJ)

(set CHAR[u]=9) & (set CHAR[v]=FG65SD) & (set CHAR[w]=4KL45D) & (set CHAR[x]=GFH3F2) & (set CHAR[y]=5)

(set CHAR[z]=45T1FG) & (set CHAR[1]=D4G23D) & (set CHAR[2]=GB56FG) & (set CHAR[3]=SF45GF) & (set CHAR[4]=P4FF12)

(set CHAR[5]=F6DFG1) & (set CHAR[6]=56FG4G) & (set CHAR[7]=USGFDG) & (set

```
CHAR[8]=FKHFDG) & (set CHAR[9]=IFGJH6)
(set CHAR[0]=87H8G7) & (set CHAR[@]=G25GHF) & (set CHAR[#]=45FGFH) & (set
CHAR[$]=75FG45) & (set CHAR[*]=54GDH5)
(set CHAR[(]=45F465) & (set CHAR[.]=HG56FG) & (set CHAR[,]=DF56H4) & (set
CHAR[-]=F5JHFH) & (set CHAR[ ]=SGF4HF)
(set CHAR[\]=45GH45) & (set CHAR[/]=56H45G) & (set CHAR[_]=^^)
```

```
:Loop
cls
echo Enter a string to encrypt:
set /p TEXT=
set "TEXT=%TEXT%"
cls
set "EncryptOut="
echo Input string: %TEXT%
:EncryptString
set char=%TEXT:~0,1%
set TEXT=%TEXT:~1%
set EncryptOut=%EncryptOut%!CHAR[%char%!
if not "%TEXT%"==" " goto EncryptString
echo.
echo Output string: %EncryptOut%
echo(
echo Hit any key to try another string
pause>nul
Goto loop
```

eridanus - November 5, 2016, 11:07 pm

(Nov 5, 2016 07:26 AM)Hackoo Wrote: [\[CITE\]](#) Hi ?

Try something like that :

EncryptString.bat ? ? ?

EncryptString.bat [\(Click to View\)](#)Code @echo off

```
setlocal ENABLEEXTENSIONS ENABLEDELAYEDEXPANSION
Title Encrypt String
color a
echo(
(set CHAR[a]=UDFM45) & (set CHAR[b]=H21DGF) & (set CHAR[c]=FDH56D) & (set
CHAR[d]=FGS546) & (set CHAR[e]=#)
(set CHAR[f]=ERG54S) & (set CHAR[g]=1) & (set CHAR[h]=@) & (set CHAR[i]=RG4F4D) & (set
CHAR[j]=RT56F6)
(set CHAR[k]=VCBC3B) & (set CHAR[l]=*) & (set CHAR[m]=FD4CJS) & (set CHAR[n]=G423FG)
& (set CHAR[o]=+)
(set CHAR[p]=TH5DF5) & (set CHAR[q]=CV4F6R) & (set CHAR[r]=XF64TS) & (set CHAR[s]=7)
& (set CHAR[t]=TH74SJ)
(set CHAR[u]=9) & (set CHAR[v]=FG65SD) & (set CHAR[w]=4KL45D) & (set CHAR[x]=GFH3F2)
& (set CHAR[y]=5)
(set CHAR[z]=45T1FG) & (set CHAR[1]=D4G23D) & (set CHAR[2]=GB56FG) & (set
CHAR[3]=SF45GF) & (set CHAR[4]=P4FF12)
(set CHAR[5]=F6DFG1) & (set CHAR[6]=56FG4G) & (set CHAR[7]=USGFDG) & (set
CHAR[8]=FKHFDG) & (set CHAR[9]=IFGJH6)
(set CHAR[0]=87H8G7) & (set CHAR[@]=G25GHF) & (set CHAR[#]=45FGFH) & (set
CHAR[$]=75FG45) & (set CHAR[*]=54GDH5)
(set CHAR[(]=45F465) & (set CHAR[.]=HG56FG) & (set CHAR[,]=DF56H4) & (set
```

```
CHAR[-]=F5JHFH) & (set CHAR[ ]=SGF4HF)  
(set CHAR[ ]=45GH45) & (set CHAR[/]=56H45G) & (set CHAR[_]=^^)
```

```
:Loop
```

```
cls
```

```
echo Enter a string to encrypt:
```

```
set /p TEXT=
```

```
set "TEXT=%TEXT%"
```

```
cls
```

```
set "EncryptOut="
```

```
echo Input string: %TEXT%
```

```
:EncryptString
```

```
set char=%TEXT:~0,1%
```

```
set TEXT=%TEXT:~1%
```

```
set EncryptOut=%EncryptOut%!CHAR[%char%]!
```

```
if not "%TEXT%"==" " goto EncryptString
```

```
echo.
```

```
echo Output string: %EncryptOut%
```

```
echo(
```

```
echo Hit any key to try another string
```

```
pause>nul
```

```
Goto loopYou are Awesome!!!
```