

Forum:[Hack Forums](#)

Thread: [Tcp Socket](#)

xxdarklord65xx - February 6, 2017, 8:54 am

hello guys i hope ur good .

i have some questions i want to know about it

first of all : i have created a simple socket for my new rat . it receive and send data successfully . but im having a trouble how can i handle alot of clients .

how i can give each one an ID .. i tried to use
dim ID as List(Of TcpClient) = new List(Of TcpClient)

and when i accept a tcpclient i add the client in the list
ID.ADD(Connection)

but this is not enough . how can i get the Id or the index number from the list so that i can handle clients so easy . and send for each client by the ID .

i hope u guys got my problem and my question.

Ninja - February 6, 2017, 9:19 am

Or just make a Client model and put the connection object in there..? This way you can add a lot more info to an individual client. You can then use LINQ or iterate over the collection to grab the items with the indices you want.

It seems you don't have much knowledge in programming so I suggest you refrain from creating a RAT anytime soon.

xxdarklord65xx - February 6, 2017, 9:25 am

(Feb 6, 2017 10:19 AM)Ninja Wrote: [\[CITE\]](#) Or just make a Client model and put the connection object in there..?

It seems you don't have much knowledge in programming so I suggest you refrain from creating a RAT anytime soon.

i do have knowledge in programming
and my main rat is already done . but i wanted to create another socket
my main rat is using a Socket class not tcpclient .. so i wanted to create a new socket using TcpClient . and i found a problem how to add a Client in a List and get the Client from the list by the id or index number when ever i want .

Ninja - February 6, 2017, 9:30 am

(Feb 6, 2017 10:25 AM)xxdarklord65xx Wrote: [\[CITE\]](#) i do have knowledge in programming
and my main rat is already done . but i wanted to create another socket
my main rat is using a Socket class not tcpclient .. so i wanted to create a new socket using TcpClient . and i found a problem how to add a Client in a List and get the Client from the list by the id or index number when ever i want .

I can assure you that that problem is the easiest to solve. And I can tell you don't have much knowledge in programming. I am wondering how much of your 'main rat' you copied.

xxdarklord65xx - February 6, 2017, 9:31 am

(Feb 6, 2017 10:30 AM)Ninja Wrote: [\[CITE\]](#) I can assure you that that problem is the easiest to solve. And I can tell you don't have much knowledge in programming. I am wondering how much of your 'main rat' you copied.

lol dont judge while u dont know anything about me .

i know its easy i did 50% of it . but im just confused how to get the id or index from the collection or the list . so if u flame too much no need to comment maybe others can help . also ur saying its so easy . ur just coming here to comment and flame and get out . so please Quit Hf .

(Feb 6, 2017 10:30 AM)Ninja Wrote: [\[CITE\]](#) I can assure you that that problem is the easiest to solve. And I can tell you don't have much knowledge in programming. I am wondering how much of your 'main rat' you copied.

Public Clients As New List(Of Integer)

its really easy to handle with integers ..

SKT += 1

clients.add(skt)

so ur adding an integer which is really izi ..also im just giving the shortest way if ur good in programming u will know what i mean

anyways . now im doing a (Public Clients As New List(Of TcpClient)

which really confused me .. i dont want CODES i want ideas or hints thats it !!

Ninja - February 6, 2017, 9:40 am

(Feb 6, 2017 10:31 AM)xxdarklord65xx Wrote: [\[CITE\]](#) lol dont judge while u dont know anything about me .

i know its easy i did 50% of it . but im just confused how to get the id or index from the collection or the list . so if u flame too much no need to comment maybe others can help . also ur saying its so easy . ur just coming here to comment and flame and get out . so please Quit Hf .

I cant believe someone can be this stupid. Besides, if you read my first post I already gave you the solution.

xxdarklord65xx - February 6, 2017, 9:43 am

(Feb 6, 2017 10:40 AM)Ninja Wrote: [\[CITE\]](#) I cant believe someone can be this stupid. Besides, if you read my first post I already gave you the solution.

ur solution is insulting i cant see any solution .. idk how the forum is allowing ppl like u .. NOTE : remove ur fake experience 3 years programming . it just makes me laugh on u . :(

Ninja - February 6, 2017, 9:45 am

(Feb 6, 2017 10:43 AM)xxdarklord65xx Wrote: [\[CITE\]](#) ur solution is insulting i cant see any solution .. idk how the forum is allowing ppl like u .. NOTE : remove ur fake experience 3 years programming . it just makes me laugh on u . :(

I edited it a bit. That is the most I am helping you.

And thanks for making me laugh.

EDIT:

oh boy...

xxdarklord65xx - February 6, 2017, 9:53 am

(Feb 6, 2017 10:45 AM)Ninja Wrote: [\[CITE\]](#) I edited it a bit. That is the most I am helping you.

And thanks for making me laugh.

i solved it ! . i made a new collection and i have added the client and key is the integer so by that i can get the client by the key so easily
and try to be more good with people before judging there skills without knowing them.

HFDone - February 6, 2017, 10:20 am

what about List IndexOf Client

xxdarklord65xx - February 6, 2017, 10:23 am

(Feb 6, 2017 11:20 AM)HFDone Wrote: [\[CITE\]](#) what about List IndexOf Client

true . i was thinking about it .

but i made a new function to get the client

the Collection Class offers an element called " Item " . which u can get the item by the index or the key

for example

```
Return Client.Item(0 / key ).ToString()
```

Ninja - February 6, 2017, 10:24 am

(Feb 6, 2017 10:53 AM)xxdarklord65xx Wrote: [\[CITE\]](#) i solved it ! . i made a new collection and i have added the client and key is the integer so by that i can get the client by the key so easily
and try to be more good with people before judging there skills without knowing them.
..?

It seems like every part where I help you you purposely ignore and the parts where I scold at you you can actually understand. I helped you twice, even elaborated my solution to your problem more for you, and still you are the one to give me shit more than I give you shit.

xxdarklord65xx - February 6, 2017, 10:35 am

(Feb 6, 2017 11:24 AM)Ninja Wrote: [\[CITE\]](#) ..?

It seems like every part where I help you you purposely ignore and the parts where I scold at you you can actually understand. I helped you twice, even elaborated my solution to your problem more for you, and still you are the one to give me shit more than I give you shit.

Isn .. stop EDITING UR ANSWERS POST ..

second thing

It seems you don't have much knowledge in programming so I suggest you refrain from creating a RAT anytime soon.

i really dont know who said that ?

like ur the only one here who got the knowledge .. who r u to judge and say u dont have much programming knowledge ..

I can assure you that that problem is the easiest to solve. And I can tell you don't have much knowledge in programming. I am wondering how much of your 'main rat' you copied.

insulting and flaming .. is this the way to help ? i just asked a question .. and u dont have the right to flame ,insult and judge my main rat copied .. im assure ur talking about ur self .

I cant believe someone can be this stupid. Besides, if you read my first post I already gave you the solution.

at last .. no one here is the stupid only you
and am again saying stop editing ur posts and Stop trying to act like helpful while ur a person who
is a arrogance .. grow up my mate

Ninja - February 6, 2017, 10:54 am

(Feb 6, 2017 11:35 AM)xxdarklord65xx Wrote: [\[CITE\]](#) Isn .. stop EDITING UR ANSWERS POST ..
second thing

It seems you don't have much knowledge in programming so I suggest you refrain from creating a
RAT anytime soon.

i really dont know who said that ?

like ur the only one here who got the knowledge .. who r u to judge and say u dont have much
programming knowledge ..

I can assure you that that problem is the easiest to solve. And I can tell you don't have much
knowledge in programming. I am wondering how much of your 'main rat' you copied.

insulting and flaming .. is this the way to help ? i just asked a question .. and u dont have the right to
flame ,insult and judge my main rat copied .. im assure ur talking about ur self .

I cant believe someone can be this stupid. Besides, if you read my first post I already gave you the
solution.

at last .. no one here is the stupid only you
and am again saying stop editing ur posts and Stop trying to act like helpful while ur a person who
is a arrogance .. grow up my mate

You cant even retrieve items from a collection yet claim to be able to program a RAT?

That is like saying you can do a race in a car without operating the gas pedal.

xxdarklord65xx - February 6, 2017, 11:00 am

(Feb 6, 2017 11:54 AM)Ninja Wrote: [\[CITE\]](#) You cant even retrieve items from a collection yet claim
to be able to program a RAT?

That is like saying you can do a race in a car without operating the gas pedal.

dude remove ur experience thing

To retrieve an item from a collection

Use the Item property and specify the item by either its Index or its Key.

from Microsoft .

Ninja - February 6, 2017, 12:27 pm

(Feb 6, 2017 12:00 PM)xxdarklord65xx Wrote: [\[CITE\]](#) dude remove ur experience thing

To retrieve an item from a collection

Use the Item property and specify the item by either its Index or its Key.

from Microsoft .

When did I say I not know how to do this? The fact that you needed to make a thread asking how to
do this is sad.

You are completely misunderstanding all that I have said in this thread. Lol.

xxdarklord65xx - February 6, 2017, 8:10 pm

(Feb 6, 2017 01:27 PM)Ninja Wrote: [\[CITE\]](#) When did I say I not know how to do this? The fact that
you needed to make a thread asking how to do this is sad.

You are completely misunderstanding all that I have said in this thread. Lol.
And same here xD
You are completely misunderstanding all that I have said in this thread. Lol.

Ninja - February 7, 2017, 9:55 am

(Feb 6, 2017 09:10 PM)xxdarklord65xx Wrote: [\[CITE\]](#) And same here xD
You are completely misunderstanding all that I have said in this thread. Lol.
Are you actually serious?

I can't wait until you can fluently speak English and look back at this thread and hit yourself in the head out of shame.

xxdarklord65xx - February 8, 2017, 5:25 am

(Feb 7, 2017 10:55 AM)Ninja Wrote: [\[CITE\]](#) Are you actually serious?

I can't wait until you can fluently speak English and look back at this thread and hit yourself in the head out of shame.
i never seen two faced person like u .
first u were insulting and now ur trying to proof ur a good person .
anyways everything is obvious .someone pm in private and he was so great
i really wish if i can post him back but i cant .. i really hope u be as his personality . and yeh about my english am arabian . my second language is english .

Ninja - February 8, 2017, 8:56 am

(Feb 8, 2017 06:25 AM)xxdarklord65xx Wrote: [\[CITE\]](#) i never seen two faced person like u .
first u were insulting and now ur trying to proof ur a good person .
anyways everything is obvious .someone pm in private and he was so great
i really wish if i can post him back but i cant .. i really hope u be as his personality . and yeh about my english am arabian . my second language is english .
I was trying to help you, you got mad at me. I helped again, you got mad again.
Then I gave up.

xxdarklord65xx - February 8, 2017, 11:03 am

(Feb 8, 2017 09:56 AM)Ninja Wrote: [\[CITE\]](#) I was trying to help you, you got mad at me. I helped again, you got mad again.
Then I gave up.
maybe u helped .. but not in the right way mate . ur first answer was more insulting then helping .. like no need to create rat if u got no knowledge in programming . ur question is the most easiest thing .. ur a stupid ..if u just said the answer without those words . i would really appreciate it .
anyways . i solved it and thanks i got what do u mean by ur answer .

teevo41 - February 9, 2017, 2:42 am

(Feb 8, 2017 12:03 PM)xxdarklord65xx Wrote: [\[CITE\]](#) maybe u helped .. but not in the right way mate . ur first answer was more insulting then helping .. like no need to create rat if u got no knowledge in programming . ur question is the most easiest thing .. ur a stupid ..if u just said the answer without those words . i would really appreciate it .
anyways . i solved it and thanks i got what do u mean by ur answer .
The thing you want to think about is, You are the one asking for help.

Nobody has a responsibility to help you, if they do, it's out of their own time.

What you may have seen as insulting, may have not been meant that way in the first place.

Just something to think about. ?

Ninja - February 9, 2017, 2:45 am

(Feb 8, 2017 12:03 PM)xxdarklord65xx Wrote: [\[CITE\]](#) maybe u helped .. but not in the right way mate . ur first answer was more insulting then helping .. like no need to create rat if u got no knowledge in programming . ur question is the most easiest thing .. ur a stupid ..if u just said the answer without those words . i would really appreciate it .

anyways . i solved it and thanks i got what do u mean by ur answer .

Well its true. If someone says he is going to build a car while he has only held an exhaust pipe in his hands once that isn't going to work out too, is it?

Salaam aleikum, goatfucker.

xxdarklord65xx - February 9, 2017, 5:18 am

(Feb 9, 2017 03:45 AM)Ninja Wrote: [\[CITE\]](#) Well its true. If someone says he is going to build a car while he has only held an exhaust pipe in his hands once that isn't going to work out too, is it?

Salaam aleikum, goatfucker.

for you its true .. but for me its false . i already made my rat and created a new socket .. everything is nice . but ur judging me from the first time . like do we know each other ?

walekm salam, goatfucker.

(Feb 9, 2017 03:42 AM)teevo41 Wrote: [\[CITE\]](#) The thing you want to think about is, You are the one asking for help.

Nobody has a responsibility to help you, if they do, it's out of their own time.

What you may have seen as insulting, may have not been meant that way in the first place.

Just something to think about. ?

yeh i just asked a question and see some ideas . i never wanted a code . i can code so easy . but this guy goes like u got no knowledge . not everyone who is pro can do anything .. some pro ppl cannot do easy things. they just dont realize it that what im trying to teach that guy (ninja)

teevo41 - February 9, 2017, 5:33 am

(Feb 9, 2017 06:18 AM)xxdarklord65xx Wrote: [\[CITE\]](#) for you its true .. but for me its false . i already made my rat and created a new socket .. everything is nice . but ur judging me from the first time . like do we know each other ?

walekm salam, goatfucker.

yeh i just asked a question and see some ideas . i never wanted a code . i can code so easy . but this guy goes like u got no knowledge . not everyone who is pro can do anything .. some pro ppl cannot do easy things. they just dont realize it that what im trying to teach that guy (ninja)

I understand where you are coming from. But the "no knowledge" comment may not have been meant as insulting at the time.

However, I have a constructive pointer for you.

Try --> hackforums.net/showthread.php?tid=5546761 (not all VB.NET)

Contains some source code, VB.NET rat sources are around, they may also employ the same technique for connections. Maybe you can salvage something.

EDIT: That source pack contains NJ RAT 7 source. Try to be careful with any exe/backdoored source you find in there.

xxdarklord65xx - February 9, 2017, 5:43 am

(Feb 9, 2017 06:33 AM)teevo41 Wrote: [\[CITE\]](#) I understand where you are coming from. But the "no knowledge" comment may not have been meant as insulting at the time.

However, I have some constructive pointers for you.

Try looking around for NJ RAT source code, its available in this section I believe. Maybe NJ handles connections in the same way.

i knew nj coder since along time ..but he left rat coding etc , god bless him
thanks for understanding me mate . njrat 7 is doing a collection list of tcpclient . while im doing a list of tcpclient with an Id . so its really easy for me to get the client by the id . and i have succeed finally

teevo41 - February 9, 2017, 5:45 am

(Feb 9, 2017 06:43 AM)xxdarklord65xx Wrote: [\[CITE\]](#) i knew nj coder since along time ..but he left rat coding etc , god bless him

thanks for understanding me mate . njrat 7 is doing a collection list of tcpclient . while im doing a list of tcpclient with an Id . so its really easy for me to get the client by the id . and i have succeed finally

Good job. Good luck. ?

Ninja - February 9, 2017, 5:47 am

(Feb 9, 2017 06:43 AM)xxdarklord65xx Wrote: [\[CITE\]](#) i knew nj coder since along time ..but he left rat coding etc , god bless him

thanks for understanding me mate . njrat 7 is doing a collection list of tcpclient . while im doing a list of tcpclient with an Id . so its really easy for me to get the client by the id . and i have succeed finally

Or a Dictionary (so you can have the ID as a key), or a list of a custom model that holds the TcpClient and an ID property, like I said many times...

Or even better, no collection and just callbacks and events.

xxdarklord65xx - February 9, 2017, 5:47 am

(Feb 9, 2017 06:45 AM)teevo41 Wrote: [\[CITE\]](#) Good job. Good luck. ?
ty . u too ?

(Feb 9, 2017 06:47 AM)Ninja Wrote: [\[CITE\]](#) Or a Dictionary (so you can have the ID as a key), or a list of a custom model that holds the TcpClient and an ID property, like I said many times...

Or even better, no collection and just callbacks and events.

thats true too but i just used collection cuz it have more space then the list .and about the events i just used them for my server logs etc..