

Forum:[Hack Forums](#)

Thread: [Everything from form disappeared \(due to theme\)](#)

makeitgoaway - June 25, 2017, 7:27 pm

Hi Guys,

I was hoping if anyone could please help me with this issue. I was using a theme that I had all my controls on (buttons, textboxes, labels, etc). However, something happened and everything on my form disappeared. The form is just empty theme design (there are no buttons or other things on it). I am not getting any errors - the code still recognizes the controls that were on the form so I am assuming that there is something overlapping all my controls. I've tried right clicking it and deleting it - this just deletes my entire form.

This is what it looks like now (just complete empty):

<http://i.imgur.com/i5sMB42.png>

After doing some experiments, I noticed that if I click on "Origin theme" component of the theme design, it will result in exactly what happened. It will delete all the containers and overlap the form with a fresh new theme design. I don't recall doing this but that is what probably happened.

How can I fix this?

Any help will be greatly appreciated!

This is what my entire Form1.Designer.vb looks like:

Code <Global.Microsoft.VisualBasic.CompilerServices.DesignerGenerated(>

Partial Class Form1

Inherits System.Windows.Forms.Form

'Form overrides dispose to clean up the component list.

<System.Diagnostics.DebuggerNonUserCode(>

Protected Overrides Sub Dispose(ByVal disposing As Boolean)

Try

If disposing AndAlso components IsNot Nothing Then
components.Dispose()

End If

Finally

MyBase.Dispose(disposing)

End Try

End Sub

'Required by the Windows Form Designer

Private components As System.ComponentModel.IContainer

'NOTE: The following procedure is required by the Windows Form Designer

'It can be modified using the Windows Form Designer.

'Do not modify it using the code editor.

```

<System.Diagnostics.DebuggerStepThrough(>
Private Sub InitializeComponent()
    Me.components = New System.ComponentModel.Container()
    Dim resources As System.ComponentModel.ComponentResourceManager = New
System.ComponentModel.ComponentResourceManager(GetType(Form1))
    Me.Timer1 = New System.Windows.Forms.Timer(Me.components)
    Me.TabControl1 = New System.Windows.Forms.TabControl()
    Me.TabPage1 = New System.Windows.Forms.TabPage()
    Me.PictureBox1 = New System.Windows.Forms.PictureBox()
    Me.CheckBox1 = New WindowsApp6.OriginCheckBox()
    Me.OriginCheckBox2 = New WindowsApp6.OriginCheckBox()
    Me.CheckBox2 = New WindowsApp6.OriginCheckBox()
    Me.OriginCheckBox1 = New WindowsApp6.OriginCheckBox()
    Me.OriginButton1 = New WindowsApp6.OriginButton()
    Me.SecondOriginButton1 = New WindowsApp6.SecondOriginButton()
    Me.OriginButton2 = New WindowsApp6.OriginButton()
    Me.RichTextBox1 = New System.Windows.Forms.RichTextBox()
    Me.RichTextBox5 = New System.Windows.Forms.RichTextBox()
    Me.RichTextBox11 = New System.Windows.Forms.RichTextBox()
    Me.TabPage2 = New System.Windows.Forms.TabPage()
    Me.OriginButton3 = New WindowsApp6.OriginButton()
    Me.OriginTheme1 = New WindowsApp6.OriginTheme()
    Me.TabControl1.SuspendLayout()
    Me.TabPage1.SuspendLayout()
    CType(Me.PictureBox1, System.ComponentModel.ISupportInitialize).BeginInit()
    Me.SuspendLayout()
    '
    'Timer1
    '
    Me.Timer1.Interval = 2000
    '
    'TabControl1
    '
    Me.TabControl1.Controls.Add(Me.TabPage1)
    Me.TabControl1.Controls.Add(Me.TabPage2)
    Me.TabControl1.Location = New System.Drawing.Point(3, 27)
    Me.TabControl1.Name = "TabControl1"
    Me.TabControl1.SelectedIndex = 0
    Me.TabControl1.Size = New System.Drawing.Size(530, 469)
    Me.TabControl1.TabIndex = 24
    '
    'TabPage1
    '
    Me.TabPage1.BackColor = System.Drawing.Color.WhiteSmoke
    Me.TabPage1.Controls.Add(Me.PictureBox1)
    Me.TabPage1.Controls.Add(Me.CheckBox1)
    Me.TabPage1.Controls.Add(Me.OriginCheckBox2)
    Me.TabPage1.Controls.Add(Me.CheckBox2)
    Me.TabPage1.Controls.Add(Me.OriginCheckBox1)
    Me.TabPage1.Controls.Add(Me.OriginButton1)
    Me.TabPage1.Controls.Add(Me.SecondOriginButton1)
    Me.TabPage1.Controls.Add(Me.OriginButton2)
    Me.TabPage1.Controls.Add(Me.RichTextBox1)

```

```

Me.TabPage1.Controls.Add(Me.RichTextBox5)
Me.TabPage1.Controls.Add(Me.RichTextBox11)
Me.TabPage1.Location = New System.Drawing.Point(4, 22)
Me.TabPage1.Name = "TabPage1"
Me.TabPage1.Padding = New System.Windows.Forms.Padding(3)
Me.TabPage1.Size = New System.Drawing.Size(522, 443)
Me.TabPage1.TabIndex = 0
Me.TabPage1.Text = "Home"
'
'PictureBox1
'
Me.PictureBox1.BackColor = System.Drawing.SystemColors.Window
Me.PictureBox1.BackgroundImageLayout = System.Windows.Forms.ImageLayout.None
Me.PictureBox1.Image = CType(resources.GetObject("PictureBox1.Image"),
System.Drawing.Image)
Me.PictureBox1.Location = New System.Drawing.Point(234, 283)
Me.PictureBox1.Name = "PictureBox1"
Me.PictureBox1.Size = New System.Drawing.Size(50, 50)
Me.PictureBox1.SizeMode = System.Windows.Forms.PictureBoxSizeMode.StretchImage
Me.PictureBox1.TabIndex = 23
Me.PictureBox1.TabStop = False
'
'CheckBox1
'
Me.CheckBox1.Checked = True
Me.CheckBox1.Customization = "AAAA/+bm5v/S0tL/5ubm/6qqqv/19fX/9fX1/w=="
Me.CheckBox1.Font = New System.Drawing.Font("Verdana", 8.0!)
Me.CheckBox1.Image = Nothing
Me.CheckBox1.Location = New System.Drawing.Point(6, 6)
Me.CheckBox1.Name = "CheckBox1"
Me.CheckBox1.NoRounding = False
Me.CheckBox1.Size = New System.Drawing.Size(172, 17)
Me.CheckBox1.TabIndex = 2
Me.CheckBox1.Text = "Enable"
Me.CheckBox1.Transparent = False
'
'OriginCheckBox2
'
Me.OriginCheckBox2.Checked = False
Me.OriginCheckBox2.Customization = "AAAA/+bm5v/S0tL/5ubm/6qqqv/19fX/9fX1/w=="
Me.OriginCheckBox2.Font = New System.Drawing.Font("Verdana", 8.0!)
Me.OriginCheckBox2.Image = Nothing
Me.OriginCheckBox2.Location = New System.Drawing.Point(183, 420)
Me.OriginCheckBox2.Name = "OriginCheckBox2"
Me.OriginCheckBox2.NoRounding = False
Me.OriginCheckBox2.Size = New System.Drawing.Size(184, 17)
Me.OriginCheckBox2.TabIndex = 22
Me.OriginCheckBox2.Text = "Display"
Me.OriginCheckBox2.Transparent = False
'
'CheckBox2
'
Me.CheckBox2.Checked = False

```

```

Me.CheckBox2.Customization = "AAAA/+bm5v/S0tL/5ubm/6qqqv/19fX/9fX1/w=="
Me.CheckBox2.Font = New System.Drawing.Font("Verdana", 8.0!)
Me.CheckBox2.Image = Nothing
Me.CheckBox2.Location = New System.Drawing.Point(262, 8)
Me.CheckBox2.Name = "CheckBox2"
Me.CheckBox2.NoRounding = False
Me.CheckBox2.Size = New System.Drawing.Size(174, 17)
Me.CheckBox2.TabIndex = 3
Me.CheckBox2.Text = "Disable"
Me.CheckBox2.Transparent = False
,

'OriginCheckBox1
,

Me.OriginCheckBox1.Checked = True
Me.OriginCheckBox1.Customization = "AAAA/+bm5v/S0tL/5ubm/6qqqv/19fX/9fX1/w=="
Me.OriginCheckBox1.Font = New System.Drawing.Font("Verdana", 8.0!)
Me.OriginCheckBox1.Image = Nothing
Me.OriginCheckBox1.Location = New System.Drawing.Point(6, 420)
Me.OriginCheckBox1.Name = "OriginCheckBox1"
Me.OriginCheckBox1.NoRounding = False
Me.OriginCheckBox1.Size = New System.Drawing.Size(171, 17)
Me.OriginCheckBox1.TabIndex = 21
Me.OriginCheckBox1.Text = "Display"
Me.OriginCheckBox1.Transparent = False
,

'OriginButton1
,

Me.OriginButton1.Customization = "AKX/////////"
Me.OriginButton1.Font = New System.Drawing.Font("Verdana", 8.0!)
Me.OriginButton1.Image = Nothing
Me.OriginButton1.Location = New System.Drawing.Point(4, 175)
Me.OriginButton1.Name = "OriginButton1"
Me.OriginButton1.NoRounding = False
Me.OriginButton1.Size = New System.Drawing.Size(509, 23)
Me.OriginButton1.TabIndex = 4
Me.OriginButton1.Text = "Start"
Me.OriginButton1.Transparent = False
,

```

Code 'SecondOriginButton1

```

,

Me.SecondOriginButton1.Customization = "wMDA/4CAgP/////////w=="
Me.SecondOriginButton1.Font = New System.Drawing.Font("Verdana", 8.0!)
Me.SecondOriginButton1.Image = Nothing
Me.SecondOriginButton1.Location = New System.Drawing.Point(373, 416)
Me.SecondOriginButton1.Name = "SecondOriginButton1"
Me.SecondOriginButton1.NoRounding = False
Me.SecondOriginButton1.Size = New System.Drawing.Size(140, 23)
Me.SecondOriginButton1.TabIndex = 13
Me.SecondOriginButton1.Text = "Copy"
Me.SecondOriginButton1.Transparent = False
,

'OriginButton2
,

```

```

Me.OriginButton2.Customization = "AKX/////////"
Me.OriginButton2.Font = New System.Drawing.Font("Verdana", 8.0!)
Me.OriginButton2.Image = Nothing
Me.OriginButton2.Location = New System.Drawing.Point(4, 198)
Me.OriginButton2.Name = "OriginButton2"
Me.OriginButton2.NoRounding = False
Me.OriginButton2.Size = New System.Drawing.Size(509, 23)
Me.OriginButton2.TabIndex = 5
Me.OriginButton2.Text = "Reset"
Me.OriginButton2.Transparent = False
,

'RichTextBox1
,

Me.RichTextBox1.Font = New System.Drawing.Font("Segoe UI", 9.75!,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, CType(0, Byte))
Me.RichTextBox1.Location = New System.Drawing.Point(5, 27)
Me.RichTextBox1.Name = "RichTextBox1"
Me.RichTextBox1.Size = New System.Drawing.Size(251, 142)
Me.RichTextBox1.TabIndex = 6
Me.RichTextBox1.Text = ""
,

'RichTextBox5
,

Me.RichTextBox5.Location = New System.Drawing.Point(262, 27)
Me.RichTextBox5.Name = "RichTextBox5"
Me.RichTextBox5.Size = New System.Drawing.Size(251, 143)
Me.RichTextBox5.TabIndex = 7
Me.RichTextBox5.Text = ""
,

'RichTextBox11
,

Me.RichTextBox11.Font = New System.Drawing.Font("Segoe UI", 9.75!,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point, CType(0, Byte))
Me.RichTextBox11.Location = New System.Drawing.Point(4, 226)
Me.RichTextBox11.Margin = New System.Windows.Forms.Padding(6, 3, 6, 3)
Me.RichTextBox11.Name = "RichTextBox11"
Me.RichTextBox11.Size = New System.Drawing.Size(509, 188)
Me.RichTextBox11.TabIndex = 10
Me.RichTextBox11.Text = ""
,

'TabPage2
,

Me.TabPage2.BackColor = System.Drawing.Color.WhiteSmoke
Me.TabPage2.Location = New System.Drawing.Point(4, 22)
Me.TabPage2.Name = "TabPage2"
Me.TabPage2.Padding = New System.Windows.Forms.Padding(3)
Me.TabPage2.Size = New System.Drawing.Size(522, 443)
Me.TabPage2.TabIndex = 1
Me.TabPage2.Text = "About"
,

'OriginButton3
,

Me.OriginButton3.Customization = "AKX/////////"

```

```

    Me.OriginButton3.Font = New System.Drawing.Font("Verdana", 12.0!,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point, CType(0, Byte))
    Me.OriginButton3.Image = Nothing
    Me.OriginButton3.Location = New System.Drawing.Point(503, 3)
    Me.OriginButton3.Name = "OriginButton3"
    Me.OriginButton3.NoRounding = False
    Me.OriginButton3.Size = New System.Drawing.Size(30, 20)
    Me.OriginButton3.TabIndex = 8
    Me.OriginButton3.Text = "X"
    Me.OriginButton3.Transparent = False
    ,
    'OriginTheme1
    ,
    Me.OriginTheme1.BackColor = System.Drawing.Color.FromArgb(CType(CType(245, Byte),
Integer), CType(CType(245, Byte), Integer), CType(CType(245, Byte), Integer))
    Me.OriginTheme1.BorderStyle = System.Windows.Forms.FormBorderStyle.None
    Me.OriginTheme1.Customization = "JiYn/////8="
    Me.OriginTheme1.Dock = System.Windows.Forms.DockStyle.Fill
    Me.OriginTheme1.Font = New System.Drawing.Font("Segoe UI", 9.0!)
    Me.OriginTheme1.Image = Nothing
    Me.OriginTheme1.Location = New System.Drawing.Point(0, 0)
    Me.OriginTheme1.Movable = True
    Me.OriginTheme1.Name = "OriginTheme1"
    Me.OriginTheme1.NoRounding = False
    Me.OriginTheme1.Sizable = False
    Me.OriginTheme1.Size = New System.Drawing.Size(558, 493)
    Me.OriginTheme1.SmartBounds = True
    Me.OriginTheme1.StartPosition =
System.Windows.Forms.FormStartPosition.WindowsDefaultLocation
    Me.OriginTheme1.TabIndex = 0
    Me.OriginTheme1.Text = "OriginTheme1"
    Me.OriginTheme1.TransparencyKey = System.Drawing.Color.Fuchsia
    Me.OriginTheme1.Transparent = False
    ,
    'Form1
    ,
    Me.AutoScaleDimensions = New System.Drawing.SizeF(6.0!, 13.0!)
    Me.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font
    Me.ClientSize = New System.Drawing.Size(558, 493)
    Me.Controls.Add(Me.OriginTheme1)
    Me.FormBorderStyle = System.Windows.Forms.FormBorderStyle.None
    Me.Name = "Form1"
    Me.Text = "Form1"
    Me.TransparencyKey = System.Drawing.Color.Fuchsia
    Me.TabControl1.ResumeLayout(False)
    Me.TabPage1.ResumeLayout(False)
    CType(Me.PictureBox1, System.ComponentModel.ISupportInitialize).EndInit()
    Me.ResumeLayout(False)

End Sub

Friend WithEvents CheckBox2 As OriginCheckBox
Friend WithEvents CheckBox1 As OriginCheckBox

```

```
Friend WithEvents OriginButton2 As OriginButton
Friend WithEvents OriginButton1 As OriginButton
Friend WithEvents RichTextBox5 As RichTextBox
Friend WithEvents RichTextBox1 As RichTextBox
Friend WithEvents OriginButton3 As OriginButton
Friend WithEvents RichTextBox11 As RichTextBox
Friend WithEvents OriginCheckBox2 As OriginCheckBox
Friend WithEvents OriginCheckBox1 As OriginCheckBox
Friend WithEvents PictureBox1 As PictureBox
Friend WithEvents SecondOriginButton1 As SecondOriginButton
Friend WithEvents Timer1 As Timer
Friend WithEvents TabControl1 As TabControl
Friend WithEvents TabPage1 As TabPage
Friend WithEvents TabPage2 As TabPage
Friend WithEvents OriginTheme1 As OriginTheme
End Class[/code]
```

I no longer need help with this ??

To fix this, all I did was add "Me.Controls.Add(Me.TabControl1) to that code. This brought back everything. However, I've no idea why this happened. If anyone knows, please do share so I can avoid this in the future.

So relieved :)

aneeshkollam5 - June 26, 2017, 12:53 am

Theme is just a container control like panel that docked form
Controls are in form and not in theme container

Right click on theme and select send to back or select all controls by press ctrl+A , hold control key and click empty space in theme to deselect theme control and drag to move the controls and release, now the controls will added in theme container and will be visible