

Forum:[Hack Forums](#)

Thread: [how to use break in mysqli](#)

SharoKurdi - February 8, 2018, 4:49 pm

hi ?

i want use Break in mysqli Connect But I cant I get This Error

Code PHP Parse error: syntax error, unexpected 'break' (T_BREAK)

THis mysql Connect Code

PHP Code

```
<?php  
$conn=@mysqli_connect('localhost','root','1234') or break;
```

i dont want use DIE i want Break it But i cant

THnx

RumbleFrog - February 8, 2018, 5:14 pm

Why would you use break if you don't know what it's designed for? A break is meant to be used within a loop, termination inside of a loop.

SharoKurdi - February 8, 2018, 5:32 pm

(Feb 8, 2018 06:14 PM)RumbleFrog Wrote: [\[CITE\]](#) Why would you use break if you don't know what it's designed for? A break is meant to be used within a loop, termination inside of a loop.

i make loop for 5 server if server 1 is offline break to server 2

:/

RumbleFrog - February 8, 2018, 6:37 pm

(Feb 8, 2018 06:32 PM)SharoKurdi Wrote: [\[CITE\]](#) i make loop for 5 server if server 1 is offline break to server 2

:/

Mind breaking the full loop code then? And it's not break, it's continue.

SharoKurdi - February 9, 2018, 5:56 pm

(Feb 8, 2018 07:37 PM)RumbleFrog Wrote: [\[CITE\]](#) Mind breaking the full loop code then? And it's not break, it's continue.

yas But both not work

Charger - February 9, 2018, 6:29 pm

Don't do it like that. Do if/If else statements.

RumbleFrog - February 10, 2018, 8:17 am

(Feb 9, 2018 06:56 PM)SharoKurdi Wrote: [\[CITE\]](#) yas But both not work
Mind providing the loop code, holy shit.

Charger - February 10, 2018, 10:04 am

Do this man:

PHP Code

```
<?php
$servers = array(
    array("Host" => 'localhost',"User" => 'root', "Pass" => '1234'),
    array("Host" => 'localhost2',"User" => 'root3', "Pass" => '1234'),
    array("Host" => 'localhost3',"User" => 'root3', "Pass" => '1234')
);

$connection = null;
foreach($servers as $server)
{
    $check = @mysqli_connect($server["Host"],$server["User"],$server["Pass"]);
    if($check)
    {
        $connection = $check;
        break;
    }
}
if($connection == null)
{
    die("Unable to find a database server that is alive");
}
//Your code
```

SharoKurdi - February 12, 2018, 8:07 am

(Feb 10, 2018 11:04 AM)Charger Wrote: [\[CITE\]](#) Do this man:

PHP Code

```
<?php
$servers = array(
    array("Host" => 'localhost',"User" => 'root', "Pass" => '1234'),
    array("Host" => 'localhost2',"User" => 'root3', "Pass" => '1234'),
    array("Host" => 'localhost3',"User" => 'root3', "Pass" => '1234')
);

$connection = null;
foreach($servers as $server)
{
    $check = @mysqli_connect($server["Host"],$server["User"],$server["Pass"]);
    if($check)
    {
        $connection = $check;
        break;
    }
}
```

```
if($connection == null)
{
    die("Unable to find a database server that is alive");
}
//Your code
```

thnx for reply problem Connect Freez in connection code if server not Found
PHP Code

```
<?php
$check = @mysqli_connect($server["Host"],$server["User"],$server["Pass"]);
i change to Pdo its faster and bypass errors and freez
```

thnx For Help

Charger - February 12, 2018, 12:31 pm

(Feb 12, 2018 09:07 AM)SharoKurdi Wrote: [\[CITE\]](#) thnx for reply problem Connect Freez in connection code if server not Found

PHP Code

```
<?php
$check = @mysqli_connect($server["Host"],$server["User"],$server["Pass"]);
i change to Pdo its faster and bypass errors and freez
```

thnx For Help

PDO is much better than mysqli_. Glad this solution worked for you.

Feel free to post a new thread if you have any further issues/questions.

blackcoder00 - February 16, 2018, 1:41 pm

(Feb 12, 2018 01:31 PM)Charger Wrote: [\[CITE\]](#) PDO is much better than mysqli_. Glad this solution worked for you.

Feel free to post a new thread if you have any further issues/questions.PHP Code

```
<?php
$conn=@mysqli_connect('localhost','root','1234') or die('cannot connect');
```