

Forum:[Hack Forums](#)

Thread: [\[HTTP\] Kardon Loader](#)

Yattaze - April 21, 2018, 8:48 pm

This is the continuation / rebrand of the ZeroCool Botnet.

[Sales Open](#)

So some of you may remember ZeroCool, the bot I was coding awhile back now. during the time between me being largely inactive and now I've been held up with the real world and looking back too the old codebase with new eyes... well it wasn't good, there was no structure and it looked like it had been thrown together by someone who thought they knew what they were doing. (Which isn't far from the truth). So, I did endless amounts of research, combing through leaked sources and other projects, reading blogs and generally improving my knowledge on the subject... And here we are now, I've spent the last few weeks planning out and starting a new bot, with a new name.

Please note this is not a sales thread, and there are no vouch copies or anything along those lines, thought I would get that out of the way as it seemed to be a common question.

Specific Planned Features:

Panel:New Custom Design [DONE]

Built in bot shop [DONE]

RC4 Encrypted Communication

Bot:[TASK] Download & Execute [DONE]

[TASK] Update [DONE]

[TASK] Uninstall [DONE]

Usermode Rootkit [DONE]

RC4 Encryption Library [DONE]

Debug / Analysis Prevention

Builtin TOR Support

Domain Generation Algorithm [DONE]

Panel Pictures:

Index:

Spoiler [\(Click to View\)](#)

Clients:

Spoiler [\(Click to View\)](#)

Tasks:

Spoiler [\(Click to View\)](#)

Store Backend:

Spoiler [\(Click to View\)](#)

Logs:

Spoiler [\(Click to View\)](#)

Friedrich Nietzsche - April 21, 2018, 8:54 pm

Quote:Built in TOR Support

Domain Generation Algorithm

Why would you have both of these though?

Yattaze - April 21, 2018, 8:59 pm

(Apr 21, 2018 08:54 PM)Friedrich Nietzsche Wrote: [\[CITE\]](#) Why would you have both of these though?

Ones only available if the other is disabled, so you can't have tor and dga only one or the other

MrPatterson - April 21, 2018, 9:31 pm

This looks absolutely epic, great work - are you planning on doing a beta, paid or otherwise?

Yattaze - April 21, 2018, 10:00 pm

(Apr 21, 2018 09:31 PM)MrPatterson Wrote: [\[CITE\]](#) This looks absolutely epic, great work - are you planning on doing a beta, paid or otherwise?

I am looking into private pre-release testing where 5-10 trusted people can test stability, bugs, security etc so I can correct potential issues before I officially sell it.

INML - April 22, 2018, 12:34 am

Oh nice, its beautiful, epic !

?Anarchist? - April 22, 2018, 12:52 am

I can be one of the testers. Which language?

inyourmemory - April 22, 2018, 1:43 am

Same, what is this written in?

IzzyMichiel - April 22, 2018, 2:35 am

Hey,

Looking awesome!

Good luck,
IzzyMichiel

DeletedUser999213 - April 22, 2018, 2:37 am

I would love to work with you on this, please consider it

05317832892 - April 22, 2018, 3:02 am

If you want a silly DGA idea, something I thought of a couple days ago, maybe use Trump's first tweet of the current week as a seed for your DGA.

Very unpredictable, but a bit of a race condition against security researchers though.

In regards to your "Usermode Rootkit", is this hiding the process or hooking for terminate/open handle?

Good luck with development.

Nenny - April 22, 2018, 3:14 am

(Apr 22, 2018 02:37 AM)TH3FR3D Wrote: [\[CITE\]](#) I would love to work with you on this, please consider itdamn this looks amazing, good luck and would love to see updates on the status of this, if you need any help let me know. Also i hella vouch for TH3FR3D he is a good coder and would love to see some of his code with this aswell.

Keep up the good work!

:D

Yattaze - April 22, 2018, 3:18 am

(Apr 22, 2018 12:52 AM)kropotkin Wrote: [\[CITE\]](#) I can be one of the testers. Which language?

(Apr 22, 2018 01:43 AM)Win64Worm Wrote: [\[CITE\]](#) Same, what is this written in?

(Apr 22, 2018 02:37 AM)TH3FR3D Wrote: [\[CITE\]](#) I would love to work with you on this, please consider it

(Apr 22, 2018 03:02 AM)ROOTED Wrote: [\[CITE\]](#) If you want a silly DGA idea, something I thought of a couple days ago, maybe use Trump's first tweet of the current week as a seed for your DGA.

Very unpredictable, but a bit of a race condition against security researchers though.

In regards to your "Usermode Rootkit", is this hiding the process or hooking for terminate/open handle?

Good luck with development.

Thank you all for the interest and I will look into testers when its closer to a releasable state. In regards to the language, the bot is written in C++11, with a custom CRT and the rootkit is C++11 Both statically linked supporting XP Sp1 upwards and currently, the rootkit is hiding the process and any dropped files, I'm also looking into hiding any registry keys it will use

05317832892 - April 22, 2018, 3:24 am

(Apr 22, 2018 03:18 AM)Yattaze Wrote: [\[CITE\]](#) Thank you all for the interest and I will look into testers when its closer to a releasable state.

In regards to the language, the bot is written in C++11, with a custom CRT and the rootkit is

C++11 Both statically linked supporting XP Sp1 upwards and currently, the rootkit is hiding the process and any dropped files, I'm also looking into hiding any registry keys it will use

ZwCreateFile
NtOpenFile
ZwQueryDirectoryFile
NtEnumerateValueKey
RtlGetNativeSystemInformation
NtSetValueKey
ZwDeleteValueKey
ZwQueryValueKey
NtOpenProcess

Those are the ones hooked my kronos, they will do the job well.

Yattaze - April 22, 2018, 3:34 am

(Apr 22, 2018 03:24 AM)ROOTED Wrote: [\[CITE\]](#) ZwCreateFile

NtOpenFile
ZwQueryDirectoryFile
NtEnumerateValueKey
RtlGetNativeSystemInformation
NtSetValueKey
ZwDeleteValueKey
ZwQueryValueKey
NtOpenProcess

Those are the ones hooked my kronos, they will do the job well.
Thanks for this, it'll add them to my Todo list and do my research

Troop - April 22, 2018, 3:44 am

Seems interesting mhmmm...

SIM-3326956 - April 22, 2018, 7:56 am

This looks pretty nice so far, gl with the project.

God_of_Gods - April 22, 2018, 12:28 pm

you can hire me to make you a decent panel, send me a pm

Yattaze - April 22, 2018, 2:36 pm

(Apr 22, 2018 03:44 AM)Troop Wrote: [\[CITE\]](#) Seems interesting mhmmm...

(Apr 22, 2018 07:56 AM)Hydra Wrote: [\[CITE\]](#) This looks pretty nice so far, gl with the project.

(Apr 22, 2018 12:28 PM)God_of_Gods Wrote: [\[CITE\]](#) you can hire me to make you a decent panel, send me a pm

Thanks!

And God_of_Gods, no thank you, i've already got a panel i made myself

RealJohnSample - April 22, 2018, 3:02 pm

Wow that's nice looking great job !!

Dezinator - April 22, 2018, 3:35 pm

Looks nice would love to test this.

How do you think you will be able to get the Store Updatet ? If you sell this and got a few K Users , how do you want to be able to Fullfill all Store Orders ?

Need a decent amount of Traffic and a perfect Exploit Kit.

Apart from this great Work! Good luck with Development !

XSm0k3r - April 22, 2018, 3:37 pm

I'd like to try the beta...

micaiahx - April 22, 2018, 3:40 pm

does have REVERSE SOCKS5 support?

Yattaze - April 22, 2018, 4:08 pm

(Apr 22, 2018 03:35 PM)Dezinator Wrote: [\[CITE\]](#) Looks nice would love to test this.

How do you think you will be able to get the Store Updatet ? If you sell this and got a few K Users , how do you want to be able to Fullfill all Store Orders ?

Need a decent amount of Traffic and a perfect Exploit Kit.

Apart from this great Work! Good luck with Development !

(Apr 22, 2018 03:40 PM)micaiahx Wrote: [\[CITE\]](#) does have REVERSE SOCKS5 support?

I'm not sure what you mean by "Get the Store Updated?" But the store is specific to each net so whoever owns the net will fulfill the orders them selfs, See [Here](#) for a demo.

I don't have reverse socks planned, this is supposed to be a simple stable loader.

Update: Dga is now implemented!

Output with random seed for this month:

Code Day: 1 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.frqivsgiinbtjx.ru

Day: 2 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.vljhiisoitagby.ru

Day: 3 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.bgrsaatijpexvp.ru

Day: 4 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.uklxicikphaxfc.ru

Day: 5 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.whgjacjcrfdbph.ru

Day: 6 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.qixyaieotgvpsg.ru

Day: 7 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.sftcqlcmjmxearj.ru

Day: 8 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.pleukbvvdjyxf.ru

Day: 9 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.ugrpcwrmvdieke.ru

Day: 10 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.fnlhnsabkfwuxq.ru

Day: 11 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.kirplpmvfhfhse.ru

Day: 12 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.kpfrriwtfmwokx.ru

Day: 13 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'

Domain: www.mmtmamivowlrex.ru
Day: 14 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.abnmcrcvsvyhcn.ru
Day: 15 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.cxmieedihqkbyh.ru
Day: 16 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.humintqmctgvxm.ru
Day: 17 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.mxn timerpwmkjhqiipoo.ru
Day: 18 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.dsbvdqvkquonmh.ru
Day: 19 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.ivgkupjvnfocia.ru
Day: 20 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.pahyxayaavddxv.ru
Any Suggestions on tlds to add rather than just ".ru"?

Yattaze - April 23, 2018, 8:50 pm

Update

Anti Hypervisor Done!

Detects if a Hypervisor is active and checks a blacklist.
also checks a blacklist of loaded modules. Next is more
advanced Virtual Machine Detection and Analysis Tools.

Outputs:

Code Windows 10 (Not VM)
Running Checks.....Passed
Windows 7 (Virtual Box)
Running Checks.....Failed

narc0tic - April 25, 2018, 12:12 pm

(Apr 22, 2018 04:08 PM)Yattaze Wrote: [CITE](#) I'm not sure what you mean by "Get the Store Updated?" But the store is specific to each net
so whoever owns the net will fulfill the orders them selfs, See [Here](#) for a demo.

I don't have reverse socks planned, this is supposed to be a simple stable loader.

Update: Dga is now implemented!

Output with random seed for this month:

Code Day: 1 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.frqivsgiiinbtjx.ru
Day: 2 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.vljhiisoitagby.ru
Day: 3 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.bgrsaatijpexvp.ru
Day: 4 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.uklxicikphaxfc.ru
Day: 5 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.whgjacjcrfdbph.ru
Day: 6 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.qixyaieotgvpsg.ru
Day: 7 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.sftcqlcmjmxearj.ru

Day: 8 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.pleukbvvdjyxf.ru
Day: 9 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.ugrpcwrmvdiex.ru
Day: 10 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.fnlhnsabkfwuxq.ru
Day: 11 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.kirplpmvfhfhse.ru
Day: 12 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.kpfrriwtfmwvokx.ru
Day: 13 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.mmtmamivowlrex.ru
Day: 14 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.abnmcrcvsvyhcna.ru
Day: 15 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.cxmieedihqkbyh.ru
Day: 16 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.humintqmctgvxm.ru
Day: 17 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.mxnppwkjhqiipoo.ru
Day: 18 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.dsbsdqvkvquonmh.ru
Day: 19 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.ivgkupjvnfocia.ru
Day: 20 Month: 4 Year: 2018 Seed: 'Cjc4wXMRR6O63Kg5RxqGXwqiB5pqxnaZA72W06Xk'
Domain: www.pahyxayaavddxv.ru

Any Suggestions on tlds to add rather than just ".ru"?

.top and .xyz are pretty cheap ones that get used for botnets.

so if bot cannot connect to old domain it generates one for that day? or you get a new domain every day?

what if a user does not login for two days and skips over one domain?

another thing is that for a good DGA you need to use things that are unable to be predicted (or very well) like whats trending on twitter etc, this will stop researchers buying domains weeks or even months in advance.

Looks promising so far! good luck.

Yattaze - April 25, 2018, 2:52 pm

(Apr 25, 2018 12:12 PM)narc0tic Wrote: [\[CITE\]](#) .top and .xyz are pretty cheap ones that get used for botnets.

so if bot cannot connect to old domain it generates one for that day? or you get a new domain every day?

what if a user does not login for two days and skips over one domain?

another thing is that for a good DGA you need to use things that are unable to be predicted (or very well) like whats trending on twitter etc, this will stop researchers buying domains weeks or even months in advance.

Looks promising so far! good luck.

New domain (or list of domains) every day, preferably I would like to use a seed source like that, but the problem I see is that everyone who brought the bot would get the same domains, hence why I have that randomly generated one.

Miku2 - April 25, 2018, 3:15 pm

i could provide vps for testing,
would be nice to work with you.

Yattaze - April 25, 2018, 3:56 pm

(Apr 25, 2018 03:15 PM)Miku2 Wrote: [\[CITE\]](#) i could provide vps for testing,
would be nice to work with you.
That could be helpful later on, do you have the specs?

Miku2 - April 25, 2018, 10:24 pm

(Apr 25, 2018 03:56 PM)Yattaze Wrote: [\[CITE\]](#) That could be helpful later on, do you have the specs?
depends on what specs you want .. highest would be (4 GB 2 vCPUs) And lowest (1 GB 1 vCPU)

Yattaze - April 26, 2018, 2:38 am

I'm getting alot of offers to test which is great, but the bots still while off at the moment so I'm not looking for testers right now. When that time comes i will let you know.

On another note, I'm looking into another form of encryption that won't be such a pain to implement, something like RC4 or blowfish perhaps. Any thoughts or is AES an essential. Keep in mind development times as I don't have the full c runtime too keep stub size down.

inyourmemory - April 26, 2018, 4:08 am

(Apr 26, 2018 02:38 AM)Yattaze Wrote: [\[CITE\]](#) I'm getting alot of offers to test which is great, but the bots still while off at the moment so I'm not looking for testers right now. When that time comes i will let you know.

On another note, I'm looking into another form of encryption that won't be such a pain to implement, something like RC4 or blowfish perhaps. Any thoughts or is AES an essential. Keep in mind development times as I don't have the full c runtime too keep stub size down.

You dont need anything fancy only to obfuscate the traffic to prevent runtime detections.

Another thing is that you need some sort of public / private key authentication when using DGA, otherwise researchers and others can takeover the botnet.

For DGA .ru and .su domains are best since russians dont really corporate with other countries in domain sinkholings.

aerffe - April 26, 2018, 5:21 pm

Okay... So you are telling me, that you implemented usermode rootkit, without actually implementing any "active" bot functions?

Tbh, sounds like copy and paste... To program decent usermode rootkit, in my eyes, is more difficult than implement any of the functions mentioned in the description... But it might be just me...

Something like AES-256 in CBC mode - encoded in Base 64 and foolproof server IS A MUST for any larger scale project involving sensitive data transfers, forget tor or any other shit until you get a hold on decent encryption model for communications - that is if you are actually planing to make something really usable - not your average script kiddie shit...

And of course you are using C or C++ and not some kind of .NET shit for your client side, right? Let me remind that there are insanely many machines, which are still running Win XP based platforms all around the world... And as a plus, you can rather easily adapt your code for UNIX machines, if you actually know what you are doing...

EDIT: Just read comments. So, you can ignore my rambling about C and C++

EDIT 2: And of course RSA implementation would be the best choice

Yattaze - April 26, 2018, 7:43 pm

(Apr 26, 2018 04:08 AM)Win64Worm Wrote: [\[CITE\]](#) You dont need anything fancy only to obfuscate the traffic to prevent runtime detections.

Another thing is that you need some sort of public / private key authentication when using DGA, otherwise researchers and others can takeover the botnet.

For DGA .ru and .su domains are best since russians dont really corporate with other countries in domain sinkholings.

(Apr 26, 2018 05:21 PM)aerffe Wrote: [\[CITE\]](#) Okay... So you are telling me, that you implemented usermode rootkit, without actually implementing any "active" bot functions?

Tbh, sounds like copy and paste... To program decent usermode rootkit, in my eyes, is more difficult than implement any of the functions mentioned in the description... But it might be just me...

Something like AES-256 in CBC mode - encoded in Base 64 and foolproof server IS A MUST for any larger scale project involving sensitive data transfers, forget tor or any other shit until you get a hold on decent encryption model for communications - that is if you are actually planing to make something really usable - not your average script kiddie shit...

And of course you are using C or C++ and not some kind of .NET shit for your client side, right? Let me remind that there are insanely many machines, which are still running Win XP based platforms all around the world... And as a plus, you can rather easily adapt your code for UNIX machines, if you actually know what you are doing...

EDIT: Just read comments. So, you can ignore my rambling about C and C++

Yes, I am telling you that I started working on the rootkit before the bot. and it wasn't too hard. Hooking a function is trivial compared to something like Tor support and Aes encryption, It basically boils down to just one JMP instruction. Personally, I think is a bit aes is beyond me, I don't have nearly enough experience to implement it safely plus getting it to work server side too, If I spent enough time on it, maybe, but I want to get this out there to you guys.

And yeah, of course, its C/C++, I've made/used .NET bots before and there terrible.

aerffe - April 26, 2018, 7:53 pm

(Apr 26, 2018 07:43 PM)Yattaze Wrote: [\[CITE\]](#) Yes, I am telling you that I started working on the rootkit before the bot. and it wasn't too hard.

Hooking a function is trivial compared to something like Tor support and Aes encryption, It basically boils down to

just one JMP instruction. Personally, I think is a bit aes is beyond me, I don't have nearly enough experience to implement it safely

plus getting it to work server side too, If I spent enough time on it, maybe, but I want to get this out there to you guys.

And yeah, of course, its C/C++, I've made/used .NET bots before and there terrible.
Hah, sorry, did not read carefully, just skimmed over, didn't know you worked on rootkit initially.

As for AES, you can just use legitimate library for C or C++ for your encryption needs, that would be somewhat of a starting point.

Optimally the aim would be RSA/AES encryption hybrid, but you probably know this already.

Yattaze - April 26, 2018, 8:02 pm

(Apr 26, 2018 07:53 PM)aerffe Wrote: [\[CITE\]](#) Hah, sorry, did not read carefully, just skimmed over, didn't know you worked on rootkit initially.

As for AES, you can just use legitimate library for C or C++ for your encryption needs, that would be somewhat of a starting point.

Optimally the aim would be RSA/AES encryption hybrid, but you probably know this already.

If I am going for aes here, RSA won't be needed, RSA is usually used for transferring the Aes key without people being able to see it.

If both the bot and panel know the aes key, whats the point in rsa?

Spade - April 26, 2018, 8:04 pm

Not bad man, ever need some beta testers let me know :)
or an extra dev, I have lots of time on my hands lol

aerffe - April 26, 2018, 8:07 pm

(Apr 26, 2018 08:02 PM)Yattaze Wrote: [\[CITE\]](#) If I am going for aes here, RSA won't be needed, RSA is usually used for transferring the Aes key without people being able to see it.

If both the bot and panel know the aes key, whats the point in rsa?

Client side is never "safe"... Did you consider RE of your executable? Which of course will eventually happen.

EDIT: Well, I guess, you can hash it (AES key) and check on the server side. But then, hash can be cracked as well, while reversing the client.

Miku2 - April 26, 2018, 8:11 pm

this could be a fine loader. if this botnet has a features that hide its connection to the panel it would be great. most AV block suspicious connections even the bot is FUD

Yattaze - April 26, 2018, 8:12 pm

(Apr 26, 2018 08:07 PM)aerffe Wrote: [\[CITE\]](#) Client side is never "safe"... Did you consider RE of your executable? Which of course will eventually happen.

Yes, I know all about re, but at that point, they could see all the data before it hits the encryption cycle.

aerffe - April 26, 2018, 8:13 pm

(Apr 26, 2018 08:12 PM)Yattaze Wrote: [\[CITE\]](#) Yes, I know all about re, but at that point, they could see all the data before it hits the encryption cycle.

Fair enough, totally forgot that it is a botnet that we are talking about.

EDIT: I mean... There are interesting ways to tackle that, but it is by a long way not worth it - as just for the sake of the botnet

Yattaze - April 26, 2018, 8:22 pm

(Apr 26, 2018 08:13 PM)aerffe Wrote: [\[CITE\]](#) Fair enough, totally forgot that it is a botnet that we are talking about.

Yea and the data's not what you really want to hide to be honest, its just system information

which is why I was asking about an easier algorithm, it's mostly to obfuscate traffic so AV or any automated tools can't see it. Any Dedicated researcher knows how to put breakpoints before and after De/Encryption cycles. Better use of time to prevent the bot from being detected than to try fight re directly, it's not impossible, just time-consuming.

aerffe - April 26, 2018, 8:34 pm

(Apr 26, 2018 08:22 PM)Yattaze Wrote: [\[CITE\]](#) Yea and the data's not what you really want to hide to be honest, its just system information

which is why I was asking about an easier algorithm, it's mostly to obfuscate traffic so AV or any automated tools can't see it. Any Dedicated researcher knows how to put breakpoints before and after De/Encryption cycles. Better use of time to prevent the bot from being detected than to

try fight re directly, it's not impossible, just time-consuming.

Just use letter swap by code then - lightweight and fast, as a plus probably won't trigger the AV.

I had experience, that conventional encryption algorithms (I mean the text which is encrypted using them) sometimes is intercepted (if AV is set to most sensitive modes)

Yattaze - April 26, 2018, 8:44 pm

(Apr 26, 2018 08:34 PM)aerffe Wrote: [\[CITE\]](#) Just use letter swap by code then - lightweight and fast, as a plus probably won't trigger the AV.

I had experience, that conventional encryption algorithms (I mean the text which is encrypted using them) sometimes is intercepted (if AV is set to most sensitive modes)

Don't want to make it too easy now do we

Update:

Encryption Done, I ended up going with RC4 as it was easy to implement quickly.

Now all the system info the bot collects is encrypted at runtime.

Sample Output:

Code Key = Secret

Plaintext = Attack at dawn

Output = RaAfZF/DWzg1UIRLm/U=

Yattaze - April 28, 2018, 5:42 pm

Update

Communication is now working along with registry persistence.

Current Size: 9kb

Next on the list is the Download / Execute and Update Functions

then finally Tor support, not looking forward to that one, i might release a non Tor version first then a Tor version later down the line.

Miku2 - April 28, 2018, 7:02 pm

(Apr 28, 2018 05:42 PM)Yattaze Wrote: [\[CITE\]](#) Update

Communication is now working along with registry persistence.

Current Size: 9kb

Next on the list is the Download / Execute and Update Functions

then finally Tor support, not looking forward to that one, i might release a non Tor version first then a Tor version later down the line.

If you need VPS for testing .. just hit me up

(givin for free)

inyourmemory - April 29, 2018, 1:54 am

(Apr 28, 2018 05:42 PM)Yattaze Wrote: [\[CITE\]](#) Update

Communication is now working along with registry persistence.

Current Size: 9kb

Next on the list is the Download / Execute and Update Functions
then finally Tor support, not looking forward to that one, i might
release a non Tor version first then a Tor version later down the line.

9KB? Are you sure you are linking all dependencies using /MT switch when compiling. That should
get you the real size.

Yattaze - April 29, 2018, 2:53 am

(Apr 29, 2018 01:54 AM)Win64Worm Wrote: [\[CITE\]](#) 9KB? Are you sure you are linking all
dependencies using /MT switch when compiling. That should get you the real size.

Yep, possitive current size is in fact 9 kb

Nenny - April 29, 2018, 10:32 am

damnnnnn this looks so amazing.

darkvendetta1 - April 29, 2018, 1:16 pm

whats the price for this botnet?

Yattaze - April 29, 2018, 6:52 pm

(Apr 29, 2018 01:16 PM)darkvendetta1 Wrote: [\[CITE\]](#) whats the price for this botnet?

I'm thinking:

Single Build (Any Config): Around \$50

Cleartnet Builder: Between \$100~\$200

Tor Support Builder: Between \$300~\$500

Yattaze - May 1, 2018, 12:49 am

Update

Where nearing close to compleation of the non tor version!

Finished: Communication / Response Parsing

Fixed: Big memory leak

Optimized: Memory Usage

Next: Download / Execute & Update Task.

And there's a discord server For General discussion, questions, development updates
And Sales and Support will be done through there.

People who help test Kardon soon will be given a special role and a massive discount
on the final release.

Edit: HF is being weird about links, Pm me for the invite link

speckled_eggz - May 1, 2018, 12:56 pm

I don't know if you've already implemented process injection techniques, but just wanted to share this.

Pretty useful for me.

<https://www.endgame.com/blog/technical-blog/ten-process-injection-techniques-technical-survey-com-mon-and-trending-process>

Counter_Strike - May 1, 2018, 2:11 pm

can you explain the rootkit feature? please im super interested!

Yattaze - May 1, 2018, 9:43 pm

(May 1, 2018 02:11 PM)Counter_Strike Wrote: [\[CITE\]](#) can you explain the rootkit feature? please im super interested!

Ring 3 Ntdll Hook, Hides Files and Process

TopGamersNA - May 1, 2018, 9:56 pm

PM me the link to the discord please. I would like to talk.

Yattaze - May 1, 2018, 10:04 pm

(May 1, 2018 09:56 PM)TopGamersNA Wrote: [\[CITE\]](#) PM me the link to the discord please. I would like to talk.

Sent, check pm

Claimxno - May 1, 2018, 11:38 pm

I can't wait to buy this if you tend to release it

HelloKittyBro - May 2, 2018, 12:01 am

Things to be implemented:

MD5 MasterServer FUD checker (In order to avoid extra api costs) (If You want to add the access, the price is 100\$ a month per user for the access key to be integrated);

AutoRecrypt using api's

Freeze time during detection while file is not fud and no update on mastermind server crypter.

Check for mysql injections

detect vm's, send and check SR(security researchers) ip's to mastermind server (included in the 100\$ subscription)

Looking forward for collaboration or testing, also pm link of discord please.

Yattaze - May 2, 2018, 5:10 pm

(May 2, 2018 12:01 AM)HelloKittyBro Wrote: [\[CITE\]](#) Things to be implemented:

MD5 MasterServer FUD checker (In order to avoid extra api costs) (If You want to add the access, the price is 100\$ a month per user for the access key to be integrated);

AutoRecrypt using api's

Freeze time during detection while file is not fud and no update on mastermind server crypter.

Check for mysql injections

detect vm's, send and check SR(security researchers) ip's to mastermind server (included in the 100\$ subscription)

Looking forward for collaboration or testing, also pm link of discord please.

Don't think I'll bother with auto recrypts

aranzull1n0 - May 3, 2018, 12:59 am

Have you already done some test of stability ?

Mechrono - May 3, 2018, 3:23 am

Dude you have a nice product and all mind if i send or post a redesign and see if you want me to implement it(do html:php/css) and all.

Yattaze - May 3, 2018, 3:12 pm

(May 3, 2018 12:59 AM)aranzull1n0 Wrote: [\[CITE\]](#) Have you already done some test of stability ? Doing small scale tests today, make sure there's no crashes on specific operating systems, large holding tests should be soon

(May 3, 2018 03:23 AM)Mechrono Wrote: [\[CITE\]](#) Dude you have a nice product and all mind if i send or post a redesign and see if you want me to implement it(do html:php/css) and all.

It's would have to be a really good redesign, I'm kinnda set on using the current one

Discord: <https://#/DyuxQ6X>

05317832892 - May 4, 2018, 1:38 am

Think someone here mentioned it but you might want to include a blacklist like Trickbot. Hook things like debugger entry -> place marker -> try callout -> BSOD

Then on startup check for marker, if found -> try callout -> BSOD

This means if someone tries to RE it then it will set a reg key so it knows if the current machine is for analysis, then callout when inet becomes available. Then you blacklist their IP.

This will not work with the TOR version however because the clients IP doesn't get exposed.

Yattaze - May 4, 2018, 1:48 am

(May 4, 2018 01:38 AM)ROOTED Wrote: [\[CITE\]](#) Think someone here mentioned it but you might want to include a blacklist like Trickbot. Hook things like debugger entry -> place marker -> try callout -> BSOD

Then on startup check for marker, if found -> try callout -> BSOD

This means if someone tries to RE it then it will set a reg key so it knows if the current machine is for analysis, then callout when inet becomes available. Then you blacklist their IP.

This will not work with the TOR version however because the clients IP doesn't get exposed.

That's a good idea, auto mark the bot as dirty

05317832892 - May 4, 2018, 8:05 am

(May 4, 2018 01:48 AM)Yattaze Wrote: [\[CITE\]](#) That's a good idea, auto mark the bot as dirty
A great method for catching out analysts is looking for .idb files with the same name in the current directory. Lots aren't careful with that.

Yattaze - May 4, 2018, 3:54 pm

(May 4, 2018 08:05 AM)ROOTED Wrote: [\[CITE\]](#) A great method for catching out analysts is looking for .idb files with the same name in the current directory. Lots aren't careful with that.

Ok. How does Loaded Libraries, IDB files, and running processes sound?

Yattaze - May 5, 2018, 6:33 pm

Update:

Where getting close guys, doing holding tests now, should be available for sale in the coming weeks
after bugs are squashed. and i've made a builder.

cannex - May 5, 2018, 7:27 pm

did you add email client recovery?

Yattaze - May 5, 2018, 7:33 pm

(May 5, 2018 07:27 PM)cannex Wrote: [\[CITE\]](#) did you add email client recovery?
No? I've never come across a botnet the has "Email Client Recovery"
However that's supposed to work.

cannex - May 5, 2018, 7:48 pm

does it have form grabber nd pop3 grabber

Yattaze - May 5, 2018, 8:12 pm

(May 5, 2018 07:48 PM)cannex Wrote: [\[CITE\]](#) does it have form grabber nd pop3 grabber
No, this is a loader, for holding bots, not a fully featured bot with extra features, the idea is it's small and stable.

Tasks:

- 1) Download / Execute
- 2) Update
- 3) Uninstall

Size: 10kb Uncompressed, Unencrypted

05317832892 - May 6, 2018, 1:36 am

(May 4, 2018 03:54 PM)Yattaze Wrote: [\[CITE\]](#) Ok. How does Loaded Libraries, IDB files, and running processes sound?

Not sure about the architecture of your bot, but could you count threads reliably?

Also hook the debugger attatch entry and reroute to exitprocess.

Yattaze - May 6, 2018, 6:55 pm

(May 6, 2018 01:36 AM)ROOTED Wrote: [\[CITE\]](#) Not sure about the architecture of your bot, but could you count threads reliably?

Also hook the debugger attatch entry and reroute to exitprocess.Yea, getting thread count is easy enough

Be a good indication of analysis

BitcoinCriminal - May 7, 2018, 3:42 am

looks like litehttp rethemed, correct me if im wrong;)

Uiqueblhats - May 7, 2018, 2:45 pm

(May 7, 2018 03:42 AM)TheHook Wrote: [\[CITE\]](#) looks like litehttp rethemed, correct me if im wrong;)
Taking a GUI proves nothing until we see a Binary

BitcoinCriminal - May 7, 2018, 3:09 pm

(May 7, 2018 02:45 PM)Uiqueblhats Wrote: [\[CITE\]](#) Taking a GUI proves nothing until we see a Binary

its the database structure and tasks

qdawg - May 7, 2018, 4:09 pm

Looks nice man wish u luck
l;

AnonTri - May 7, 2018, 4:50 pm

(May 7, 2018 03:09 PM)TheHook Wrote: [\[CITE\]](#) its the database structure and tasks
All loaders have the same tasks so that proves nothing. And so what if he used the same database setup as another bot? That does not hurt the working of it unless there is a shell placed in the DB.

Yattaze - May 7, 2018, 5:00 pm

(May 7, 2018 04:50 PM)AnonTri Wrote: [\[CITE\]](#) All loaders have the same tasks so that proves nothing. And so what if he used the same database setup as another bot? That does not hurt the working of it unless there is a shell placed in the DB.

Rest assured there's no shell in the db or php
And the database is based off lite http, so what?
It's the bot that counts, not the panel

narc0tic - May 8, 2018, 9:01 am

(Apr 29, 2018 01:54 AM)Win64Worm Wrote: [\[CITE\]](#) 9KB? Are you sure you are linking all dependencies using /MT switch when compiling. That should get you the real size.
its fairly easy to get visual studio to generate 2ish kb hello worlds if you use the right options

This is looking really good.
Once again, good luck.

Yattaze - May 8, 2018, 1:54 pm

(May 8, 2018 09:01 AM)narc0tic Wrote: [\[CITE\]](#) its fairly easy to get visual studio to generate 2ish kb hello worlds if you use the right options

This is looking really good.
Once again, good luck.
Cheers, testing is still ongoing at this point, and we're working on a surprise feature
That may delay devolpment, unless I release it as an update down the road, only a few more things left too do before it's in a releasable state.

Deflate - May 9, 2018, 8:59 am

So it have included botshop so you can use this and sell bots via it?

Yattaze - May 9, 2018, 12:17 pm

(May 9, 2018 08:59 AM)Deflate Wrote: [\[CITE\]](#) So it have included botshop so you can use this and sell bots via it?

Correct, buyers just need a access key to buy off you, and you just need to confirm orders in the panel

Deflate - May 9, 2018, 2:27 pm

Like i just need to get bots and then when i approve the order it will start sending.

Yattaze - May 9, 2018, 8:12 pm

(May 9, 2018 02:27 PM)Deflate Wrote: [\[CITE\]](#) Like i just need to get bots and then when i approve the order it will start sending.

Correct, one the order is payed and confirmed bit will start sending, the buyer will see the

executions as they happen

AlphaIndustries - May 10, 2018, 1:48 am

Looking forward on using this.

Yattaze - May 10, 2018, 11:11 pm

After initial real work testing, the loader works, clients can connect, and clients can execute tasks. However some bots seemed to go offline and stay offline, and some stayed active. The test wasn't run long enough for the bots to be confirmed dead but the suspected reason behind this is either anti-virus detected it (Although FUD at the start of testing may have been detected), or a faulty rootkit. To combat this we have been working on a massive update to the rootkit for the last few days. And since I have stated it should be released soon I'm left with two options. Release it in its current state and provide updates down the line to address these issues. Or delay the release until its proven more capable.

Please fill in the survey below so i can get an idea of what you would prefer.

https://docs.google.com/forms/d/e/1FAIpQLSecfHKe03LdF3qd0foArGpTAwipWLeZF4XLK70UMuEL2ytiw/viewform?usp=sf_link

Pastra - May 11, 2018, 1:10 am

I want test!

Sound intresing this botnet

AlphaIndustries - May 11, 2018, 1:08 pm

Of you'd be releasing it now, hoe would we get the updates, do we have to change a lot of files or just the buildee?

Yattaze - May 11, 2018, 3:04 pm

(May 11, 2018 01:08 PM)Nexio Wrote: [\[CITE\]](#) Of you'd be releasing it now, hoe would we get the updates, do we have to change a lot of files or just the buildee?

Depends on whats updated, some will be just the bin, some panel files, some maybe both

Yattaze - May 12, 2018, 8:02 pm

Beta

The Poll Results are in.
And the majority of people want it to be released now. But people also have concerns about releasing a faulty net.
Hence here's the current plan... Paid Beta. Here are the beta requirements
Be an upgraded user (Leet / Uber)

Decent Positive Rep.

Use a crypter

No Leaking or Reselling

To be considered Pm me with your application.

The beta will cost \$50 in BTC. And you will receive a \$50 discount for the final release

Application Template

Code Experience with botnets:

What you will test:

Jabber:

Current crypter:

Current botnet:Only excepting 5 testers

Magna imperium - May 13, 2018, 4:44 am

Wait, so you're in need of people that test the need and gives you feedback, yet they got to pay for it? This reminds me of current gaming community, paying for beta testing lmao.

Yattaze - May 13, 2018, 6:42 am

(May 13, 2018 04:44 AM)Magna imperium Wrote: [\[CITE\]](#) Wait, so you're in need of people that test the need and gives you feedback, yet they got to pay for it? This reminds me of current gaming community, paying for beta testing lmao.

It helps sustain the project while I work on fixing bugs and updates etc.

I could release a potentially broken net that hasn't been tested by people.

And I don't like the idea of giving out potentially fine builds for free.

Magna imperium - May 13, 2018, 8:07 am

(May 13, 2018 06:42 AM)Yattaze Wrote: [\[CITE\]](#) It helps sustain the project while I work on fixing bugs and updates etc.

I could release a potentially broken net that hasn't been tested by people.

And I don't like the idea of giving out potentially fine builds for free.

"Helps sustain the project", no it helps sustaining your budget, if you want to release something then do previous tests yourself or test it on a closed environment where you know the people who are receiving access.

Making a paid beta for 50\$ makes you look like you're trying to jew some money, test it properly and then open a thread selling it for a good price, if the net is good you can easily charge 1k per build, people has been in need of a herding net lately, yet there is none at all out there.

Anyways, do as you want, just wanted to share my opinion

Nenny - May 13, 2018, 9:21 am

I honestly stand behind his idea of restricted access to the beta so that he affectively does know who is working on it. And i do find that getting a bit of money on the side can help motivating in finishing the offer earlier plus it is not really paying for beta to say; he basiccally is selling you the final version since you get a 1:1 discount, you are just paying earlier compared to later and in exchange for the trust you put in him for finishing his bot he gives you the file he is working on as it is. So keep up the good work ?

Yattaze - May 13, 2018, 11:32 am

(May 13, 2018 08:07 AM)Magna imperium Wrote: [\[CITE\]](#) "Helps sustain the project", no it helps sustaining your budget, if you want to release something then do previous tests yourself or test it on a closed environment where you know the people who are receiving access.

Making a paid beta for 50\$ makes you look like you're trying to jew some money, test it properly and then open a thread selling it for a good price, if the net is good you can easily charge 1k per build, people has been in need of a herding net lately, yet there is none at all out there.

Anyways, do as you want, just wanted to share my opinion

I'm not forcing anyone to buy into the beta, it's for people who want to support and help the project during its final stages.

It will still be released regardless if the beta was a success so people will still get the net, sorry if it seems like I'm trying to "Jew some money".

flowsizer - May 13, 2018, 1:41 pm

This sounds interesting, Ill be keeping tabs on this project :)

speckled_eggz - May 13, 2018, 2:09 pm

(May 13, 2018 11:32 AM)Yattaze Wrote: [\[CITE\]](#) I'm not forcing anyone to buy into the beta, it's for people who want to support and help the project during its final stages.

It will still be released regardless if the beta was a success so people will still get the net, sorry if it seems like I'm trying to "Jew some money".

I have a recommendation.

Why not make your bot fileless? Yes, it's possible. Embed your bot into a powershell script. Pretty much, you can embed your executeable into a powershel scriptl, and you can run it directly without dropping a file, look at [this](#), it's sort-of what i'm talking about.

Through that, you can inject your bot into another process and remove the old instance. Not only would this mean your bot isn't dropped to disk, but it doesn't even have its own process.

This would however require quite a bit of work, and maybe a rewrite of some already written

SIM-3717028 - May 14, 2018, 12:06 pm

Seen you on a few other more closed forums. Although I don't know personally, the author probably a good coder. Was wondering why you sell here instead of other forums that don't work with feds.

Yattaze - May 14, 2018, 12:36 pm

(May 14, 2018 12:06 PM)dsniqwixi Wrote: [\[CITE\]](#) Seen you on a few other more closed forums. Although I don't know personally, the author probably a good coder. Was wondering why you sell here instead of other forums that don't work with feds.

Because those forms don't have an active user base. Not as many people too sell too

Yattaze - May 17, 2018, 11:31 pm

Testing is going well.

GodAmon - May 20, 2018, 6:08 pm

The photos do not appear.

Yattaze - May 20, 2018, 6:56 pm

(May 20, 2018 06:08 PM)GodAmon Wrote: [\[CITE\]](#) The photos do not appear. What do you mean, all the panel photos work for me???

sssniperwolf - May 20, 2018, 9:15 pm

Project looks to be coming together nicely

Yattaze - May 20, 2018, 10:53 pm

(May 20, 2018 09:15 PM)sssniperwolf Wrote: [\[CITE\]](#) Project looks to be coming together nicely

Thanks, Should be ready for the first release version once the beta testers are satisfied With it. Hopefully Next Week at the earliest.

Pronouncer - May 21, 2018, 9:03 pm

i see you mention a rootkit. Mind if i ask what type?

Astraviruzz - May 21, 2018, 9:13 pm

interested to see this loader.

Yattaze - May 21, 2018, 9:19 pm

(May 21, 2018 09:03 PM)Pronouncer Wrote: [\[CITE\]](#) i see you mention a rootkit. Mind if i ask what type?

It was a ring 3 kit, we've moved to a ring 0 kit but it won't be ready for release.

Pronouncer - May 21, 2018, 9:24 pm

(May 21, 2018 09:19 PM)Yattaze Wrote: [\[CITE\]](#) It was a ring 3 kit, we've moved to a ring 0 kit but it won't be ready for release.

Is it a genuine decent Ring 0, or is it the HF standard root kit ?

Yattaze - May 21, 2018, 9:39 pm

(May 21, 2018 09:24 PM)Pronouncer Wrote: [\[CITE\]](#) Is it a genuine decent Ring 0, or is it the HF standard root kit ?

It's a genuine ring 0 kit, supporting Win7 - Win10 (x64 Admin)

I haven't seen a hf ring 0 kit so.

Pronouncer - May 21, 2018, 9:40 pm

(May 21, 2018 09:39 PM)Yattaze Wrote: [\[CITE\]](#) It's a genuine ring 0 kit, supporting Win7 - Win10 (x64)

I haven't seen a hf ring 0 kit so.

Theres plenty. Does this contain all the same feautures as the Botnet (LiteHTTP based) as from my Observations it took you over a year to do a Retheme of that and add a small hanfull of feautures. Not trying to trash i am curious asf.

Yattaze - May 21, 2018, 9:43 pm

(May 21, 2018 09:40 PM)Pronouncer Wrote: [\[CITE\]](#) Theres plenty. Does this contain all the same feautures as the Botnet (LiteHTTP based)

Download & Execute

Update

Uninstall

I might add rookit functions when it's finished

(Hide process etc)

Pronouncer - May 21, 2018, 9:44 pm

(May 21, 2018 09:43 PM)Yattaze Wrote: [\[CITE\]](#) Download & Execute

Update

Uninstall

I might add rookit functions when it's finished

(Hide process etc)

So you stripped all the features of your Previous FORK? Why not just update it, or did you not ger round to finishing it?

Quote:Features:
Download & Exec
With Arguments
With Injection
Basic Keylogger
Visit Webpage (Visible / Hidden)
Screenshot
Text to Speech
Power Options
Shutdown
Restart
Logoff
Lock
Hibernate
Sleep

ToDo:
Fix Keylogger log Upload
Flooding / Stressing
Bot Killer
Encryption
New Logo
Fix GeoIP

Yattaze - May 21, 2018, 9:47 pm

(May 21, 2018 09:44 PM)Pronouncer Wrote: [\[CITE\]](#) So you stripped all the features of your Previous FORK? Why not just update it, or did you not get round to finishing it?
Yeah, this is a rewrite, the old code was horrendous.
This version is just a loader

Pronouncer - May 21, 2018, 9:48 pm

(May 21, 2018 09:47 PM)Yattaze Wrote: [\[CITE\]](#) Yeah, this is a rewrite, the old code was horrendous.
This version is just a loader
Still based on Lite?

Yattaze - May 21, 2018, 9:50 pm

(May 21, 2018 09:48 PM)Pronouncer Wrote: [\[CITE\]](#) Still based on Lite?
No, there's a few elements left over in the panel but 80% is new

Pronouncer - May 21, 2018, 9:50 pm

(May 21, 2018 09:50 PM)Yattaze Wrote: [\[CITE\]](#) No, there's a few elements left over in the panel but 80% is new
The panel, but is the BIN fully unique?

Yattaze - May 21, 2018, 9:53 pm

(May 21, 2018 09:50 PM)Pronouncer Wrote: [\[CITE\]](#) The panel, but is the BIN fully unique?
Yes, c++, custom crt, 10kb raw

Yattaze - May 23, 2018, 9:50 pm

Sales Now Open!
[Here](#)

RudePerson - June 2, 2018, 12:08 pm

I have added you on jabber i would like to know some more about it. Sorry for posting it here, i was not able to post in the marketplace.

axis.83 - June 12, 2018, 1:55 pm

This person is inadequate. I bought his software, the place of explanation had to guess most of all. No manual, the questions are harsh answers. Now that I've set up the panel and asked to build my stub, it removed me from the contact list. No any help. I pay 70 for top life support but not get. I want to put a minus on this person. If need logs I can provide to anyone.