

Forum:[Hack Forums](#)

Thread: [cracking PKMID's using Raw Bruteforce or other crackers than hashcat?](#)

Nulla Misericordia - September 24, 2019, 11:06 am

Hi, I've been gathering some WPA2 Handshakes and I would like to try at cracking them. I've tried using hashcat but I'm not too familiar with the program and from what I know I need a wordlist to make it run.

Is there another way I can crack them without passlists? As in raw brute forcing? By Raw bruteforce I mean trying every possible combo, crunch style (aaaaa, aaaab, etc...).

I would use crunch for this but I would need to generate the worldlist and my hard drive capacity isn't that big. I'm not sure I can pipe crunch into hashcat but I don't think so.

I know what I'm asking, sound dumb but I still wanna try it. There must be something that works.

kinggamer - September 24, 2019, 11:35 am

So for the first try I always use this website: <https://www.onlinehashcrack.com/> to crack WPA2 handshakes.

You can try it as well :)

Ramb0x - September 24, 2019, 11:39 am

John the ripper :D.....

Nulla Misericordia - September 24, 2019, 12:14 pm

(Sep 24, 2019 11:39 AM)zpx Wrote: [\[CITE\]](#) John the ripper :D.....

Of course. I'll look into it. Only used it once so Idk the specifics. Thanks.