

Forum:[Hack Forums](#)

Thread: [C# drag and Drop to Console App , Get fille path](#)

dor343232 - November 11, 2019, 3:14 pm

need help how i can drag and drop to the Console app and Print the file i Drop

like get is Place?

i dont find nothing on google ... ? ? ?

Neos07 - November 11, 2019, 3:19 pm

I don't think it's possible to drag and drop on the console window. In the other hand, you can you drag and drop on the executable, then the file path will be as an argument.

dor343232 - November 11, 2019, 3:21 pm

(Nov 11, 2019 04:19 PM)Neos07 Wrote: [\[CITE\]](#) I don't think it's possible to drag and drop on the console window. In the other hand, you can you drag and drop on the executable, then the file path will be as an argument.

Something like that

if i am run the exe from CMD
is working like Console.ReadLine();

and i get the Drag and drop file path

if is not run from CMD like cmd /c

is not working

gigajew - November 11, 2019, 6:20 pm

I think that's just built into cmd maybe you can replicate it with some windows api idk. Edit: yep right here <https://stackoverflow.com/a/12662837>

dor343232 - November 11, 2019, 11:00 pm

(Nov 11, 2019 07:20 PM)gigajew Wrote: [\[CITE\]](#) I think that's just built into cmd maybe you can replicate it with some windows api idk. Edit: yep right here [c# - How do I get file paths of items dropped onto a console application window? - Stack Overflow](#)

sory but you wrong in another PC VB C# is working on my PC is not something wried . .

0xDEAD10CC - November 12, 2019, 11:24 am

You do not understand how drag and drop operations work. Unless you're building your own terminal to handle the drag drop operation, your program code isn't going to have any effect on the command window. This is something that Microsoft has built into their own tool. Even if you have a program running in the cmd.exe, console applications don't run a message loop that can handle drag drop operations inherently.

The other part of this problem is with elevated UAC: <https://superuser.com/a/59106>

Eternal Darkness - November 12, 2019, 2:16 pm

For all of you saying "console doesn't support drag & drop".

```
Code #include <vector>
#include <string>
#include <iostream>
#include <conio.h>
int main() {
    std::cout << "Please drop files and press [Enter] when done ...\n";
    std::vector<std::string> files;
    for(int ch = _getch(); ch != '\r'; ch = _getch()) {
        std::string file_name;
        if(ch == "\\") { // path containing spaces. read til next "" ...
            while((ch = _getch()) != "\\")
                file_name += ch;
        } else { // path not containing spaces. read as long as chars are coming rapidly.
            file_name += ch;
            while(_kbhit())
                file_name += _getch();
        }
        files.push_back(file_name);
    }
    std::cout << "You dropped these files:\n";
    for(auto & i : files)
        std::cout << i << '\n';
}
```

<https://stackoverflow.com/a/25484783>

Easy conversion to C#:

```
Code using System;
using System.Collections.Generic;
using System.Runtime.InteropServices;
```

```
namespace DragDropConsole {
    class Program {
        [DllImport("msvcrt")] static extern int _getch();
        [DllImport("crt.dll")] public static extern int _kbhit();
        static void Main(string[] args) {
            Console.WriteLine("Please drop files and press [Enter] when done ...");
            var list = new List<String>();
            for (int ch = _getch(); ch != '\r'; ch = _getch()) {
                string file_name = "";
                if (Convert.ToChar(ch) == "\\") {
                    while (Convert.ToChar(ch = _getch()) != "\\") file_name += Convert.ToChar(ch);
                } else {
                    file_name += Convert.ToChar(ch);
                    while (_kbhit() != 0) file_name += Convert.ToChar(_getch());
                }
                list.Add(file_name);
            }
            Console.WriteLine("You dropped these files:");
            foreach (string item in list) {
```

```

        Console.WriteLine(item);
    }
    Console.WriteLine("Press any key to end...");
    Console.Read();
}
}

```

}Improvements can be made to the C# code, avoiding that debate and simply "converting".

0xDEAD10CC - November 12, 2019, 4:47 pm

(Nov 12, 2019 03:16 PM)Eternal Darkness Wrote: [\[CITE\]](#) For all of you saying "console doesn't support drag & drop".

```

Code #include <vector>
#include <string>
#include <iostream>
#include <conio.h>
int main() {
    std::cout << "Please drop files and press [Enter] when done ...\n";
    std::vector<std::string> files;
    for(int ch = _getch(); ch != '\r'; ch = _getch()) {
        std::string file_name;
        if(ch == "\\") { // path containing spaces. read til next "" ...
            while((ch = _getch()) != "\\")
                file_name += ch;
        } else { // path not containing spaces. read as long as chars are coming rapidly.
            file_name += ch;
            while(_kbhit())
                file_name += _getch();
        }
        files.push_back(file_name);
    }
    std::cout << "You dropped these files:\n";
    for(auto & i : files)
        std::cout << i << '\n';
}

```

<https://stackoverflow.com/a/25484783>

Easy conversion to C#:

```

Code using System;
using System.Collections.Generic;
using System.Runtime.InteropServices;

```

```

namespace DragDropConsole {
    class Program {
        [DllImport("msvcrt")] static extern int _getch();
        [DllImport("crtddll.dll")] public static extern int _kbhit();
        static void Main(string[] args) {
            Console.WriteLine("Please drop files and press [Enter] when done ...");
            var list = new List<String>();
            for (int ch = _getch(); ch != '\r'; ch = _getch()) {
                string file_name = "";
                if (Convert.ToChar(ch) == "\\") {
                    while (Convert.ToChar(ch = _getch()) != "\\") file_name += Convert.ToChar(ch);
                } else {
                    file_name += Convert.ToChar(ch);
                }
            }
        }
    }
}

```

```

        while (_kbhit() != 0) file_name += Convert.ToChar(_getch());
    }
    list.Add(file_name);
}
Console.WriteLine("You dropped these files:");
foreach (string item in list) {
    Console.WriteLine(item);
}
Console.WriteLine("Press any key to end...");
Console.Read();
}
}

```

}Improvements can be made to the C# code, avoiding that debate and simply "converting". If you knew the difference between OLE drag drop and the custom routine console's use, it's still a valid statement; they do not support it. It's not nearly as customizable...

Why bother converting it to C# when you aren't willing to use any standard .NET code? All those string operations are incredibly inefficient.

Eternal Darkness - November 12, 2019, 5:46 pm
 (Nov 12, 2019 05:47 PM)0xDEAD10CC Wrote: [\[CITE\]](#) If you knew the difference between OLE drag drop and the custom routine console's use, it's still a valid statement; they do not support it. It's not nearly as customizable...

Why bother converting it to C# when you aren't willing to use any standard .NET code? All those string operations are incredibly inefficient.
 Never said "it's the same". Just posted how to do it, while everyone was like "can't do it".

Not my code, didn't optimize (specifically stated, referring to "Improvements"). POC I found which I converted to work for OP (in C#).

Feel free to optimize, share, and open yourself up to an endless amount of criticism. ? I have learned not to post any "original code" here anymore as users tend to write books about how "you are a sh*tty coder" for an original POC to solve OP's issue, and will not focus on the OT/question/helping OP. I will optimize sh*t at work, but not likely to do it for the lot of ya anymore. ?

dor343232 - November 12, 2019, 5:55 pm
 (Nov 12, 2019 06:46 PM)Eternal Darkness Wrote: [\[CITE\]](#) Never said "it's the same". Just posted how to do it, while everyone was like "can't do it".

Not my code, didn't optimize (specifically stated, referring to "Improvements"). POC I found which I converted to work for OP (in C#).

Feel free to optimize, share, and open yourself up to an endless amount of criticism. ? I have learned not to post any original code here anymore as users tend to write books about how "you are a sh*tty coder" for a original POC to solve OP's issue, and will not focus on the OT/question/helping OP. I will optimize sh*t at work, but not likely to do it for the lot of ya anymore. ?
 ALREDY did it i just 2 line
 is working THX for help all ?

deiski - November 13, 2019, 6:52 am
 (Nov 12, 2019 05:47 PM)0xDEAD10CC Wrote: [\[CITE\]](#) If you knew the difference between OLE drag drop and the custom routine console's use, it's still a valid statement; they do not support it. It's not

nearly as customizable...

Why bother converting it to C# when you aren't willing to use any standard .NET code? All those string operations are incredibly inefficient.

Considering he is the only one that actually helped solve the issue rather than just say it's not going to happen, I think it's rather rude (which majority of this section is) to say "Why bother", least he's actually helping answer the question.

0xDEAD10CC - November 13, 2019, 1:29 pm

(Nov 13, 2019 07:52 AM)deiski Wrote: [\[CITE\]](#) Considering he is the only one that actually helped solve the issue rather than just say it's not going to happen, I think it's rather rude (which majority of this section is) to say "Why bother", least he's actually helping answer the question.

If you would prefer to help people who only want to copy and paste source code -- by all means, who's going to stop you? It's quite obvious to tell the difference. I help people all the time, and have been for the 9 years I've been on this forum.

If he posted this on StackOverflow the most he would receive is a ton of negative votes, and no help.

Eternal Darkness - November 13, 2019, 1:44 pm

(Nov 13, 2019 02:29 PM)0xDEAD10CC Wrote: [\[CITE\]](#) If you would prefer to help people who only want to copy and paste source code -- by all means, who's going to stop you?

I want to help people learn. Few others here do. Can I push huge posts about how things are "designed" vs "the possibility" sure (I sure can rant). At the end of the day I would rather post a "solution"...

I try to condense what I say, and provide an answer to the OT, rather than "you should do ____". I assume they have a reason for wanting said functionality. I can provide some method to Drag and Drop support, sure ("Ideal" prob not, but the method "would work" all the same. Rather hard to find "perfectly optimized" code in one quick google search...).

(Nov 13, 2019 02:29 PM)0xDEAD10CC Wrote: [\[CITE\]](#) It's quite obvious to tell the difference. I help people all the time, and have been for the 9 years I've been on this forum.

Been here for 10 years. I help people all the time too, feel free to peruse my profile, maybe help diagnose some problems with users code/design more often (Rather than "bet you haven't even heard of Windows Kernel, you scrub", obviously intentionally not quoting you). Yet again, feel free to go around and optimize my code/whatever.

(Nov 13, 2019 02:29 PM)0xDEAD10CC Wrote: [\[CITE\]](#) If he posted this on StackOverflow the most he would receive is a ton of negative votes, and no help.

Considering my link was from StackOverflow I kinda doubt it. Someone would have taken a literal minute to google and link him to that StackOverflow link (prob not have done the conversion but w/e I do what I want).

Doesn't matter, even if that is the case, cuz we "can be" better than that. Apparently you feel differently though...

0xDEAD10CC - November 13, 2019, 1:52 pm

(Nov 13, 2019 02:44 PM)Eternal Darkness Wrote: [\[CITE\]](#) I want to help people learn. Few other here do. Can I push huge posts about how things are "designed" vs "the possibility" sure (I sure can rant).

I try to condense what I say, and provide an answer to the OT, rather than "you should do ____". I assume they have a reason for wanting said functionality. I can provide some method to Drag and Drop support, sure ("Ideal" prob not, but the method "would work" all the same. Rather hard to find "perfectly optimized" code in one quick google search...).

Been here for 10 years. I help people all the time too, feel free to peruse my profile, maybe help diagnose some problems with users code/design more often (Rather than "bet you haven't even heard of Windows Kernel, you scrub"). Yet again, feel free to go around and optimize my code/whatever.

Considering my link was from StackOverflow I kinda doubt it. Someone would have taken a literal minute to google and link him to that StackOverflow link (prob not have done the conversion but w/e I do what I want).

Doesn't matter, even if that is the case, cuz we "can be" better than that. Apparently you feel differently though...

If you truly wanted to help people learn, then you need to understand the difference between providing completed work and giving them help/assistance. This is the point I'm getting at -- too many people think that the state of solving a thread is "helping", without taking into consideration that assistance/help is not the outcome but the process of getting to the resolution.

You guys clearly don't understand that... And the difference between having this on StackOverflow and here, is that you've spoonfed him the C# version of it. Others there would have just linked it more likely leaving it up to him to conduct further research about HOW it works, and allowing him to learn on his own. That would be helping him by enabling him to do the work by providing him guidance.

He also said that he didn't find anything on Google (which I also think is BS because he would have otherwise found the same link you did).

If you haven't figured out that he's not looking for true help by now after replying to multiple threads posted by this member, then you'd have to be pretty naive.

Eternal Darkness - November 13, 2019, 2:05 pm

(Nov 13, 2019 02:52 PM)0xDEAD10CC Wrote: [\[CITE\]](#) If you truly wanted to help people learn, then you need to understand the difference between providing completed work and giving them help/assistance. This is the point I'm getting at -- too many people think that the state of solving a thread is "helping", without taking into consideration that assistance/help is not the outcome but the process of getting to the resolution.

You guys clearly don't understand that... And the difference between having this on StackOverflow and here, is that you've spoonfed him the C# version of it. Others there would have just linked it more likely leaving it up to him to conduct further research about HOW it works, and allowing him to learn on his own. That would be helping him by enabling him to do the work by providing him guidance.

He also said that he didn't find anything on Google (which I also think is BS because he would have otherwise found the same link you did).

I recently generally do (post "just" links), but that kinda depends on the skill level of the programmer/size of the request. Have received some criticism for it, but as long as there are well documented methods/user seems able-enough "to convert" for example.

Helping him learn means providing a solution to the request, and hoping he takes some time understanding what you posted. If I posted C++ code alone I would receive both comments "pfft, that belongs in the C++ section not here" and also "How is C++ going to help with my C# program?". I'd rather just spend a few minutes "converting" it to usable code.

If I were to link to java code in this subforum, I think some users (specially these 2 post accounts) would have trouble "with the conversion". Yet alone linking C++ code (to the impeccably bright OP/whoever), and expecting them to convert/take the time to understand without assistance in at-least making it usable in C#.

Didn't "spoon-feed" that would mean I created this in a function/class for example. OP still has to figure out "what does what" in what I posted, and come up with a way to say read from the files. Me creating an optimized class(/integrating it for him) to Drag and Drop, that would be "spoon-feeding". Doesn't really matter at all as OP stated the issue is solved...

0xDEAD10CC - November 13, 2019, 4:54 pm

(Nov 13, 2019 03:05 PM)Eternal Darkness Wrote: [\[CITE\]](#) I recently generally do (post "just" links), but that kinda depends on the skill level of the programmer/size of the request. Have received some criticism for it, but as long as there are well documented methods/user seems able-enough "to convert" for example.

Helping him learn means providing a solution to the request, and hoping he takes some time understanding what you posted. If I posted C++ code alone I would receive both comments "pfft, that belongs in the C++ section not here" and also "How is C++ going to help with my C# program?". I'd rather just spend a few minutes "converting" it to usable code.

If I were to link to java code in this subforum, I think some users (specially these 2 post accounts) would have trouble "with the conversion". Yet alone linking C++ code (to the impeccably bright OP/whoever), and expecting them to convert/take the time to understand without assistance in at-least making it usable in C#.

Didn't "spoon-feed" that would mean I created this in a function/class for example. OP still has to figure out "what does what" in what I posted, and come up with a way to say read from the files. Me creating an optimized class(/integrating it for him) to Drag and Drop, that would be "spoon-feeding". Doesn't really matter at all as OP stated the issue is solved...

Lol no, "helping" really doesn't mean that. If you look up the definition of the word:

Quote:make it easier for (someone) to do something by offering one's services or resources

^ Eliminating the work for them is not making something easier for that someone to do it themselves; since they no longer have to do it themselves. Unless you consider CTRL+C "work".

If you just gave him the link with some C#-specific information about how it could be applied, you would've essentially been giving him a solution. Doing it that way would have mitigated all of the latter assumptions you've just quoted about it being C++ code. If that link by itself is not a solution to his problem, then how did that link help you create the code? (That's a rhetorical question.)

As I told the other member, if you want to spoonfeed then go ahead, but you're not helping anyone in this case regardless of what you believe. You're also enabling; with this kind of mentality you're part of the problem why people are selling software solutions in the marketplace that they can't support due to a lack of understanding.

>> Didn't "spoon-feed" that would mean I created this in a function/class for example.

What does a class or function have to do with it? ? Short answer: No.

The semantics of C# and C++ syntax at least in this case are nearly identical. If you believe he doesn't understand P/Invoke then explain it, otherwise wait for him to ask the necessary questions...

That's how you help people, not by doing all the work for them and making illogical assumptions about what they know and don't know.

>> OP still has to figure out "what does what" in what I posted

In what way exactly? It does exactly what he wants, and adds filepaths to a list. He can basically copy and paste it without any comprehension.

Eternal Darkness - November 13, 2019, 5:24 pm

(Nov 13, 2019 05:54 PM)0xDEAD10CC Wrote: [\[CITE\]](#) If that link by itself is not a solution to his problem, then how did that link help you create the code?

The link is to the original C++ code which I converted (I also supplied it in the post). (I know what rhetorical means, but the question is inherently dumb, I am posting a link to the source of information).

(Nov 13, 2019 05:54 PM)0xDEAD10CC Wrote: [\[CITE\]](#) make it easier for (someone) to do something by offering one's services or resources

I made it easier for someone (OP/reader) to do something (drag and drop) by offering a service of (conversion of C++ to C#) of a resource (someone else's code).

Aka "helped", by the definition you posted. So... lol... Glad you cleared that up. ?

(Nov 13, 2019 05:54 PM)0xDEAD10CC Wrote: [\[CITE\]](#) What does a class or function have to do with it?

Could easily make the code I posted into a self contained class which say fires off (say) an event with the list of dropped files. That would be spoonfeeding. Converting code to the desired language is just converting ("service") of the easily found code ("resource"). That was the point I was making in the last post which you clearly don't understand/whatever.

He would need to mess with the code, therefore "learn about it" (to a degree) in order to simply "paste it in" and utilize it. Is it fairly obvious sure, but that's the point. An inexperienced programmer will need to take their time deciphering what each step does in order to understand at all. What I was saying earlier is there is more to Drag and Drop IO operations than getting a path via Drag and Drop.

Find it funny how this always happens when someone actually tries to post code/something in benefit to "OP", rather than just going with the flow of "nah, can't do it" attitude. As I said before, OP's issue is solved, meaning the discussion is rather silly (what is done is done, etc).

0xDEAD10CC - November 13, 2019, 5:38 pm

(Nov 13, 2019 06:24 PM)Eternal Darkness Wrote: [\[CITE\]](#) The link is to the original C++ code which I converted (I also supplied it in the post). (I know what rhetorical means, but the question is inherently dumb, I am posting a link to the source of information).

I made it easier for someone (OP/reader) to do something (drag and drop) by offering a service of (conversion of C++ to C#) of a resource (someone else's code).

Aka "helped", by the definition you posted. So... lol... Glad you cleared that up. ?

I'm not going to bother explaining any further if you can't comprehend a rather clear definition of a common English word... ???

You made nothing easier for him (except for making it easier for him to copy work without being

required to understand it); you did his work for him. That's like being ignorant to the fact that he is able to take credit for your work that he had no part of, and being naive enough to proclaim that you helped him achieve his goal.

Let's spin this another way: If someone asks you how to score goals in a game, and you score for them to show them how, clearly they can't say you helped them score the goal, and they didn't learn anything either because there's no magic ticket to learning how to score goals without attempting yourself. If that's what you think though then you're clueless. The only difference with programming is that the recipe is repeatable once you give the code out.

(Nov 13, 2019 06:24 PM)Eternal Darkness Wrote: [\[CITE\]](#) Could easily make the code I posted into a self contained class which say fires off (say) an event with the list of dropped files. That would be spoonfeeding. Converting code to the desired language is just converting ("service") of the easily found code ("resource"). That was the point I was making in the last post which you clearly don't understand/whatever.

He would need to mess with the code, therefore "learn about it" (to a degree) in order to simply "paste it in" and utilize it. Is it fairly obvious sure, but that's the point. An inexperienced programmer will need to take their time deciphering what each step does in order to understand at all. What I was saying earlier is there is more to Drag and Drop IO operations than getting a path via Drag and Drop.

Find it funny how this always happens when someone actually tries to post code/something in benefit to "OP", rather than just going with the flow of "nah, can't do it" attitude. As I said before, OP's issue is solved, meaning the discussion is rather silly (what is done is done, etc).

As I said before, and I really don't know how to put it in simpler terms... What does a class have to do with anything? If he's writing his entire program in the Main() function and doesn't even use classes, then what is the difference exactly? ? You fail (yet again) to understand that this StackOverflow C++ code achieves exactly what he's trying to do (i.e. "RE: C# drag and Drop to Console App , Get file path")

You even translated it for him. In what way would he need to mess with the code when it does exactly as he asked? (I pointed this out earlier but you seemed to have missed it. Here - I'm mentioning it again but with more emphasis - the code already does exactly what he wants. He might only have to remove the part where it gets added to a list, but that's not going to spark his comprehension abilities of what the main part of the code does.)

If you don't want to believe me, go to any other non HF-child programming forum and see how real programmers "help" others. They definitely don't dish out the code on a hot plate upon demand... I have nothing wrong with helping others, but here it's done in a completely different way, and the people who are trying to "help" are oblivious to the outcomes it has. People here complain about users selling their "software" in their signatures that they didn't really write and can't fully support, and the community has nobody to blame but themselves because certain people allow others to skip the learning stage entirely -- whether they have the ambition to learn or not is irrelevant.

Take a moment to look at the users name: dor343232 ... "343" "232" <- where do these exist on the keyboard? ?

Do you honestly think he's actually here to learn? I'd say it's even more likely this is a temp account to get a quick answer, or a duplicate user profile to hide the reputation of someone who's trying to sell a piece of software in another part of this forum.

... Congratulations for helping though. Maybe by the time you follow him around the forum answering him across a dozen threads you'll have "helped" him write his software. ?

Why is it that most people only look at the smaller picture?

Eternal Darkness - November 13, 2019, 9:45 pm

(Nov 13, 2019 06:38 PM)0xDEAD10CC Wrote: [\[CITE\]](#) Do you honestly think he's actually here to learn? I'd say it's even more likely this is a temp account to get a quick answer, or a duplicate user profile to hide the reputation of someone who's trying to sell a piece of software in another part of this forum.

If you feel that way, Report the post (not allowed to have multiple accounts here on HF).

Until proven, I tend to help people. I have denied help to several users who are "known" to do this (not the case here, that I am aware of).

That is a moderation/administration issue, of which I cannot "definitively" discern for you.

(Nov 13, 2019 06:38 PM)0xDEAD10CC Wrote: [\[CITE\]](#) People here complain about users selling their "software" in their signatures that they didn't really write and can't fully support, and the community has nobody to blame but themselves because certain people allow others to skip the learning stage entirely -- whether they have the ambition to learn or not is irrelevant.

Helping with components does not make someones software "mine".

Users should be taught to discern whether the seller is a "crook"? Not really my problem, HF should prob just create some approval list/something (extra moderation) for the sales area of this site. It is very common for software to be ripped off/cloned/etc, its extremely common even for someone to sell x users software as if it was created by them (under a pseudonym of x). This is not a HF issue, it is an ethics issue.

I have had limited run-ins with this when I was young, fixing peoples entire sources up (to be more efficient/functional). [Then they posted it publicly basically stating it was through "their hard work" that this was created, not mentioning that I made it at all functional from their skidded code](#) (some junky users on this forum years ago, not taking about the people I met on other forums).

Why not post a more efficient/open source version? Post it right in the "sales" thread. Hell optimize the crap out of it and make it so the sold one is sh*tty in comparison. Don't care if said user intends to "sell it" or "open source"/whatever it, that's a personal choice. Complaining that someone used your code does not serve the community at all, creating something better/free/open source/etc does.

[A community should foster growth; teaching both new and old users new things](#). Disagree? Let's take the philosophy of not "helping"/"teaching" people to a macro perspective (like you talk about later on). Should we shut down programming courses (they will find profit from the "principles taught"), what about Microsoft documentation which provides a generous amount of code samples, and tutorials/open source in general. It's not my fault, "it's the kids who are wrong" mentality. [Perhaps you simply do not like the idea of replacement?](#)

(Nov 13, 2019 06:38 PM)0xDEAD10CC Wrote: [\[CITE\]](#) Why is it that most people only look at the smaller picture?

Says the guy so focused on an unproven fact that this user "may" (no proof) do this or that, unable/unwilling to help with the request (nothing was posted of use to the OT by you in this entire thread neither things in your post are actually "required" for drag & drop functionality). Don't post at all if you do not intend to offer assistance (rather if your only purpose is to just criticize user(s) who intend to help and all you do is post fake "requirements").

I understand trends, but [Don't treat people like villains by default, otherwise they may become a](#)

[villian](#) (Mexican Joker, I tried to fight this idiot for you). 0x the reason I am calling you an idiot is because you don't know about "supervillain" origin stories (insert classic "joke" of Hitler's origin story, [which illustrates a path based off dismissal of his art](#), can't find the right video atm but I guess this works). "Evil" users can be created much like supervillains, just by treating them poorly (their obviously going to "steal" this, or "cheat" you, etc etc).

Cheezy, but a good reminder for a hard a\$\$ like yourself. [Rather than pre-judging \(within reason, ex. skill is different from "judgment" of say character\), and avoiding posting helpful information, you should simply just post some small snippets](#). That would be in the best interest of the community, not this whining about x user giving up code, then "feeling like they got ripped off". I never ask for praise/anything in response to my 5 or so minutes googling and converting the code. I just don't like seeing repeatedly "it can't be done"...

(Nov 13, 2019 06:38 PM)0xDEAD10CC Wrote: [CITE](#) ... Congratulations for helping though. Maybe by the time you follow him around the forum answering him across a dozen threads you'll have "helped" him write his software. ?

Cool, presh you finally noting that I provided assistance/help in this thread.

Not following "anyone around", the .NET forums have always been where I "hung out" (when I was younger). Contribute to threads in other forums/etc as well (but mainly when I see some interesting "recent post", its all on my profile).

Not sure how helping someone is a bad thing... If I considered this to be a more substantial contribution, and had say a contract breach maybe, but jeezus I can spare 5 mins to help somebody. How egotistical do you have to be to say "you own someones software" because of a 5 minute contribution... Your neurosis about helping users/"the community" is so ridiculously convoluted at this point ([Think you need a listen of this](#))... In fact it is posts like these which prove why there is a lack of community compared to years ago (Yes I am contributing to that, but my intention was obviously not to). [People will make mistakes, but that's not a reason, to not help one another \(disagree, whatever\)](#).

0xDEAD10CC - November 14, 2019, 3:29 pm

>> Helping with components does not make someones software "mine".

How many times do I have to explain that you're not "helping" him if what you're doing is essentially writing all of his code for him? (This is 3 times so far now isn't it? :/)

Microsoft provides documentation which has code examples that mainly facilitate how classes and methods work, but with no additional/unnecessary code in most cases. The examples they provide are usually fairly trivial, if you've ever bothered to review them:

<https://docs.microsoft.com/en-us/dotnet/framework/network-programming/asynchronous-server-socket-example>

>> Says the guy so focused on an unproven fact that this user "may" (no proof) do this or that

Where's your discreditable evidence that you're even actually helping? He hasn't even been able to communicate that he even has a clear understanding of the solution being provided. Anybody with the ability to execute some level of critical thinking on a basic level, would've been able to analyze this user's posts and see that he's barely engaging in any of the discussion past being thankful that you're giving him code. I have to ask -- are you truly this naive and impotent? ? I'm starting to think so... The facts for my side are evidently plausible on this forum if you bother to take a look, yet yours remains to be seen at all still.

He posted no code, obviously didn't search, and you provide him with complete code for his task

(here, as we as other threads immediately following this one).

Let me quote him for you:

Quote:i am stell new in C# any more Exemple ??

like more easy ?

...

Got errorr

```
Thread myNewThread = new Thread(() => Start(ArrayLines));  
myNewThread.Start();
```

An object reference is required for the non-static field, method, or property
'Program.StartBrut(string[])

And you think I have no proof? You must be blind to see that:

1. He's looking for someone to provide him code
2. He's not willing to look up any of the errors that he's gotten
3. He clearly barely has any experience with the C# language

Yet you expect him to understand the code that you translated? You're a moron if you truly believe that you've "helped" him with learning. Maybe some additional wisdom will come to you with age.

Your posts don't even allude to the fact that you even have an appropriately logical thought process. With your ideas in complete disarray and nearly out of context ranting, I can see why you can't comprehend my statements if your mind is this scatterbrained; you don't even have the means to condense 5 sentences worth of meaningful content into the bible without introducing useless fairytales. Sadly, even your strategy of emphasizing your words and ideas looks like something out of a children's sketchbook.

>> Not sure how helping someone is a bad thing...

I think this concludes the fact that your comprehension skills are incredibly lacking, as you still haven't understood what I've been trying to say in the last few posts. Maybe an illustrative children's book will help you, but unfortunately I don't have the time for that, even if you are more of a visual learner.

(At least the thought process portrayed in most of my posts don't seem like something regurgitated by a blender.)

Eternal Darkness - November 14, 2019, 3:47 pm

(Nov 14, 2019 04:29 PM)0xDEAD10CC Wrote: [\[CITE\]](#) (At least the thought process portrayed in most of my posts don't seem like something regurgitated by a blender.)

You cleanly don't read others posts. I used your dictionary definition to prove that I "helped" (by definition, the thing your hung up on in fact, I never "claimed" to until you had made several posts about how posting code is essentially against the community interest). I refuted everything other than "personal attacks". Why, because I am not a child who is trying to not resort to child tactics of name calling (know "idiot" in last post but not other than that, that was a joke :o)...

Funny how "nowhere else" people post code to help people, "I'm so retarded" (/sarcasm)... Almost

like the link I posted, origin of the code (stackoverflow, universal knowledge base/place programmers reference for un-knowlagable programmers) had the c++ source and many other code examples.

Difference:

Help:

(Nov 13, 2019 06:24 PM)Eternal Darkness Wrote: [\[CITE\]](#) (Nov 13, 2019 05:54 PM)0xDEAD10CC Wrote: [\[CITE\]](#) make it easier for (someone) to do something by offering one's services or resources made it easier for someone (OP/reader) to do something (drag and drop) by offering a service of (conversion of C++ to C#) of a resource (someone else's code).

Spoonfeed-Someone (definition):

Quote:to treat someone with too much care or help; to teach someone with methods that are too easy and do not stimulate the learner to independent thinking

As I said several times previously, this would be using said code to create a even more intuitive system (such as something that fires events when files are dropped). The code sample I provided requires some basic level of comprehension for OP to integrate, and may take a "few minutes" to learn about. Versus an all in one class/solution.

Spoon-feeding is not against any rules/anything btw, so even if "I did", this is pointless. Maybe I will post a spooned solution/improved version next time (as this argument is way drawn out). We'll see if the coding section collapses/whatever. This argument serves no purpose, other than to tell me to "Stay in my lane" and "stop helping users" (that your fake requirements are sufficient).

Yet again, do not see any point to your posts in this thread (in terms of the OT). Posting the code example does not cause the community to collapse at all, like you try to imply, neither does treating general users with respect. OP's issue is solved, so this is all pointless.

0xDEAD10CC - November 14, 2019, 4:08 pm

(Nov 14, 2019 04:47 PM)Eternal Darkness Wrote: [\[CITE\]](#) You clearly don't read others posts. I used your dictionary definition to prove that I "helped" (by definition, the thing your hung up on in fact, I never "claimed" to until you had made several posts about how posting code is essentially against the community interest). I refuted everything other than "personal attacks". Why, because I am not a child who is trying to not resort to child tactics of name calling (know "idiot" in last post but not other than that, that was a joke :o)...

Funny how "nowhere else" people post code to help people, "I'm so retarded" (/sarcasm)... Almost like the link I posted, origin of the code (stackoverflow, universal knowledge base/place programmers reference for un-knowlagable programmers) had the c++ source and many other code examples.

Difference:

Help:

Spoonfeed-Someone (definition):

As I said several times previously, this would be using said code to create a even more intuitve system (such as something that fires events when files are dropped). The code sample I provided requires some basic level of comprehension for OP to integrate, and may take a "few minutes" to learn about. Versus an all in one class/solution.

Spoon-feeding is not against any rules/anything btw, so even if I did, this is pointless. Maybe I will post a spooned solution/improved next time. We'll see if the coding section collapses/whatever.

Yet again, do not see any point to your posts in this thread (in terms of the OT). Posting the code example does not cause the community to collapse at all, like you try to imply, neither does treating

general users with respect. OP's issue is solved, so this is all pointless.

>> You clearly don't read others posts

Before making silly statements like that:

1. Make sure you spell the right word
2. Make sure you have proof

You didn't understand the definition, so how can you say that you even appropriately used the definition to prove that you helped him? You did his work for him, and you didn't even bother to explain it (most likely because you don't even understand what the code does or how it works, hence why it wasn't refactored, never mind all the excuses you made for not refactoring it).

The StackOverflow link you posted at least showed that the OP had made an attempt and understands basic OLE drag drop operations as he clearly stated his attempts, and showed an understanding of the applicable windows messages. That's why code was later provided; because the person who asked the thread showed the attempts they've made and proof that they had a basic understanding of a normal drag and drop routine. People don't post code on StackOverflow 99% of the time when the OP doesn't show that they've attempted anything, and for good reason!

You blatantly provided him with code without acknowledging that he probably hadn't even tried anything at all.

Quote:The code sample I provided requires some basic level of comprehension for OP to integrate

I'm nearly at a loss of words for how stupid you are at this point... ? I truly am. We've been over this multiple times, and I had already explained that the code requires no modification if you compare it to what he is trying to do.

You say I don't read your posts, yet I had already explained this quite clearly, and here I am going over it once more. The code you provided does EXACTLY what OP was wanting to achieve. In what way would he need to comprehend the example code when it can be used as-is? Until you can answer this question, do not even bother replying to this thread again, because you're a fool if you do. We aren't even having a proper debate if you aren't even capable of reading.

edit: Let's face it, you aren't trying to help here. You just wanted to prove that you could achieve it in C# (even though it took someone else's C++ code for you to do it). You didn't provide any explanation, you just translated some code you found, and handed it over to him. That's why you had to try to prove to us that we're all wrong and Drag/Drop can be done in console applications...

Eternal Darkness - November 14, 2019, 4:47 pm

(Nov 14, 2019 05:08 PM)0xDEAD10CC Wrote: [\[CITE\]](#) You say I don't read your posts, yet I had already explained this quite clearly, and here I am going over it once more. The code you provided does EXACTLY what OP was wanting to achieve. In what way would he need to comprehend the example code when it can be used as-is? Until you can answer this question, do not even bother replying to this thread again, because you're a fool if you do. We aren't even having a proper debate if you aren't even capable of reading.

This code does not provide IO (what Drag and Drop is for).

Who would use this code without learning what the C++ dependencies do? No matter if it is found or given, any programmer should comment out certain sectors of code and figure out the operations/(research, whatever suits the user).

They could paste the main method and list the files, yes, but that is certainly not the desired functionality. I do understand that he could use this as a "building block", but do not understand those who would not work to understand the underlying functionality of the code (for example the source I posted). That is part of asking for help, learning from an example.

(Nov 14, 2019 05:08 PM)0xDEAD10CC Wrote: [\[CITE\]](#) edit: Let's face it, you aren't trying to help here. You just wanted to prove that you could achieve it in C# (even though it took someone else's C++ code for you to do it). You didn't provide any explanation, you just translated some code you found, and handed it over to him. That's why you had to try to prove to us that we're all wrong and Drag/Drop can be done in console applications...

Yep I posted a C# solution via a google search while everyone was posting "can't be done" (or posting fake "requirements" like you). Obviously by posing a piece of code, providing the functionality mentioned in the OT "I'm not helping"... ???

Not claiming to be a hero, don't mean to "prove you wrong" per say. Just don't like seeing repeatedly "it can't be done"/fake "requirements" being posted. Not going to address other concerns as they have been addresses already.

I never claimed this code was "good" (implied contrary due to stating it was un-optimized), or that I spent time converting it. As I said, I do not expect praise, but this massive temper tantrum needs to stop... All I did was post some code from stack overflow...

Your right an intelligent user should be able to find this code sample, so there should be no harm in me providing this then. The conversion was easy (did not spend time to optimize/etc). Feel free to post the optimized "spoon fed" code, I promise that I will not create a similar tantrum (over essentially nothing).

(Nov 14, 2019 04:47 PM)Eternal Darkness Wrote: [\[CITE\]](#) Spoon-feeding is not against any rules/anything btw, so even if "I did", this is pointless.. This argument serves no purpose, other than to tell me to "stay in my lane" and "stop helping users" (that your fake requirements are sufficient).

Yet again, do not see any point to your posts in this thread (in terms of the OT). Posting the code example does not cause the community to collapse at all, like you try to imply, neither does treating general users with respect. OP's issue is solved, so this is all pointless.

Feel free to "win" this argument by making the last post, am pretty done with this non-sense. Don't expect to reply again.

0xDEAD10CC - November 14, 2019, 5:46 pm

(Nov 14, 2019 05:47 PM)Eternal Darkness Wrote: [\[CITE\]](#) This code does not provide IO (what Drag and Drop is for).

Who would use this code without learning what the C++ dependencies do? No matter if it is found or given, any programmer should comment out certain sectors of code and figure out the operations(/research, whatever suits the user).

They could paste the main method and list the files, yes, but that is certainly not the desired functionality. I do understand that he could use this as a "building block", but do not understand those who would not work to understand the underlying functionality of the code (for example the source I posted). That is part of asking for help, learning from an example.

Yep I posted a C# solution via a google search while everyone was posting "can't be done" (or posting fake "requirements" like you). Obviously by posing a piece of code, providing the functionality mentioned in the OT "I'm not helping"... ???

Not claiming to be a hero, don't mean to "prove you wrong" per say. Just don't like seeing repeatedly "it can't be done"/fake "requirements" being posted. Not going to address other concerns as they have been addresses already.

I never claimed this code was "good" (implied contrary due to stating it was un-optimized), or that I spent time converting it. As I said, I do not expect praise, but this massive temper tantrum needs to stop... All I did was post some code from stack overflow...

Your right an intelligent user should be able to find this code sample, so there should be no harm in me providing this then. The conversion was easy (did not spend time to optimize/etc). Feel free to post the optimized "spoon fed" code, I promise that I will not create a similar tantrum (over essentially nothing).

Feel free to "win" this argument by making the last post, am pretty done with this non-sense. Don't expect to reply again.

Drag drop is not for I/O it's for data transport. This is why there's a DataFormats class (<https://docs.microsoft.com/en-us/dotnet/api/system.windows.dataformats?view=netframework-4.8>) which contains members to represent all types of data formats including text. Have you ever tried to drag text from one application to another?

Additionally, read the thread title: "RE: C# drag and Drop to Console App , Get fille path" <- His question was not about file I/O either.

"They could paste the main method and list the files, yes, but that is certainly not the desired functionality" - ? ... Read the thread title again.

I don't know if maybe 50 or 100 times of me saying that there's a difference between helping a person out and spoonfeeding them, but it doesn't seem to be getting through to you still. I guarantee they didn't learn anything from your code example, and the only thing you helped him with is getting the spoonfeed he wanted. If that's your goal, and not to help others learn, then good on you...