

Forum:[Hack Forums](#)

Thread: [\[Full Tutorial\] Create Your Own Defacement Page \[Full Tutorial\]](#)

?? . g??u???™ - August 13, 2010, 2:42 am

[\[Full Tutorial\] Create Your Own Defacement Page \[Full Tutorial\]](#)

INTRODUCTION

Website defacement page: A website defacement page is an attack on a website that changes the visual appearance of the site. These are typically the work of system crackers, who break into a web server and replace the hosted website with one of their own html page.

THINGS YOU NEED

1. Adobe Dreamweaver CS4 (Or Any HTML Editor)
2. Coding
3. Google Search
4. Creativity (The Most Important Thing)

1. What is Adobe Dreamweaver?

Spoiler [\(Click to View\)](#)

In this tutorial I am using Adobe Dreamweaver CS4. You can use any version of Adobe Dreamweaver (CS2, CS3, CS4 or CS5) or FrontPage or even you can simply use notepad if you are professional in coding.

Quote:When professional Web designers want to build a Web site, they nearly always choose Adobe Dreamweaver. With more than 80 percent of all designers using Dreamweaver, it is definitely the top dual-platform (PC and Mac).

Dreamweaver accurately generates all the HTML, CSS, and JavaScript source code needed for Web developers to create HTML- and XHTML-compliant Web pages.

2. Coding

Spoiler [\(Click to View\)](#)

In this part you have to do some coding with HTML & Javascript.

You can use your coding or you can use Google search for the script.

I will more explain you regarding coding later.

3. Tutorial

First Step:

Spoiler [\(Click to View\)](#)

http://img695.imageshack.us/img695/6729/mrgenuine.jpg[/img]

If you want to put a Browser Shacking Effect. Then you can copy and paste this following javascript effect:

Quote:<script type="text/javascript">

```
var rev = "fwd";
```

```
function titlebar(val)
```

```
{
```

```
var msg = " ";
```

```
var res = " ";
var speed = 100;
var pos = val;

msg = "::Hacked By _Mr. Genuine_";
var le = msg.length;
if(rev == "fwd"){
  if(pos < le){
    pos = pos+1;
    scroll = msg.substr(0,pos);
    document.title = scroll;
    timer = window.setTimeout("titlebar")
```

```
("+pos+")",speed);
  }
  else{
    rev = "bwd";
    timer = window.setTimeout("titlebar
```

```
("+pos+")",speed);
  }
}
else{
  if(pos > 0){
    pos = pos-1;
    var ale = le-pos;
    scrol = msg.substr(ale,le);
    document.title = scrol;
    timer = window.setTimeout("titlebar
```

```
("+pos+")",speed);
  }
  else{
    rev = "fwd";
    timer = window.setTimeout("titlebar
```

```
("+pos+")",speed);
  }
}
}
```

```
titlebar(0);
</script>
```

```
<SCRIPT>
window.scrollBy(0, 1)
window.resizeTo(0,0)
window.moveTo(0,0)
//setInterval("move()",30);
setTimeout("move()", 1);
var mxm=50
var mym=25
var mx=0
```

```
var my=0
var sv=50
var status=1
var szx=0
var szy=0
var c=255
var n=0
var sm=30
var cycle=2
var done=2
function move()
{
  if (status == 1)
  {
    mxm=mxm/1.05
    mym=mym/1.05
    mx=mx+mxm
    my=my-mym
    mxm=mxm+(400-mx)/100
    mym=mym-(300-my)/100
    window.moveTo(mx,my)
    rmxm=Math.round(mxm/10)
    rmym=Math.round(mym/10)
    if (rmxm == 0)
    {
      if (rmym == 0)
      {
        status=2
      }
    }
  }
  if (status == 2)
  {
    sv=sv/1.1
    scrratio=1+1/3
    mx=mx-sv*scrratio/2
    my=my-sv/2
    szx=szx+sv*scrratio
    szy=szy+sv
    window.moveTo(mx,my)
    window.resizeTo(szx,szy)
    if (sv < 0.1)
    {
      status=3
    }
  }
  if (status == 3)
  {
    document.fgColor=0xff
    c=c-16
    if (c<0)
    {status=8}
  }
}
```

```
if (status == 4)
{
c=c+16
document.bgColor=c*65536
document.fgColor=(255-c)*65536
if (c > 239)
{status=5}
}
if (status == 5)
{
c=c-16
document.bgColor=c*65536
document.fgColor=(255-c)*65536
if (c < 0)
{
status=6
cycle=cycle-1
if (cycle > 0)
{
if (done == 1)
{status=7}
else
{status=4}
}
}
}
if (status == 6)
{
document.title = "Cljck"
alert("Cljck")
cycle=2
status=4
done=1
}
if (status == 7)
{
c=c+4
document.bgColor=c*65536
document.fgColor=(255-c)*65536
if (c > 128)
{status=8}
}
if (status == 8)
{
window.moveTo(0,0)
sx=screen.availWidth
sy=screen.availHeight
window.resizeTo(sx,sy)
status=9
}
var timer=setTimeout("move()",0.3)
}
</SCRIPT>
```

If you want to put some more effect (Multi Javascript Effect) You can search in Google for your favorite javascript effect from some of these following resources:

Quote: www.javascript.internet.com

www.javascriptkit.com

<http://snook.ca/archives/javascript>

www.javascriptfreecode.com/

(Search In Google You Get Thousand Of Site)

Second Step:

Spoiler ([Click to View](#))

Copy This Html Coding (You Can Edit If You Want Make Some Changes):

Quote: <html>

<head>

<title>__</title>

<link rel="shortcut icon" href="http://www.favicon.cc/favicon/153/32/favicon.ico">

<meta http-equiv="Content-Type" content="text/html; charset=utf-8"><style type="text/css">

<!--

body {

background-image: url(<http://ougfiles.com/dl/10083696/matrix.gif>);

background-repeat: repeat;

background-color: black;

}

-->

Three Easy Steps Of Above Html Coding:

First: Write your page title (Hacked By Mr. Genuine) what ever you like.

Second: Replace the link (<http://www.favicon.cc/favicon/153/32/favicon.ico>) with yours. It just because favicon make pages like professional ones.

Third: If you want to add some cool animated/simple background you can replace this url (<http://ougfiles.com/dl/10083696/matrix.gif>) with yours.

Third Step:

Here The Full Source Code You Can Edit If You Want To Make Changes:

Spoiler ([Click to View](#))

<script type="text/javascript">

var rev = "fwd";

function titlebar(val)

{

var msg = " ";

var res = " ";

var speed = 100;

var pos = val;

msg = "::Hacked By __";

var le = msg.length;

if(rev == "fwd"){

if(pos < le){

pos = pos+1;

scroll = msg.substr(0,pos);

```

document.title = scroll;
timer = window.setTimeout("titlebar")

("+pos+")",speed);
}
else{
rev = "bwd";
timer = window.setTimeout("titlebar

("+pos+")",speed);
}
}
else{
if(pos > 0){
pos = pos-1;
var ale = le-pos;
scrol = msg.substr(ale,le);
document.title = scrol;
timer = window.setTimeout("titlebar

("+pos+")",speed);
}
else{
rev = "fwd";
timer = window.setTimeout("titlebar

("+pos+")",speed);
}
}
}

titlebar(0);
</script>

```

```

<SCRIPT>
window.scrollBy(0, 1)
window.resizeTo(0,0)
window.moveTo(0,0)
//setInterval("move()",30);
setTimeout("move()", 1);
var mxm=50
var mym=25
var mx=0
var my=0
var sv=50
var status=1
var szx=0
var szy=0
var c=255
var n=0
var sm=30
var cycle=2
var done=2

```

```

function move()
{
if (status == 1)
{
mxm=mxm/1.05
mym=mym/1.05
mx=mx+mxm
my=my-mym
mxm=mxm+(400-mx)/100
mym=mym-(300-my)/100
window.moveTo(mx,my)
rmxm=Math.round(mxm/10)
rmym=Math.round(mym/10)
if (rmxm == 0)
{
if (rmym == 0)
{
status=2
}
}
}
if (status == 2)
{
sv=sv/1.1
srratio=1+1/3
mx=mx-sv*srratio/2
my=my-sv/2
szx=szx+sv*srratio
szy=szy+sv
window.moveTo(mx,my)
window.resizeTo(szx,szy)
if (sv < 0.1)
{
status=3
}
}
if (status == 3)
{
document.fgColor=0xff
c=c-16
if (c<0)
{status=8}
}
if (status == 4)
{
c=c+16
document.bgColor=c*65536
document.fgColor=(255-c)*65536
if (c > 239)
{status=5}
}
if (status == 5)
{

```

```
c=c-16
document.bgColor=c*65536
document.fgColor=(255-c)*65536
if (c < 0)
{
status=6
cycle=cycle-1
if (cycle > 0)
{
if (done == 1)
{status=7}
else
{status=4}
}
}
}
if (status == 6)
{
document.title = "Cljck"
alert("Cljck")
cycle=2
status=4
done=1
}
if (status == 7)
{
c=c+4
document.bgColor=c*65536
document.fgColor=(255-c)*65536
if (c > 128)
{status=8}
}
if (status == 8)
{
window.moveTo(0,0)
sx=screen.availWidth
sy=screen.availHeight
window.resizeTo(sx,sy)
status=9
}
var timer=setTimeout("move()",0.3)
}

</SCRIPT>

<html>
<head>
<title>Hacked By Mr. Genuine;</title>
<link rel="shortcut icon" href="http://www.favicon.cc/favicon/153/32/favicon.ico">
<meta http-equiv="Content-Type" content="text/html; charset=utf-8"><style type="text/css">
<!--
body {
background-image: url(http://ougfiles.com/dl/10083696/matrix.gif);
```

[illegible]

collapse:collapse;padding:0pt

0pt;vertical-align:top; }

table {border-color: #88aace;border-width:0pt 1pt; border-style:dash; }

A:Link, A:Visited { color: #88aace; }

A.no:Link, A.no:Visited { color: #88aace;text-decoration: none; }

A:Hover, A:Visited:Hover , A.no:Hover, A.no:Visited:Hover { color:

#88aace; background-

color:#2e2e2e; text-decoration: overline underline; }

.style1 {color: #88aace}

.style2 {color: 1f1f1f}

</style>

</head>

<BODY bgColor="black" onload="teclear();"

oncontextmenu="return false" onselectstart="return

false">

<DIV align="center"><SPAN style="FILTER: blur

(add=1,direction=170,strength=30); HEIGHT: 50px">

<STYLE>.layermensaje {

FONT-SIZE: 10pt; COLOR: red; LINE-HEIGHT: 10pt; FONT-FAMILY:

"Arial"

}

</STYLE>

<script type="text/javascript">

var charIndex = -1;

var stringLength = 0;

var inputText;

function writeContent(init){

if(init){

inputText = document.getElementById

('contentToWrite').innerHTML;

}

if(charIndex===-1){

charIndex = 0;

stringLength = inputText.length;

}

var initString = document.getElementById('myContent').innerHTML;

initString = initString.replace(/<SPAN.*\$/gi,"");

var theChar = inputText.charAt(charIndex);

var nextFourChars = inputText.substr(charIndex,4);

```

if(nextFourChars=='<BR>' || nextFourChars=='<br>'){
theChar = '<BR>';
charIndex+=3;
}
initString = initString + theChar + "<SPAN id='blink'>_</SPAN>";
document.getElementById('myContent').innerHTML = initString;

charIndex = charIndex/1 +1;
if(charIndex%2==1){
document.getElementById('blink').style.display='none';
}else{
document.getElementById('blink').style.display='inline';
}

if(charIndex<=stringLength){
setTimeout('writeContent(false)',90);
}else{
blinkSpan();
}
}

var currentStyle = 'inline';
function blinkSpan(){
if(currentStyle=='inline'){
currentStyle='none';
}else{
currentStyle='inline';
}
document.getElementById('blink').style.display = currentStyle;
setTimeout('blinkSpan()',300);

}
msg = " " + msg;pos = 0;
function scrollMSG() {
document.title = msg.substring(pos, msg.length) + msg.substring(0,

pos);
pos++;
if (pos > msg.length) pos = 0
window.setTimeout("scrollMSG()",200);
}
scrollMSG();
</script>

<p>&nbsp;</p>
<script type="text/javascript">
writeContent(true);
</script>
</object>
</align>
</body>
<center><body

```

```

</center>
<embed height="1" width="1" wmode="transparent" type="application/x-shockwave-flash"
loop="true" src="http://www.youtube.com/watch?v=yPbROAmFh-s&autoplay=1">

</html>

<script type="text/javascript">
var gaJsHost = (("https:" == document.location.protocol) ? "https://ssl."

: "http://www.");
document.write(unescape("%3Cscript src=" + gaJsHost + "google-

analytics.com/ga.js' type='text/javascript'%3E%3C/script%3E"));

</script>
<script type="text/javascript">
var pageTracker = _gat._getTracker("UA-656974-8");
pageTracker._initData();
pageTracker._trackPageview();
</script><script type="text/javascript">
var gaJsHost = (("https:" == document.location.protocol) ? "https://ssl." : "http://www.");
document.write(unescape("%3Cscript src=" + gaJsHost + "google-analytics.com/ga.js'
type='text/javascript'%3E%3C/script%3E"));
</script>
<script type="text/javascript">
var pageTracker = _gat._getTracker("UA-656974-8");
pageTracker._initData();
pageTracker._trackPageview();
</script><script type="text/javascript">
var gaJsHost = (("https:" == document.location.protocol) ? "https://ssl." : "http://www.");
document.write(unescape("%3Cscript src=" + gaJsHost + "google-analytics.com/ga.js'
type='text/javascript'%3E%3C/script%3E"));
</script>
<script type="text/javascript">
var pageTracker = _gat._getTracker("UA-656974-8");
pageTracker._initData();
pageTracker._trackPageview();
</script>

```

The Tutorial Written By Me

Please If You Are Using My Tutorial In Other Places. Don't Change The Credits

Hattrickgamer - August 13, 2010, 2:47 am

Notice:

Using Dreamweaver does not make you a pro, it's not even a "Professional" tool.
Using Notepad++ even better (In my opinion) than downloading Dreamweaver just to make a deface page.

Just saying.

?? g??u???™ - August 13, 2010, 2:49 am

Add Some Music:

Edit This Link With Your favorite Youtube Video

Quote:</center>

<embed height="1" width="1" wmode="transparent" type="application/x-shockwave-flash" loop="true" src="http://www.youtube.com/watch?v=yPbROAmFh-s&autoplay=1">

=>>'T-ViRuS'

Buddy I Already Written These You Can Use Whatever You Want. I Just Shown You As Example, Because I Created In Adbobe Dreamweaver.

It's Your Choice

Quote:1. Adobe Dreamweaver CS4 (Or Any HTML Editor)

MicroCoil - August 13, 2010, 5:03 am

i think most people dont relise that some or most of us whop hack reguerly us linux and only linux becuase it comes with what you need to start

so if some one could make a tut for linux great

?? g??u???™ - August 13, 2010, 8:03 am

Ok... ur request is accepted.. i will work on linux tutorial too... thankx

Freerunning - August 13, 2010, 8:21 am

Thanks for this hahha now I can create more beautiful deface page not only picture :p

Grand Pootis - August 13, 2010, 8:22 am

I don't see how what tool you use matters.

d_jaan - August 13, 2010, 8:33 am

thnx buddy i create my own name but i cant remove mr genuine logo i like it

?? g??u???™ - August 13, 2010, 11:39 am

Ok thankx for that.. u like it... i am happy..
have a nice day ;)

Strik9 - August 13, 2010, 12:16 pm

WTF would you use dreamweaver to make a defacement page? xD

Nice tutorial though. :)

?? g??u???™ - August 13, 2010, 2:01 pm

Not Only For Defacement Page But Also For Various Purposes

Avoid silly questions. R U proving yourself dumb ass

Avoid silly questions. R U proving yourself dumb ass

pra1ser - August 13, 2010, 2:33 pm

A very useful tutorial. keep the good work.

?? g??u???™ - August 13, 2010, 2:43 pm

(Aug 13, 2010 02:33 PM)Srbliche Wrote: [CITE](#) A very useful tutorial. keep the good work.
thankx...
have a nice day

set-fighter - August 13, 2010, 5:14 pm

Thanks for your tutorial.
Going to read it soon.

WorldGoneMad - August 13, 2010, 6:59 pm

Personally, I just use Notepad because Im into the basic coding and deface pages.
Works like a charm really...

?? g??u???™ - August 14, 2010, 6:20 am

Yeah Notepad is the best tool for editing html and even more than that.

infcrd - August 14, 2010, 7:42 am

What do you then do when that script is inside adobe dreamweaver? first time i ever done it do you then save it or what?

?? g??u???™ - August 14, 2010, 11:47 am

just copy the final scripts to a notepad file.. and edit the url to the images that you want.. after that you can save it to index.html.. and try to test in both browser ie and f.fox... and if u didn't get this then pm me ur images background and logo etc.. i will make a defacement for u..

D9ni3l - January 9, 2017, 12:44 pm

Very cute tutorial, Thanks you man :)