

Forum:[Hack Forums](#)

Thread: [Learn about some common attacks in cybersecurity and the differences between them](#)

MAD_hm - July 17, 2024, 12:57 am

1.Botnet

It is a group of infected devices controlled by one or more computers to launch various malicious attacks.

They are often used to launch a denial of service or DDoS attack

2.MITM

It is when a hacker tricks two or more devices by spoofing MAC addresses, often to steal data and manipulate the connection and where it is directed.

3.DNS Spoofing

Similar to the previous attack, although this attack may play with the data when it reaches the hacker's device.

If the target wants to go to facebook, the hacker can change this request to a malicious site

4.IP Spoofing

It is an impersonation of the IP address of another system on a network. This allows cybercriminals to carry out malicious actions with the address of another device on the network

5.DDoS

An attack in which the perpetrator seeks to make a device or network resource unavailable to its users by temporarily or indefinitely disabling services. Usually includes a Botnet to be effective

6.Rootkit

A group of malware that enables an unauthorized user to take control of a computer system. They are often hidden in other processes to avoid detection.

Astorinyo - September 2, 2024, 10:46 am

Thanks you for your content

Daily - September 2, 2024, 4:26 pm

Garbage ChatGPT content.

0x77ff - September 4, 2024, 11:10 am

(Sep 2, 2024 04:26 PM)Daily Wrote: [\[CITE\]](#) Garbage ChatGPT content.

Fr no1 needs to know this shit info here