

Forum:[Hack Forums](#)

Thread: [how to launch a DoS attack](#)

wydn1 - September 23, 2026, 11:33 am

im new to the world of hacking but i need to know how to perform a DoS attack using an ip address

DramaKing - September 23, 2026, 12:26 pm

You don't "use IP addresses." There are actually lots of ways that are pretty much all dependent on the specific target and almost none of them will work.

Roberto Scorpius Malfoy - September 23, 2026, 1:28 pm

(Sep 23, 2026 11:33 AM)wydn1 Wrote: [CITE](#) im new to the world of hacking but i need to know how to perform a DoS attack using an ip address

Code attack scripts, buy good servers that would allow you to launch attacks.

There you go.

Easy way is to buy access to a stresser and put the IP and launch the attack.

ahw9n2io8wd9h - October 5, 2026, 6:22 am

Find someone providing the service. Since you're new and inexperienced, there aren't any alternatives aside from learning. If you want to learn, either learn to google or find a uncensored AI to ask.

WARNING! EDUCATIONAL CONTENT BELOW!!

To DOS someone and BOOT them off follow these 3 simple steps!

1. Press WINDOWS KEY + R on your keyboard
2. Type CMD and then press Enter on your keyboard
3. Type ping <IP ADDRESS YOU WANT TO ATTACK> -t -l 65000000 -S <RANDOM IP ADDRESS> then press enter on your keyboard

This is known as ?? PING OF DEATH ??

Command explanation:

PING - A windows command that sends ICMP packets to your target

<IP ADDRESS YOU WANT TO ATTACK> - Target IP address

-t - Flag for how many pings you want to send, use without number for infinite pings

-l - Flag for buffer size set to 6500000000000 for terabytes

-S - To change source address ???SET OTHERWISE POLICE WILL COME TO YOUR HOME!???

Use at your own peril, you'll 100% get swatted after this and they wont bother warning you before shooting you in the balls.