

Forum:[Hack Forums](#)

Thread: [Free YourFreedom Premium Account](#)

Black Kat - April 19, 2009, 3:12 pm

www.zarmbie.com

This is a method I have done to get free YourFreedom premium accounts.

For those of you that don't know what YourFreedom is, I will explain. It is a proxy client that you can use to do all sorts. Watch porn and be 100% invisible or just play Games like WoW at work/school etc.

Free accounts are limited to 6 hours a day and something like 18 hours a week, not that much. So here is my method to get premium accounts, practically for free.

So, lets get started.

Step 1) Find a free host. There are hundreds out there.

Step 2) Register a server from the host and register a account here <http://www.your-freedom.net/?referer=790409> and make a account.

Step 3) Create a new notepad document and place the code found here in it: http://www.your-freedom.net/ems-dist/enduring_freedom.php-RENAME.

Step 4) Click 'Save As...' and make sure you put something in-conspicuous and it has .php on the end.

Step 5) Upload this .php file onto your web-host. It should be at somewhere like this 'www.website-name.com/filename.php'.

Step 6) Go to www.yourfreedom.com, login your account and go to Account --> CGI Relays (on the middle/left panel). At the bottom of this page fill in the form. It is self-explanatory.

Step 7) You are done! People will now connect through your server and you will start getting points. Spend them in the Incentives --> Statement area when you have collected enough.

There we go, free, simple, quick premium accounts. Use as many free hosts as you like.

If you do decide to try this, please use my link when making a account on YourFreedom.com.

Here is the refferal link:

<http://www.your-freedom.net/?referer=790409>

Also, download the Client here:

<http://www.your-freedom.net/index.php?id=3&referer=790409>

Thanks, thats all I ask.

Gypsy - April 19, 2009, 5:44 pm

Nice, easy tut. Worked out for me!

zerovalue0 - April 19, 2009, 6:08 pm

ty will try l8r ty again

Black Kat - October 19, 2009, 4:37 am

Bump

(filler, filler, filler)

wheels0617 - October 19, 2009, 6:15 am

Will this work for myfreecams

Black Kat - October 19, 2009, 10:22 am

(Oct 19, 2009 06:15 AM)wheels0617 Wrote: [\[CITE\]](#) Will this work for myfreecams
Erm, I have no idea. This is about YourFreedom.

Zero Phlame - October 19, 2009, 11:44 am

Looks pretty cool, free is good :D

faculty - October 30, 2009, 5:18 pm

Good day sir, i luv dis thread but i got confused on ur step 3. Which link are we to copy into Notepad? Reply plz

~/deadlock/ - November 12, 2009, 4:06 am

how can we know that the every things it right means the status chk??
it's work or not

~/deadlock/ - December 30, 2009, 9:14 pm

no one reply my post??
plz confirm is it work for any one

Black Kat - December 31, 2009, 4:22 am

Dude, it works. What do you want me to show?

P.S. You did just revive the shit out of a dead thread... long dead...

~/deadlock/ - December 31, 2009, 8:50 am

@ black kat bro
after upload the file in webhost when i m chk the link it's give me error.

Warning: fsockopen() [function.fsockopen]: unable to connect to tcp://ems21.your-freedom.de:80
(Unknown error) in /www/110mb.com/s/h/i/b/b/u/_/_/shibbu/htdocs/my data by me21.php on line 27

actullay i m using your freedom with https.. with server name
ems21.your-freedom.de/?id=jCustomerWAPProv

so may be i have to use ems21.your-freedom.de/?id=jCustomerWAPProv:443
what u think?

Black Kat - December 31, 2009, 10:11 am

ems21.your-freedom.de/?id=jCustomerWAPProv:443

~/deadlock/~ - January 1, 2010, 1:06 am

bro no suggestion ???

what to do?

aj_3ks - January 13, 2010, 2:34 pm

That link : http://www.your-freedom.net/ems-dist/enduring_freedom.php-RENAME. don't work ...

how i can get the code ?

Solus - March 7, 2010, 10:21 am

I found this earlier today, but the code you linked is no longer loading.

If you still have the code, could you post it or something? :D

morris801111 - March 13, 2010, 11:51 am

please post new code...

thanks

jtb110 - March 15, 2010, 11:51 pm

Here is the code. Remember to edit the first lines as mentioned in the start.

Code <?php

```
$yf_server = 'ems06.your-freedom.de';
```

```
$yf_port = 80;
```

```
$connect_timeout = 10;
```

```
$sep="--SEP";
```

```
set_magic_quotes_runtime(0);
```

```
$args = Array();
```

```
parse_str($_SERVER["QUERY_STRING"], $args);
```

```
$ext = 'html';
```

```
$session_id = null;
```

```
foreach ($args as $key => $value) {
```

```
    $l = strlen($key);
```

```
    $sum = 0;
```

```
    for ($i=0; $i<$l; $i++) $sum += ord(substr($key,$i,1));
```

```
    if ($sum % 100 == 0) { # is a valid session ID tag
```

```
        $session_id = $value;
```

```
        if ($sum % 200 == 0) { # is a valid uplink tag
```

```
            $ext = 'cgi';
```

```
        }
```

```
        break;
```

```
    }
```

```
}
```

```
if ($session_id == null) {
```

```
    $fh = fsockopen("tcp://$yf_server", $yf_port);
```

```
    if (!$fh) return;
```

```
    $cmd = "GET /cgi.html?server=".$_SERVER['SERVER_NAME'].$_SERVER['REQUEST_URI']."
```

```
HTTP/1.0\r\n\r\n";
```

```

if (!fwrite($fh,$cmd,strlen($cmd))) return;
$ccli = fopen("php://output","wb");
if ($ccli) {
    fflush($ccli);
    do {
        $data = fgets($fh);
    }
    while (strpos($data,"\n")>1);
    while (true) {
        $data = fread($fh,2048);
        if (!$data) break;
        if (!fwrite($ccli,$data,strlen($data))) break;
        fflush($ccli);
    }
}
exit;
}

```

```

crossconnect($session_id, $yf_server, $yf_port, $ext);
exit;

```

```

function getServer($session_id) {
    return array($rootaddr, $rootport);
}

```

```

function headers() {
    return
    "Accept: text/html\r\n".
    "X-Via: ".$_SERVER['SERVER_NAME']. " ".$uri." ".$_SERVER['REMOTE_ADDR'].
    ".$_SERVER['REMOTE_PORT']."\r\n".
    "Connection: close\r\n";
}

```

```

function crossconnect($session_id, $server, $port, $ext) {
    $fh = fsockopen("tcp://$server", $port);
    if (!$fh) return;
    $post = false;
    if (!strcmp($ext,"cgi")) {
        $uri = $_SERVER['REQUEST_URI'];
        $uri = substr($uri,0,strpos($uri,'?'));
        $cmd = "POST /$session_id.$ext HTTP/1.0\r\n".
        "Host: $server:$port\r\n".
        "Content-Length: 10000000\r\n".
        headers();
        $post = true;
    }
    else {
        $cmd = "GET /$session_id.$ext HTTP/1.0\r\n".
        "Host: $server:$port\r\n".
        headers().
        "\r\n";
    }
    if (!fwrite($fh,$cmd,strlen($cmd))) return;
}

```

```

if (!$post) { # read from server and print what we read
    $cli = fopen("php://output","wb");
    if ($cli) {
        fflush($cli);
        do {
            $data = fgets($fh);
        }
        while (strpos($data,"\n")>1);
        while (true) {
            $data = fread($fh,2048);
            if (!$data) break;
            if (!fwrite($cli,$data,strlen($data))) break;
            fflush($cli);
        }
    }
}
else {
    $sep="--SEP\r\n";
    fwrite($fh,"Content-Type: multipart/form-data; boundary=SEP\r\n\r\n");
    fflush($fh);
    $skip=1;
    foreach ($_REQUEST as $k => $v) {
        if (--$skip>=0) continue;
        reset($_REQUEST[$k]);
        foreach ($_REQUEST[$k] as $kk => $vv) {
            $item=$sep."Content-Disposition: form-data; name=\"$k\"\\r\\n\\n$vv\\r\\n";
            if (FALSE === fwrite($fh,$item,strlen($item))) {
                break;
            }
        }
    }
    $item=$sep;
    fwrite($fh,$item,strlen($item));
    fflush($fh);
}
fclose($fh);
}

?>

```

ardhywiratamaby - March 21, 2010, 10:42 am

(Mar 15, 2010 11:51 PM)jtb110 Wrote: [\[CITE\]](#) Here is the code. Remember to edit the first lines as mentioned in the start.

Code <?php

```

$yf_server = 'ems06.your-freedom.de';
$yf_port = 80;
$connect_timeout = 10;
$sep="--SEP";

set_magic_quotes_runtime(0);

```

```

$args = Array();
parse_str($_SERVER["QUERY_STRING"], $args);
$ext = 'html';
$session_id = null;
foreach ($args as $key => $value) {
    $l = strlen($key);
    $sum = 0;
    for ($i=0; $i<$l; $i++) $sum += ord(substr($key,$i,1));
    if ($sum % 100 == 0) { # is a valid session ID tag
        $session_id = $value;
        if ($sum % 200 == 0) { # is a valid uplink tag
            $ext = 'cgi';
        }
        break;
    }
}
if ($session_id == null) {
    $fh = fsockopen("tcp://$yf_server", $yf_port);
    if (!$fh) return;
    $cmd = "GET /cgi.html?server=".$_SERVER['SERVER_NAME'].$_SERVER['REQUEST_URI']."
HTTP/1.0\r\n\r\n";
    if (!fwrite($fh,$cmd,strlen($cmd))) return;
    $cli = fopen("php://output","wb");
    if ($cli) {
        fflush($cli);
        do {
            $data = fgets($fh);
        }
        while (strpos($data,"\n")>1);
        while (true) {
            $data = fread($fh,2048);
            if (!$data) break;
            if (!fwrite($cli,$data,strlen($data))) break;
            fflush($cli);
        }
    }
}
exit;
}

```

```

crossconnect($session_id, $yf_server, $yf_port, $ext);
exit;

```

```

function getServer($session_id) {
    return array($rootaddr, $rootport);
}

```

```

function headers() {
    return
    "Accept: text/html\r\n".
    "X-Via: ".$_SERVER['SERVER_NAME']." ".$_uri." ".$_SERVER['REMOTE_ADDR']."
".$_SERVER['REMOTE_PORT']."\r\n".
    "Connection: close\r\n";
}

```

```
}
```

```
function crossconnect($session_id, $server, $port, $ext) {
    $fh = fsockopen("tcp://$server", $port);
    if (!$fh) return;
    $post = false;
    if (!strcmp($ext,"cgi")) {
        $uri = $_SERVER['REQUEST_URI'];
        $uri = substr($uri,0,strpos($uri,'?'));
        $cmd = "POST /$session_id.$ext HTTP/1.0\r\n".
            "Host: $server:$port\r\n".
            "Content-Length: 10000000\r\n".
            headers();
        $post = true;
    }
    else {
        $cmd = "GET /$session_id.$ext HTTP/1.0\r\n".
            "Host: $server:$port\r\n".
            headers().
            "\r\n";
    }
    if (!fwrite($fh,$cmd,strlen($cmd))) return;

    if (!$post) { # read from server and print what we read
        $cli = fopen("php://output","wb");
        if ($cli) {
            fflush($cli);
            do {
                $data = fgets($fh);
            }
            while (strpos($data,"\n")>1);
            while (true) {
                $data = fread($fh,2048);
                if (!$data) break;
                if (!fwrite($cli,$data,strlen($data))) break;
                fflush($cli);
            }
        }
    }
    else {
        $sep="--SEP\r\n\r\n";
        fwrite($fh,"Content-Type: multipart/form-data; boundary=SEP\r\n\r\n\r\n");
        fflush($fh);
        $skip=1;
        foreach ($_REQUEST as $k => $v) {
            if (--$skip>=0) continue;
            reset($_REQUEST[$k]);
            foreach ($_REQUEST[$k] as $kk => $vv) {
                $item=$sep."Content-Disposition: form-data; name=\"$k\"\r\n\r\n$vv\r\n";
                if (FALSE === fwrite($fh,$item,strlen($item))) {
                    break;
                }
            }
        }
    }
}
```

```
}  
$item=$sep;  
fwrite($fh,$item,strlen($item));  
fflush($fh);  
}  
fclose($fh);  
}
```

?>

are it work if we use on udp 53 protocol ??

Jack.sparrow.m14a2 - May 8, 2010, 1:44 am

Hi guys I am New To this Form

I wanted to hack my your freedom account as an Premium user
Can Any One Post Me a Detailed Working method

I Love WEB But my Bills Shoot up like a skyRocket
So i turned to your freedom
But It Takes almost 30 seconds for a googel search That too Restricted For One Hour
If this Time my Bill Shoots Up My Father Is going to KICK Me out of my House

Please Help...
God Bless You All
jack.sparrow.m14a2@gmail.com

thegun - August 4, 2010, 11:12 pm

Sup man i've managed 2 upload the script to site.biz/code.php nw hw do i put it on the yf cgi-relay
coz it has 2 spaces 1 is server ,2 is url plz help

seyola9 - November 28, 2010, 5:42 pm

pls d link for the php code is broken

ghostknight - March 1, 2011, 1:56 am

plz for the writer
show us the methods in images easily
that I dnt know where i put the file in YF
thanks with best wishes :D

undyinglove - December 11, 2012, 1:55 am

hi i have problem with editing first line of the code.... when i upload it, it always says: "You have an error in your SQL syntax"
Please help me..

hyorinmaru1 - September 10, 2013, 11:41 am

i don't understand this step:*Step 7) You are done! People will now connect through your server and you will start getting points. Spend them in the Incentives --> Statement area when you have collected enough.

There we go, free, simple, quick premium accounts. Use as many free hosts as you like.

If you do decide to try this, please use my link when making a account on YourFreedom.com.

