

Forum:[Hack Forums](#)

Thread: [\[Release\] Basic Plugin System \[Source\]](#)

The-One - November 19, 2010, 11:53 am

Hello,

This is a small and basic plugin system, based on reading out text from a .dll. I already did;

Code - Label

- Textbox

- Loop (Adding more)

This cannot execute things, except when its pre-programmed. Then you can use the plugin as a key.

Screen:

Spoiler [\(Click to View\)](#)

DLL-Setup:

Code [SETUP]

NAME=Name of plugin

[CODE]

Codes here

[ENDCODE]

Example:

Code [SETUP]

NAME=Label + Textbox

[CODE]

LABEL(Download, 30, 30)

TEXTBOX(Text, 200, 100, 30)

[ENDCODE]

Download source + 3 plugins:

Spoiler [\(Click to View\)](#)[Click Mediafire](#)

Please reply saying thanks to keep this thread alive.

SevX - November 19, 2010, 4:11 pm

Will come in handy,etc...Thanks for posting"!!

StarZ - November 19, 2010, 5:10 pm

Or...

Add references to all the DLL's

On start Check the MD5 of the DLL's and if they exist.

If they exist and the MD5 is correct then you enable use of the functions.

lyncsta - November 19, 2010, 5:36 pm

This is so good, thank you for posting

The-One - November 20, 2010, 1:39 am

(Nov 19, 2010 06:10 PM)StarZ Wrote: [\[CITE\]](#) Or...

Add references to all the DLL's

On start Check the MD5 of the DLL's and if they exist.

If they exist and the MD5 is correct then you enable use of the functions.

You still need to pre-program it. With this source you only need to program the things you want to add. As the title says this a basic example, there are lots of ways to do this.

Modesty - November 20, 2010, 2:09 am

These are just txt files renamed as dlls :/

darkskull17 - November 20, 2010, 5:06 am

you are leecher!

<http://leetcoders.org/showthread.php?tid=6219>

You just changed few things

The-One - November 20, 2010, 5:38 am

I programmed this myself you idiot. Get the fk out of my thread + reported for double posting.

Fallenbot - November 20, 2010, 5:51 am

Screenshot is dead,can you re-upload it?

Thank you.

The-One - November 20, 2010, 5:59 am

(Nov 20, 2010 06:51 AM)SlimDeath Wrote: [\[CITE\]](#) Screenshot is dead,can you re-upload it?

Thank you.

Done. Thanks for reporting =]

Charny - November 20, 2010, 7:43 am

Whaaaaat the hell is that ... ?

StarZ - November 20, 2010, 10:00 pm

(Nov 20, 2010 02:39 AM)The-One Wrote: [\[CITE\]](#) You still need to pre-program it. With this source you only need to program the things you want to add. As the title says this a basic example, there are lots of ways to do this.

NO you DONT.

If File.Exists("C:\MyFile.dll") then

If MD5("C:\MyFile.exe") = "MyHash" Then

MyFile.MyClass.MyFunction("Hai")

end if ' You need a MD5 hash grabber source

end if

The-One - November 21, 2010, 4:31 am

(Nov 20, 2010 11:00 PM)StarZ Wrote: [\[CITE\]](#) NO you DONT.

If File.Exists("C:\MyFile.dll") then

If MD5("C:\MyFile.exe") = "MyHash" Then

MyFile.MyClass.MyFunction("Hai")

end if ' You need a MD5 hash grabber source

end if

Okay, but if you do it like that way you have to declare every .dll and function.

StarZ - November 21, 2010, 5:50 pm

NO, If the DLL is there and the MD5 is correct then you call the function from the DLL.

Oxycodone - November 21, 2010, 7:43 pm

So how do you set a function / code for the button.

Like if i click button 1 i want it to make a msgbox.. .